Vision Research

An International Journal for Functional Aspects of Vision

Author and Subject Index
Volume 36, 1996

PERGAMON

Supplement to Vision Research

VISION RESEARCH

Founded by THORNE SHIPLEY

Chairman

H. SPEKREIJSE, Netherlands Ophthalmic Research Institute and Laboratory of Medical Physics, University of Amsterdam, P.O. Box 12011, 1100 AA Amsterdam-Zuidoost, The Netherlands [*Tel.* (31) 20 5664584; *Fax* (31) 20 6916521; *Email* e.borghols@ioi.knaw.nl]

Editorial Assistant: ELS BORGHOLS

Vision Research is a journal devoted to the functional aspects of human, vertebrate and invertebrate vision and welcomes papers that address important issues in basic and/or clinical research. The journal is sub-divided into five sections, each with two Section Editors for publication of full papers and *Letters-to-the-Editor*. The journal has a new section called *Rapid Communications* for publication of highly topical material of about 2000 words on a fast publication track (within 3 months upon acceptance).

Section 1: *Neurobiology*
functional morphology and anatomy
pigments and transduction
the role of neurotransmitters
retinal, subcortical and cortical electrophysiology
physiological optics
plasticity and regeneration of function
YUTAKA FUKUDA, Osaka, Japan
SAMUEL WU, Houston, TX, U.S.A.

Section 2: *Psychophysics*
binocular, depth, motion, colour, form, pattern,
orientation and texture vision
spatial vision and stereopsis
attentive vision
adaptation and aftereffects
DENNIS M. LEVI, Houston, TX, U.S.A.
STEVEN K. SHEVELL, Chicago, IL, U.S.A.

Section 3: *Behavioural Physiology and Visuomotor Control*
eye movements, animal psychophysics
oculomotor studies, reading
visual guidance of manipulation, locomotion and navigation
visual behaviour in space
EILEEN KOWLER, New Brunswick, NJ, U.S.A.
CHRISTA NEUMEYER, Mainz, Germany

Section 4: *Computational Vision*
models and theory
visual networks
computer vision
ELLEN C. HILDRETH, Wellesley, MA, U.S.A.
CONCETTA MORRONE, Pisa, Italy

Section 5: *Clinical Vision Sciences*
psychophysics, electrophysiology
pathophysiology, neuropharmacology
experimental ophthalmology and neurology
functional (brain) imaging
IVAN BODIS-WOLLNER, Brooklyn, NY, U.S.A.
EBERHART ZRENNER, Tübingen, Germany

The Section Editors are assisted by an Editorial Board consisting of:

EMIKO ADACHI-USAMI, Chiba, Japan
EDWARD ADELSON, Cambridge, MA, U.S.A.
RICHARD ANDERSEN, Pasadena, CA, U.S.A.
JANETTE ATKINSON, London, U.K.
ANDREW BLAKE, Oxford, U.K.
RANDOLPH BLAKE, Nashville, TN, U.S.A.
COLIN BLAKEMORE, Oxford, U.K.
DENNIS DACEY, Seattle, WA, U.S.A.
JIM ENRIGHT, La Jolla, CA, U.S.A.
MANFRED FAHLE, Tübingen, Germany
OLIVIER FAUGERAS, Valbonne, France
GERALD FISHMAN, Chicago, IL, U.S.A.
WILSON GEISLER, Austin, TX, U.S.A.
AMIRAM GRINVALD, Rehovot, Israel
WILLEM DE GRIP, Nijmegen, The Netherlands
VOLKER HENN, Zürich, Switzerland
ROBERT HESS, Montréal, Canada
HOWARD HOWLAND, Ithaca, U.S.A.
ABBIE HUGHES, Victoria, Australia
MICHAEL KASS, St Louis, MO, U.S.A.
EWEN KING-SMITH, Columbus, OH, U.S.A.
CHRISTOF KOCH, Pasadena, CA, U.S.A.
SIMON LAUGHLIN, Cambridge, U.K.
GORDON LEGGE, Minneapolis, MN, U.S.A.
LUC MISSOTTEN, Leuven, Belgium
JOHN MOLLON, Cambridge, U.K.
DAVID NEWSOME, New Orleans, LA, U.S.A.
GÜNTER NIEMEYER, Zürich, Switzerland
CYNTHIA OWSLEY, Birmingham, AL, U.S.A.
JOHN ROBSON, Cambridge, U.K.
PAUL SIEVING, Ann Arbor, MI, U.S.A.
MANDYAM SRINIVASAN, Canberra, Australia
DAN T'SO, New York, NY, U.S.A.

Publishing Office: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. [*Tel.* (01865) 843000; *Fax* (01865) 843010].

Production Editor: Charmaine Watkins.

Frequency: Published semi-monthly.

© 1997 Elsevier Science Ltd. All rights reserved.

Subscription Rates: Annual Institutional Subscription Rates 1997: Europe, The CIS and Japan 3071 Dutch Guilders. All other countries US$ 1895. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. For orders, claims, product enquiries (no manuscript enquiries) please contact the Customer Support Department at the Regional Sales Office nearest to you:

The Americas: Elsevier Science, Customer Support Department, PO Box 945, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

Japan: Elsevier Science Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan. [Tel: (+3) 5561-5033. Fax (3) 5561-5047. E-mail: kyf04035@niftyserve.or.jp].

Asia Pacific *(excluding Japan)*: Elsevier Science (Singapore) Pte Ltd, No 1 Temasek Avenue, 17-01 Millenia Tower, Singapore 039192. [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier. com.sg].

Rest of the World: Elsevier Science Customer Service Department, PO Box 211, 1001 AE Amsterdam, The Netherlands. [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl].

PERIODICALS POSTAGE PAID AT RAHWAY, NJ AND ADDITIONAL ENTRY POINTS. *Vision Research* (ISSN 0042–6989) is published semi-monthly, January to December in one Volume, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The annual subscription in the U.S.A. is $1895. *Vision Research* is distributed by Mercury Airfreight International Ltd, 10 Camptown Road, Irvington, NJ 07111-1105. Postmaster: please send address corrections to *Vision Research*, c/o Elsevier Science RSO, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730/1 888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

Back Issues: Back issues of all previously published volumes are available direct from Elsevier Science offices (Oxford and New York). Complete volumes and single issues can be purchased for 1991–1996. Earlier issues are available in high-quality photo-duplicated copies as complete volumes only.

AUTHOR INDEX

ACCARDO, A.
Inchingolo, P., Accardo, A., Da Pozzo, S., Pensiero, S. and Perissutti, P. Cyclopean and disconjugate adaptive recovery from post-saccadic drift in strabismic children before and after surgery 36: 2897

ADAMS, A.J.
Switkes, E., Crognale, M., Rabin, J., Schneck, M.E. and Adams, A.J. Reply to "Specificity and selectivity of chromatic visual evoked potentials" 36: 3403

ADAMS, R.J.
Courage, M.L. and Adams, R.J. Infant peripheral vision: The development of monocular visual acuity in the first 3 months of postnatal life 36: 1207

AHISSAR, M.
Ahissar, M. and Hochstein, S. Learning pop-out detection: specificities to stimulus characteristics 36: 3487

VAN DEN AKER, E.C.
Verweij, J., Kamermans, M., van den Aker, E.C. and Spekreijse, H. Modulation of horizontal cell receptive fields in the light adapted goldfish retina 36: 3913

ALAIS, D.
Alais, D., Burke, D. and Wenderoth, P. Further evidence for monocular determinants of perceived plaid direction 36: 1247

ALBANO, J.E.
Albano, J.E. Adaptive changes in saccade amplitude: Oculocentric or orbitocentric mapping? 36: 2087

ALBRIGHT, T.D.
Buracas, G.T. and Albright, T.D. Contribution of area MT to perception of three-dimensional shape: a computational study 36: 869
Stoner, G.R. and Albright, T.D. The interpretation of visual motion: Evidence for surface segmentation mechanisms 36: 1291

ALEXANDER, K.R.
Alexander, K.R., Fishman, G.A. and Derlacki, D.J. Intraocular light scatter in patients with retinitis pigmentosa 36: 3703

ALGVERE, P.
Gouras, P. and Algvere, P. Retinal cell transplantation in the macula: new techniques 36: 4121

ALLEN, D.
Allen, D., Tyler, C.W. and Norcia, A.M. Development of grating acuity and contrast sensitivity in the central and peripheral visual field of the human infant 36: 1945

AMMERMÜLLER, J.
Ammermüller, J., Möckel, W., Perlman, I. and Röhrenbeck, J. Effects of horizontal cell network architecture on signal spread in the turtle outer retina. Experiments and simulations 36: 4089

ANDISON, M.E.
Andison, M.E. and Sivak, J.G. The naturally occurring accommodative response of the oscar, *Astronotus ocellatus*, to visual stimuli 36: 3021

ANSTIS, S.
Anstis, S. Adaptation to peripheral flicker 36: 3479

ARAI, M.
Katsumi, O., Arai, M., Wajima, R., Denno, S. and Hirose, T. Spatial frequency sweep pattern reversal VER acuity vs Snellen visual acuity: effect of optical defocus 36: 903

ARDEN, G.
Devos, M., Spileers, W. and Arden, G. Colour contrast thresholds in congenital colour defectives 36: 1055

ARDEN, G.B.
Wolf, J.E. and Arden, G.B. Selective magnocellular damage in melanoma-associated retinopathy: Comparison with congenital stationary nightblindness 36: 2369
ARDITI, A.
Higgins, K.E., Arditi, A. and Knoblauch, K. Detection and identification of mirror-image letter pairs in central and peripheral vision 36: 331
ARIELY, D.
Burbeck, C.A., Pizer, S.M., Morse, B.S., Ariely, D., Zauberman, G.S. and Rolland, J.P. Linking object boundaries at scale: a common mechanism for size and shape judgments 36: 361
ARNDT, P.A.
Mallot, H.A., Roll, A. and Arndt, P.A. Disparity-evoked vergence is driven by interocular correlation 36: 2925
ARTAL, P.
Williams, D.R., Artal, P., Navarro, R., McMahon, M.J. and Brainard, D.H. Off-axis optical quality and retinal sampling in the human eye 36: 1103
Artal, P., Marcos, S., Iglesias, I. and Green, D.G. Optical modulation transfer and contrast sensitivity with decentered small pupils in the human eye 36: 3575
ATCHISON, D.A.
Woods, R.L., Bradley, A. and Atchison, D.A. Consequences of monocular diplopia for the contrast sensitivity function 36: 3587
Woods, R.L., Bradley, A. and Atchison, D.A. Monocular diplopia cuased by ocular aberrations and hyperopic defocus 36: 3597
AVERBUCH-HELLER, L.
Rottach, K.G., Zivotofsky, A.Z., Das, V.E., Averbuch-Heller, L., Discenna, A.O., Poonyathalang, A. and Leigh, R.J. Comparison of horizontal, vertical and diagonal smooth pursuit eye movements in normal human subjects 36: 2189

BACH, M.
Soriano, M., Spillmann, L. and Bach, M. The abutting grating illusion 36: 109
BACHMANN, G.
Fahle, M. and Bachmann, G. Better performance through amblyopic than through normal eyes 36: 1939
BACKUS, B.T.
Banks, M.S., Ehrlich, S.M., Backus, B.T. and Crowell, J.A. Estimating heading during real and simulated eye movements 36: 431
BADCOCK, D.R.
Badcock, D.R., Hess, R.F. and Dobbins, K. Localization of element clusters: Multiple cues 36: 1467
Edwards, M., Badcock, D.R. and Nishida, S. Contrast sensitivity of the motion system 36: 2411
Edwards, M. and Badcock, D.R. Global-motion perception: Interaction of chromatic and luminance signals 36: 2423
Cropper, S.J., Mullen, K.T. and Badcock, D.R. Motion coherence across different chromatic axes 36: 2475
BANKS, M.S.
Shannon, E., Skoczenski, A.M. and Banks, M.S. Retinal illuminance and contrast sensitivity in human infants 36: 67
Banks, M.S., Ehrlich, S.M., Backus, B.T. and Crowell, J.A. Estimating heading during real and simulated eye movements 36: 431
Crowell, J.A. and Banks, M.S. Ideal observer for heading judgements 36: 471
BANTON, T.
Banton, T. and Bertenthal, B.I. Infants' sensitivity to uniform motion 36: 1633

BARATTA, G.
Oleari, C., Baratta, G., Lamedica, A. and Macaluso, C. Confusion points and constant-luminance planes for trichromats, protanopes and deuteranopes 36: 3501
BARLEY, J.P.
Ingling, C.R., Jr., Barley, J.P. and Ghani, N. Chromatic content of spectral lights 36: 2537
BARRETT, B.T.
Whitaker, D., McGraw, P.V., Pacey, I. and Barrett, B.T. Centroid analysis predicts visual localization of first- and second-order stimuli 36: 2957
BARTHEL, L.K.
Hisatomi, O., Satoh, T., Barthel, L.K., Stenkamp, D.L., Raymond, P.A. and Tokunaga, F. Molecular cloning and characterization of the putative ultraviolet-sensitive visual pigment of goldfish 36: 933
BARTL, K.
Bartl, K., Siebold, C., Glasauer, S., Helmchen, C. and Büttner, U. A simplified calibration method for three-dimensional eye movement recordings using seach-coils 36: 997
BARTON, J.J.S.
Barton, J.J.S., Rizzo, M., Nawrot, M. and Simpson, T. Optical blur and the perception of global coherent motion in random dot cinematograms 36: 3051
BASINGER, S.F.
Choe, H.-G., Louie, K. and Basinger, S.F. Effects of excitatory amino acids on phosphoinositide metabolism in frog retina 36: 1873
BAUDOUIN, V.
Beauvillain, C., Doré, K. and Baudouin, V. The 'center of gravity' of words: evidence for an effect of the word-inital letters 36: 589
BAUER, B.
Bauer, B., Jolicoeur, P. and Cowan, W.B. Visual search for colour targets that are or are not linearly separable from distractors 36: 1439
BÄUML, K.-H.
Bäuml, K.-H. and Wandell, B.A. Color appearance of mixture gratings 36: 2849
BEAUVILLAIN, C.
Beauvillain, C., Doré, K. and Baudouin, V. The 'center of gravity' of words: evidence for an effect of the word-inital letters 36: 589
BECK, J.
Pessoa, L., Beck, J. and Mingolla, E. Perceived texture segregation in chromatic element-arrangement patterns: High intensity interference 36: 1745
BECKER, S.
Patterson, R. and Becker, S. Direction-selective adaptation and simultaneous contrast induced by stereoscopic (cyclopean) motion 36: 1773
BECKMANN, P.J.
Beckmann, P.J. and Legge, G.E. Psychophysics of reading—XIV. The page navigation problem in using magnifiers 36: 3723
BEDELL, H.E.
Chung, S.T.L., Levi, D.M. and Bedell, H.E. Vernier in motion: What accounts for the threshold elevation? 36: 2395
BEH, G.K.
Pardhan, S., Gilchrist, J., Elliott, D.B. and Beh, G.K. A comparison of sampling efficiency and internal noise level in young and old subjects 36: 1641
BEHRENS, U.D.
Behrens, U.D. and Wagner, H.-J. Adaptation-dependent changes of bipolar cell terminals in fish retina: effects on overall morphology and spinule formation in Ma and Mb cells 36: 3901
BELLEMARE, H.
Bonnardel, V., Bellemare, H. and Mollon, J.D. Measurements of human sensitivity to comb-filtered spectra 36: 2713

BENEKE, T.W.
Schwippert, W.W., Beneke, T.W. and Ewert, J.-P. Disproportionate distribution of field potentials across the toad's tectal visual map in response to diffuse light ON and OFF stimulations 36: 19
BENNETT, P.J.
Bennett, P.J. and Cortese, F. Masking of spatial frequency in visual memory depends on distal, not retinal, frequency 36: 233
BENOIT, J.
Lachapelle, P., Benoit, J. and Guité, P. The effect of *in vivo* retinal cooling on the electroretinogram of the rabbit 36: 339
BERENDSCHOT, T.T.J.M.
van de Kraats, J., Berendschot, T.T.J.M. and van Norren, D. The pathways of light measured in fundus reflectometry 36: 2229
VAN DEN BERG, A.V.
Brenner, E., van den Berg, A.V. and van Damme, W.J. Perceived motion in depth 36: 699
van den Berg, A.V. Judgements of heading 36: 2337
Brenner, E. and van den Berg, A.V. The special role of distant structures in perceived object velocity 36: 3805
BERTENTHAL, B.I.
Banton, T. and Bertenthal, B.I. Infants' sensitivity to uniform motion 36: 1633
BEUTTER, B.R.
Beutter, B.R., Mulligan, J.B. and Stone, L.S. The barberplaid illusion: Plaid motion is biased by elongated apertures 36: 3061
BEX, P.J.
Bex, P.J., Verstraten, F.A.J. and Mareschal, I. Temporal and spatial frequency tuning of the flicker motion aftereffect 36: 2721
Hammett, S.T. and Bex, P.J. Motion sharpening: Evidence for the addition of high spatial frequencies to the effective neural image 36: 2729
BIEDA, M.
Dixon, D.B., Takahashi, K.-I., Bieda, M. and Copenhagen, D.R. Quinine, intracellular pH and modulation of hemi-gap junctions in catfish horizontal cells 36: 3925
BIRCH, D.G.
Hood, D.C. and Birch, D.G. Abnormalities of the retinal cone system in retinitis pigmentosa 36: 1699
BIRCH, E.
Birch, E. and Petrig, B. FPL and VEP measures of fusion, stereopsis and stereoacuity in normal infants 36: 1321
BISHOP, P.O.
Bishop, P.O. Can random-dot stereograms serve as a model for the perception of depth in relation to real three-dimensional objects? 36: 1473
Bishop, P.O. Stereoscopic depth perception and vertical disparity: Neural mechanisms 36: 1969
BLAKE, A.
Buckley, D., Frisby, J.P. and Blake, A. Does the human visual system implement an ideal observer theory of slant form texture? 36: 1163
BLAKE, R.
Halpern, D.L., Wilson, H.R. and Blake, R. Stereopsis from interocular spatial frequency differences is not robust 36: 2263
BLAKEMORE, C.
Kubová, Z., Kuba, M., Juran, J. and Blakemore, C. Is the motion system relatively spared in amblyopia? Evidence from cortical evoked responses 36: 181

BLANCO, R.
Blanco, R., Vaquero, C.F. and de la Villa, P. The effects of GABA and glycine on horizontal cells of the rabbit retina 36: 3987
BOCHEVA, N.
Bocheva, N. and Yakimoff, N. Different mechanisms may underlie the performance in relative localization tasks 36: 2531
BOERGEN, K.-P.
Treutwein, B., Rentschler, I. Zetzsche, C., Scheidler, M. and Boergen, K.-P. Amblyopic quasi-blindness for image structure 36: 2211
BOMAN, D.
Boman, D., Braun, D. and Hotson, J. Stationary and pursuit visual fixation share similar behavior 36: 751
BONNARDEL, V.
Bonnardel, V., Bellemare, H. and Mollon, J.D. Measurements of human sensitivity to comb-filtered spectra 36: 2713
BOOTH, J.R.
Epelboim, J., Booth, J.R. and Steinman, R.M. Much ado about nothing: the place of space in text 36: 465
BOOTHE, R.G.
Bradley, D.V., Fernandes, A., Tigges, M. and Boothe, R.G. Diffuser contact lenses retard axial elongation in infant rhesus monkeys 36: 509
BORSTING, E.
Borsting, E., Ridder, W.H. III, Dudeck, K., Kelley, C., Matsui, L. and Motoyama, J. The presence of a magnocellular defect depends on the type of dyslexia 36: 1047
BOULTON, J.C.
Verstraten, F.A.J., Fredericksen, R.E., van Wezel, R.J.A., Boulton, J.C. and van de Grind, W.A. Directional motion sensitivity under transparent motion conditions 36: 2333
BOWD, C.
Patterson, R., Bowd, C., Phinney, R., Fox, R. and Lehmkuhle, S. Disparity tuning of the stereoscopic (Cyclopean) motion aftereffect 36: 975
Bowd, C., Rose, D., Phinney, R.E. and Patterson, R. Enduring stereoscopic motion aftereffects induced by prolonged adaptation 36: 3655
BOWMAKER, J.K.
Hunt, D.M., Fitzgibbon, J., Slobodyanyuk, S.J. and Bowmaker, J.K. Spectral tuning and molecular evolution of rod visual pigments in the species flock of Cottoid fish in Lake Baikal 36: 1217
BOWNS, L.
Bowns, L. Evidence for a feature tracking explanation of why type II plaids move in the vector sum direction at short durations 36: 3685
BRADDICK, O.
Raymond, J. and Braddick, O. Responses to opposed directions of motion: Continuum or independent mechanisms? 36: 1931
BRADDICK, O.J.
Zohary, E., Scase, M.O. and Braddick, O.J. Integration across directions in dynamic random dot displays: Vector summation or winner take all? 36: 2321
Scase, M.O., Braddick, O.J. and Raymond, J.E. What is noise for the motion system? 36: 2579
BRADLEY, A.
Thibos, L.N., Still, D.L. and Bradley, A. Characterization of spatial aliasing and contrast sensitivity in peripheral vision 36: 249
Wang, Y.-Z., Thibos, L.N. and Bradley, A. Undersampling produces non-veridical motion perception, but not necessarily motion reversal, in peripheral vision 36: 1737
Woods, R.L., Bradley, A. and Atchison, D.A. Consequences of monocular diplopia for the contrast sensitivity function 36: 3587

Woods, R.L., Bradley, A. and Atchison, D.A. Monocular diplopia cuased by ocular aberrations and hyperopic defocus 36: 3597
BRADLEY, D.V.
Bradley, D.V., Fernandes, A., Tigges, M. and Boothe, R.G. Diffuser contact lenses retard axial elongation in infant rhesus monkeys 36: 509
BRADSHAW, M.F.
Bradshaw, M.F., Glennerster, A. and Rogers, B.J. The effect of display size on disparity scaling from differential perspective and vergence cues 36: 1255
Glennerster, A., Rogers, B.J. and Bradshaw, M.F. Stereoscopic depth constancy depends on the subject's task 36: 3441
Bradshaw, M.F. and Rogers, B.J. The interaction of binocular disparity and motion parallax in the computation of depth 36: 3457
BRAINARD, D.H.
Williams, D.R., Artal, P., Navarro, R., McMahon, M.J. and Brainard, D.H. Off-axis optical quality and retinal sampling in the human eye 36: 1103
BRAUN, D.
Boman, D., Braun, D. and Hotson, J. Stationary and pursuit visual fixation share similar behavior 36: 751
BRENNER, E.
Brenner, E., van den Berg, A.V. and van Damme, W.J. Perceived motion in depth 36: 699
Brenner, E. and van den Berg, A.V. The special role of distant structures in perceived object velocity 36: 3805
BREZNEN, B.
Gnadt, J.W. and Breznen, B. Statistical analysis of the information content in the activity of cortical neurons 36: 3525
BRIDGEMAN, B.
Deubel, H., Schneider, W.X. and Bridgeman, B. Postsaccadic target blanking prevents saccadic suppression of image displacement 36: 985
BROWN, O.S.
Greene, P.R., Brown, O.S., Medina, A.P. and Graupner, H.B. Emmetropia approach dynamics with diurnal dual-phase cycling 36: 2249
BUCCI, M.P.
Kapoula, Z., Bucci, M.P., Eggert, T. and Zamfirescu, F. Fast disconjugate adaptations of saccades in microstrabismic subjects 36: 103
Kapoula, Z., Eggert, T. and Bucci, M.P. Disconjugate adaptation of the vertical oculomotor system 36: 2735
BUCHANAN-SMITH, H.M.
Heeley, D.W. and Buchanan-Smith, H.M. Mechanisms specialized for the perception of image geometry 36: 3607
BUCKINGHAM, T.J.
Buckingham, T.J. and Kelly, S.L. The comparative development of movement hyperacuity and visual acuity in children 36: 3851
BUCKLEY, D.
Buckley, D., Frisby, J.P. and Blake, A. Does the human visual system implement an ideal observer theory of slant form texture? 36: 1163
BÜLTHOFF, H.H.
Troje, N.F. and Bülthoff, H.H. Face recognition under varying poses: The role of texture and shape 36: 1761
BURACAS, G.T.
Buracas, G.T. and Albright, T.D. Contribution of area MT to perception of three-dimensional shape: a computational study 36: 869
BURBECK, C.A.
Burbeck, C.A., Pizer, S.M., Morse, B.S., Ariely, D., Zauberman, G.S. and Rolland, J.P. Linking object boundaries at scale: a common mechanism for size and shape judgments 36: 361

BURKE, D.
Alais, D., Burke, D. and Wenderoth, P. Further evidence for monocular determinants of perceived plaid direction 36: 1247
BURNS, S.A.
Elsner, A.E., Burns, S.A., Weiter, J.J. and Delori, F.C. Infrared imaging of sub-retinal structures in the human ocular fundus 36: 191
Wu, S., Burns, S.A., Reeves, A. and Elsner, A.E. Flicker brightness enhancement and visual nonlinearity 36: 1573
BURR, D. C.
Girard, P.Martini, P., Girard, P., Morrone, M.C. and Burr, D.C. Sensitivity to spatial phase at equiluminance 36: 1153
BURR, D.C.
Burr, D.C. and Morrone, M.C. Temporal impulse response functions for luminance and colour during saccades 36: 2069
Morrone, M.C., Fiorentini, A. and Burr, D.C. Development of the temporal properties of visual evoked potentials to luminance and colour contrast in infants 36: 3141
Fiorentini, A., Porciatti, V., Morrone, M.C. and Burr, D.C. Visual ageing: unspecific decline of the responses to luminance and colour 36: 3557
BÜTTNER, U.
Bartl, K., Siebold, C., Glasauer, S., Helmchen, C. and Büttner, U. A simplified calibration method for three-dimensional eye movement recordings using seach-coils 36: 997
BYZOV, A.L.
Maximov, V.V. and Byzov, A.L. Horizontal cell dynamics: what are the main factors? 36: 4077

CALKINS, D.J.
Calkins, D.J., Tsukamoto, Y. and Sterling, P. Foveal cones form basal as well as invaginating junctions with diffuse ON bipolar cells 36: 3373
CANNON, M.W.
Cannon, M.W. and Fullenkamp, S.C. A model for inhibitory lateral interaction effects in perceived contrast 36: 1115
CAPUTO, G.
Caputo, G. The role of the background: Texture segregation and figure-ground segmentation 36: 2815
CARNEY, T.
Klein, S.A., Hu, Q.J. and Carney, T. The adjacent pixel nonlinearity: Problems and solutions 36: 3167
CARVALHO, A.P.
Duarte, C.B., Santos, P.F. and Carvalho, A.P. $[Ca^{2+}]_i$ regulation by glutamate receptor agonists in cultured chick retina cells 36: 1091
Duarte, C.B., Santos, P.F., Sánchez-Prieto, J. and Carvalho, A.P. On-line detection of glutamate release from cultured chick retinospheroids 36: 1867
CASTET, E.
Castet, E. and Morgan, M.J. Apparent speed of type I symmetrical plaids 36: 223
CAVANAGH, P.
Rivest, J. and Cavanagh, P. Localizing contours defined by more than one attribute 36: 53
Culham, J.C. and Cavanagh, P. Motion capture and visual attention: a reply to Ramachandran (1996) 36: 79
CHEN, S.
Chen, S. and Levi, D.M. Angle judgment: Is the whole the sum of its parts? 36: 1721

CHOE, H.-G.
Choe, H.-G., Louie, K. and Basinger, S.F. Effects of excitatory amino acids on phosphoinositide metabolism in frog retina 36: 1873
CHRISTENSEN, B.N.
Wu, X. and Christensen, B.N. Proton inhibition of the NMDA-gated channel in isolated catfish cone horizontal cells 36: 1521
CHUBB, C.
Papathomas, T.V., Gorea, A. and Chubb, C. Precise assessment of the mean effective luminance of texture patches—An approach based on reverse-phi motion 36: 3775
CHUN, M.-H.
Chun, M.-H., Grünert, U., Martin, P.R. and Wässle, H. The synaptic complex of cones in the fovea and in the periphery of the macaque monkey retina 36: 3383
CHUNG, S.T.L.
Chung, S.T.L., Levi, D.M. and Bedell, H.E. Vernier in motion: What accounts for the threshold elevation? 36: 2395
CIDECIYAN, A.V.
Hood, D.C., Cideciyan, A.V., Halevy, D.A. and Jacobson, S.G. Sites of disease action in a retinal dystrophy with supernormal and delayed rod electroretinogram *b*-waves 36: 889
Cideciyan, A.V. and Jacobson, S.G. An alternative phototransduction model for human rod and cone ERG *a*-waves: Normal parameters and variation with age 36: 2609
Greenstein, V.C., Zaidi, Q., Hood, D.C., Spehar, B., Cideciyan, A.V. and Jacobson, S.G. The enhanced S cone syndrome: an analysis of receptoral and post-receptoral changes 36: 3711
CLARK, C.D.
Edwards, V.T., Hogben, J.H., Clark, C.D. and Pratt, C. Effects of a red background on magnocellular functioning in average and specifically disabled readers 36: 1037
Hogben, J.H., Pratt, C.; Dedman, K. and Clark, C.D. Blurring the image does not help disabled readers 36: 1503
CLIFFORD, C.W.G.
Clifford, C.W.G. and Langley, K. A model of temporal adaptation in fly motion vision 36: 2595
COBO-LEWIS, A.B.
Cobo-Lewis, A.B. Monocular dot-density cues in random-dot stereograms 36: 345
COHN, T.E.
Gros, B.L., Pope, D.R. and Cohn, T.E. Relative efficiency for the detection of apparent motion 36: 2297
COLETTA, N.J.
Galvin, S.J., Williams, D.R. and Coletta, N.J. The spatial grain of motion perception in human peripheral vision 36: 2283
CONE, S.M.
Nagy, A.L. and Cone, S.M. Asymmetries in simple feature searches for color 36: 2837
CONTE, M.M.
Victor, J.D. and Conte, M.M. The role of high-order phase correlations in texture processing 36: 1615
COPENHAGEN, D.R.
Dixon, D.B., Takahashi, K.-I., Bieda, M. and Copenhagen, D.R. Quinine, intracellular pH and modulation of hemi-gap junctions in catfish horizontal cells 36: 3925
CORMACK, L.K.
Cormack, L.K. and Riddle, R.B. Binocular correlation detection with oriented dynamic random-line stereograms 36: 2303
CORTESE, F.
Bennett, P.J. and Cortese, F. Masking of spatial frequency in visual memory depends on distal, not retinal, frequency 36: 233

COURAGE, M.L.
Courage, M.L. and Adams, R.J. Infant peripheral vision: The development of monocular visual acuity in the first 3 months of postnatal life 36: 1207
COWAN, W.B.
Bauer, B., Jolicoeur, P. and Cowan, W.B. Visual search for colour targets that are or are not linearly separable from distractors 36: 1439
COWEY, A.
Nicholas, J.J., Heywood, C.A. and Cowey, A. Contrast sensitivity in one-eyed subjects 36: 175
Wilson, J.R., Cowey, A. and Somogyi, P. GABA immunopositive axons in the optic nerve and optic tract of macaque monkeys 36: 1357
COX, J.F.
Cox, J.F. and Rowe, M.H. Linear and nonlinear contributions to step responses in cat retinal ganglion cells 36: 2047
CROGNALE, M.
Switkes, E., Crognale, M., Rabin, J., Schneck, M.E. and Adams, A.J. Reply to "Specificity and selectivity of chromatic visual evoked potentials" 36: 3403
CROGNALE, M.A.
Crognale, M.A. and Schor, C.M. Contribution of chromatic mechanisms to the production of small-field optokinetic nystagmus (OKN) in normals and strabismics 36: 1687
CROPPER, S.J.
Cropper, S.J., Mullen, K.T. and Badcock, D.R. Motion coherence across different chromatic axes 36: 2475
CROWELL, J.A.
Banks, M.S., Ehrlich, S.M., Backus, B.T. and Crowell, J.A. Estimating heading during real and simulated eye movements 36: 431
Crowell, J.A. and Banks, M.S. Ideal observer for heading judgements 36: 471
CULHAM, J.C.
Culham, J.C. and Cavanagh, P. Motion capture and visual attention: a reply to Ramachandran (1996) 36: 79
CURRAN, W.
Curran, W. and Johnston, A. The effect of illuminant position on perceived curvature 36: 1399
Johnston, A. and Curran, W. Investigating shape-from-shading illusions using solid objects 36: 2827
Curran, W. and Johnston, A. Three-dimensional curvature contrast—geometric or brightness illusion? 36: 3641
CURRAN-CELENTANO, J.
Hammond, B.R., Jr., Curran-Celentano, J., Judd, S., Fuld, K., Krinsky, N.I., Wooten, B.R. and Snodderly, D.M. Sex differences in macular pigment optical density: Relation to plasma carotenoid concentrations and dietary patterns 36:2001
CURTHOYS, I.S.
Moore, S.T., Haslwanter, T., Curthoys, I.S. and Smith, S.T. A geometric basis for measurement of three-dimensional eye position using image processing 36: 445
CUTHBERTSON, S.
Cuthbertson, S., White, J., Fitzgerald, M.E.C., Shih, Y.-F. and Reiner, A. Distribution within the choroid of cholinergic nerve fibers from the ciliary ganglion in pigeons 36: 775

DA POZZO, S.
Inchingolo, P., Accardo, A., Da Pozzo, S., Pensiero, S. and Perissutti, P. Cyclopean and disconjugate adaptive recovery from post-saccadic drift in strabismic children before and after surgery 36: 2897

VAN DAMME, W.J.
Brenner, E., van den Berg, A.V. and van Damme, W.J. Perceived motion in depth 36: 699
van Damme, W.J.M. and van de Grind, W.A. Non-visual information in structure-from-motion 36: 3119
DAS, V.E.
Rottach, K.G., Zivotofsky, A.Z., Das, V.E., Averbuch-Heller, L., Discenna, A.O., Poonyathalang, A. and Leigh, R.J. Comparison of horizontal, vertical and diagonal smooth pursuit eye movements in normal human subjects 36: 2189
D'AVOSSA, G.
D'Avossa, G. and Kersten, D. Evidence in human subjects for independent coding of azimuth and elevation for direction of heading from optic flow 36: 2915
DE VALOIS, K.K.
De Valois, R.L. and De Valois, K.K. On "A three-stage color model" 36: 833
DE VALOIS, R.L.
De Valois, R.L. and De Valois, K.K. On "A three-stage color model" 36: 833
DEBONET, J.S.
Spehar, B., Debonet, J.S. and Zaidi, Q. Brightness induction from uniform and complex surrounds: A general model 36: 1893
DEDMAN, K.
Hogben, J.H., Pratt, C.; Dedman, K. and Clark, C.D. Blurring the image does not help disabled readers 36: 1503
DEEGAN, J.F. II
Jacobs, G.H., Deegan, J.F. II and Moran, J.L. ERG measurements of the spectral sensitivity of common chimpanzee *(Pan troglodytes)* 36: 2587
DELORI, F.C.
Elsner, A.E., Burns, S.A., Weiter, J.J. and Delori, F.C. Infrared imaging of sub-retinal structures in the human ocular fundus 36: 191
DEMANINS, R.
Demanins, R. and Hess, R.F. Effect of exposure duration on spatial uncertainty in normal and amblyopic eyes 36: 1189
Demanins, R. and Hess, R.F. Positional loss in strabismic amblyopia: Inter-relationship of alignment threshold, bias, spatial scale and eccentricity 36: 2771
DEMER, J.L.
Moschner, C., Zangemeister, W.H. and Demer, J.L. Anticipatory smooth eye movements of high velocity triggered by large target steps: Normal performance and effect of cerebellar degeneration 36: 1341
DENGIS, C.A.
Dengis, C.A., Steinbach, M.J., Ono, H., Gunther, L.N., Fanfarillo, R., Steeves, J.K.E. and Postiglione, S. Learning to look with one eye: The use of head turn by normals and strabismics 36: 3237
DENNO, S.
Katsumi, O., Arai, M., Wajima, R., Denno, S. and Hirose, T. Spatial frequency sweep pattern reversal VER acuity vs Snellen visual acuity: effect of optical defocus 36: 903
DERLACKI, D.J.
Alexander, K.R., Fishman, G.A. and Derlacki, D.J. Intraocular light scatter in patients with retinitis pigmentosa 36: 3703
DEROUICHE, A.
Derouiche, A. Possible role of the Müller cell in uptake and metabolism of glutamate in the mammalian outer retina 36: 3875
DERRINGTON, A.M.
Smith, D.R.R. and Derrington, A.M. What is the denominator for contrast normalisation? 36: 3759

DEUBEL, H.
Deubel, H., Schneider, W.X. and Bridgeman, B. Postsaccadic target blanking prevents saccadic suppression of image displacement 36: 985
Deubel, H. and Schneider, W.X. Saccade target selection and object recognition: Evidence for a common attentional mechanism 36: 1827
DEVOS, M.
Devos, M., Spileers, W. and Arden, G. Colour contrast thresholds in congenital colour defectives 36: 1055
DISCENNA, A.O.
Rottach, K.G., Zivotofsky, A.Z., Das, V.E., Averbuch-Heller, L., Discenna, A.O., Poonyathalang, A. and Leigh, R.J. Comparison of horizontal, vertical and diagonal smooth pursuit eye movements in normal human subjects 36: 2189
DISTLER, C.
Distler, C. and Dreher, Z. Glia cells of the monkey retina—II. Müller cells 36: 2381
DIXON, D.B.
Dixon, D.B., Takahashi, K.-I., Bieda, M. and Copenhagen, D.R. Quinine, intracellular pH and modulation of hemi-gap junctions in catfish horizontal cells 36: 3925
DJAMGOZ, M.B.A.
Djamgoz, M.B.A. and Greenstreet, E.H. Quantitative analysis of triphasic (H3) horizontal cell—cone connectivity in the cyprinid fish (roach) retina 36: 4007
DJUPSUND, K.
Djupsund, K. Fyhrquist, N., Hariyama, T. and Donner, K. The effect of background luminance on visual responses to strong flashes: Perceived brightness and the early rise of photoreceptor responses 36: 3253
DOBBINS, K.
Badcock, D.R., Hess, R.F. and Dobbins, K. Localization of element clusters: Multiple cues 36: 1467
DOBKINS, K.R.
Dobkins, K.R. and Teller, D.Y. Infant contrast detectors are selective for direction of motion 36: 281
Dobkins, K.R. and Teller, D.Y. Infant motion: detection *(M:D)* ratios for chromatically defined and luminance-defined moving stimuli 36: 3293
DONG, C.-J.
Dong, C.-J. and Werblin, F.S. Use-dependent and use-independent blocking actions of picrotoxin and zinc at the $GABA_C$ receptor in retinal horizontal cells 36: 3997
DONNER, K.
Kalamkarov, G., Pogozheva, I., Shevchenko, T., Koskelainen, A., Hemilä, S. and Donner, K. pH changes in frog rods upon manipulation of putative pH-regulating transport mechanisms 36: 3029
Djupsund, K. Fyhrquist, N., Hariyama, T. and Donner, K. The effect of background luminance on visual responses to strong flashes: Perceived brightness and the early rise of photoreceptor responses 36: 3253
Rovamo, J., Raninen, A., Lukkarinen, S. and Donner, K. Flicker sensitivity as a function of spectral density of external white temporal noise 36: 3767
VAN DOORN, A.J.
Kappers, A.M.L., Te Pas, S.F., Koenderink, J.J. and van Doorn, A.J. Simulating the detection of first-order optical flow components 36: 3539
DORÉ, K.
Beauvillain, C., Doré, K. and Baudouin, V. The 'center of gravity' of words: evidence for an effect of the word-inital letters 36: 589
DREHER, Z.
Distler, C. and Dreher, Z. Glia cells of the monkey retina—II. Müller cells 36: 2381

DUARTE, C.B.
Duarte, C.B., Santos, P.F. and Carvalho, A.P. $[Ca^{2+}]_i$ regulation by glutamate receptor agonists in cultured chick retina cells 36: 1091
Duarte, C.B., Santos, P.F., Sánchez-Prieto, J. and Carvalho, A.P. On-line detection of glutamate release from cultured chick retinospheroids 36: 1867
DUBÉ, S.
von Grünau, M., Dubé, S. and Kwas, M. Two contributions to motion induction: A preattentive effect and faciliation due to attentional capture 36: 2447
DUDECK, K.
Borsting, E., Ridder, W.H. III, Dudeck, K., Kelley, C., Matsui, L. and Motoyama, J. The presence of a magnocellular defect depends on the type of dyslexia 36: 1047
DUYSENS, J.
Duysens, J., Schaafsma, S.J. and Orban, G.A. Cortical off response tuning for stimulus duration 36: 3243

EAGLE, R.A.
Eagle, R.A. and Rogers, B.J. Motion detection is limited by element density not spatial frequency 36: 545
EDWARDS, M.
Edwards, M., Badcock, D.R. and Nishida, S. Contrast sensitivity of the motion system 36: 2411
Edwards, M. and Badcock, D.R. Global-motion perception: Interaction of chromatic and luminance signals 36: 2423
EDWARDS, V.T.
Edwards, V.T., Hogben, J.H., Clark, C.D. and Pratt, C. Effects of a red background on magnocellular functioning in average and specifically disabled readers 36: 1037
VAN EE, R.
van Ee, R. and Erkelens, C.J. Temporal aspects of binocular slant perception 36: 43
Erkelens, C.J., Muijs, A.J.M. and van Ee, R. Binocular alignment in different depth planes 36: 2141
van Ee, R. and Erkelens, C.J. Anisotropy in Werner's binocular depth contrast effect 36: 2253
van Ee, R. and Erkelens, C.J. Stability of binocular depth perception with moving head and eyes 36: 3827
EGGERT, T.
Kapoula, Z., Bucci, M.P., Eggert, T. and Zamfirescu, F. Fast disconjugate adaptations of saccades in microstrabismic subjects 36: 103
Kapoula, Z., Eggert, T. and Bucci, M.P. Disconjugate adaptation of the vertical oculomotor system 36: 2735
EHRLICH, S.M.
Banks, M.S., Ehrlich, S.M., Backus, B.T. and Crowell, J.A. Estimating heading during real and simulated eye movements 36: 431
ELLIOTT, D.B.
Pardhan, S., Gilchrist, J., Elliott, D.B. and Beh, G.K. A comparison of sampling efficiency and internal noise level in young and old subjects 36: 1641
ELSNER, A.E.
Elsner, A.E., Burns, S.A., Weiter, J.J. and Delori, F.C. Infrared imaging of sub-retinal structures in the human ocular fundus 36: 191
Wu, S., Burns, S.A., Reeves, A. and Elsner, A.E. Flicker brightness enhancement and visual nonlinearity 36: 1573
ENRIGHT, J.T.
Enright, J.T. Sequential stereopsis: a simple demonstration 36: 307

Enright, J.T. Slow-velocity asymmetrical convergence: a decisive failure of "Hering's Law" 36: 3667

EPELBOIM, J.

Epelboim, J., Booth, J.R. and Steinman, R.M. Much ado about nothing: the place of space in text 36: 465

ERKELENS, C.J.

van Ee, R. and Erkelens, C.J. Temporal aspects of binocular slant perception 36: 43

Erkelens, C.J., Muijs, A.J.M. and van Ee, R. Binocular alignment in different depth planes 36: 2141

van Ee, R. and Erkelens, C.J. Anisotropy in Werner's binocular depth contrast effect 36: 2253

van EE, R. and Erkelens, C.J. Stability of binocular depth perception with moving head and eyes 36: 3827

ESSOCK, E.A.

Yu, C. and Essock, E.A. Psychophysical end-stopping associated with line targets 36: 2883

Yu, C. and Essock, E.A. Spatial scaling of end-stopped perceptive fields: Differences in neural bases of end-zones, flanks and centers 36: 3129

EWERT, J.-P.

Schwippert, W.W., Beneke, T.W. and Ewert, J.-P. Disproportionate distribution of field potentials across the toad's tectal visual map in response to diffuse light ON and OFF stimulations 36: 19

FAHLE, M.

Kramer, D. and Fahle, M. A simple mechanism for detecting low curvatures 36: 1411

Fahle, M. and Bachmann, G. Better performance through amblyopic than through normal eyes 36: 1939

Leonards, U., Singer, W. and Fahle, M. The influence of temporal phase differences on texture segmentation 36: 2689

Harris, J.P. and Fahle, M. Differences between fovea and periphery in the detection and discrimination of spatial offsets 36: 3469

FAILLACE, M.P.

Faillace, M.P., Sarmiento, M.I.K. and Rosenstein, R.E. Daily variations in cGMP, guanylate cyclase and phosphodiesterase in the golden hamster retina 36: 1365

FANFARILLO, R.

Dengis, C.A., Steinbach, M.J., Ono, H., Gunther, L.N., Fanfarillo, R., Steeves, J.K.E. and Postiglione, S. Learning to look with one eye: The use of head turn by normals and strabismics 36: 3237

FARELL, B.

Krauskopf, J., Wu, H.-J. and Farell, B. Coherence, cardinal directions and higher-order mechanisms 36: 1235

FERNANDES, A.

Bradley, D.V., Fernandes, A., Tigges, M. and Boothe, R.G. Diffuser contact lenses retard axial elongation in infant rhesus monkeys 36: 509

FIELD, D.J.

Field, D.J. and Hess, R.F. Uncalibrated distortions *vs.* undersampling 36: 2121

FIORENTINI, A.

Morrone, M.C., Fiorentini, A. and Burr, D.C. Development of the temporal properties of visual evoked potentials to luminance and colour contrast in infants 36: 3141

Fiorentini, A., Porciatti, V., Morrone, M.C. and Burr, D.C. Visual ageing: unspecific decline of the responses to luminance and colour 36: 3557

FISH, G.E.

Swanson, W.H. and Fish, G.E. Age-related changes in the color-match-area effect 36: 2079

FISHMAN, G.A.
Alexander, K.R., Fishman, G.A. and Derlacki, D.J. Intraocular light scatter in patients with retinitis pigmentosa 36: 3703
FITZGERALD, M.E.C.
Cuthbertson, S., White, J., Fitzgerald, M.E.C., Shih, Y.-F. and Reiner, A. Distribution within the choroid of cholinergic nerve fibers from the ciliary ganglion in pigeons 36: 775
FITZGIBBON, J.
Hunt, D.M., Fitzgibbon, J., Slobodyanyuk, S.J. and Bowmaker, J.K. Spectral tuning and molecular evolution of rod visual pigments in the species flock of Cottoid fish in Lake Baikal 36: 1217
FLEET, D.J.
Fleet, D.J., Wagner, H. and Heeger, D.J. Neural encoding of binocular disparity: Energy models, position shifts and phase shifts 36: 1839
FOGT, N.
Fogt, N. and Jones, R. The effect of refractive lenses on perceived direction 36: 3735
FONT, C.
Lanuza, E., Martínez-Marcos, A., Font, C. and Martínez-Garcia, F. Catecholaminergic interplexiform cells in the retina of lizards 36: 1349
FOX, R.
Patterson, R., Bowd, C., Phinney, R., Fox, R. and Lehmkuhle, S. Disparity tuning of the stereoscopic (Cyclopean) motion aftereffect 36: 975
FRANCIS, G.
Francis, G. and Grossberg, S. Cortical dynamics of form and motion integration: persistence, apparent motion, and illusory contours 36: 149
FREDERICKSEN, R.E.
Verstraten, F.A.J., Fredericksen, R.E., van Wezel, R.J.A., Lankheet, M.J.M. and van de Grind, W.A. Recovery from adaptation for dynamic and static motion aftereffects: evidence for two mechanisms 36: 421
Verstraten, F.A.J., Fredericksen, R.E., van Wezel, R.J.A., Boulton, J.C. and van de Grind, W.A. Directional motion sensitivity under transparent motion conditions 36: 2333
FREEMAN, A.W.
Freeman, A.W., Nguyen, V.A. and Jolly, N. Components of visual acuity loss in strabismus 36: 765
FREEMAN, T.C.A.
Freeman, T.C.A., Harris, M.G. and Meese, T.S. On the relationship between deformation and perceived surface slant 36: 317
Georgeson, M.A., Freeman, T.C.A. and Scott-Samuel, N.E. Sub-pixel accuracy: psychophysical validation of an algorithm for fine positioning and movement of dots on visual displays 36: 605
FRISBY, J.P.
Buckley, D., Frisby, J.P. and Blake, A. Does the human visual system implement an ideal observer theory of slant form texture? 36: 1163
FRISÉN, L.
Frisén, L. and Rossitti, S. Relative dispersion analysis enhances perimetric sensitivity 36: 491
FRÖHLICH, E.
Fröhlich, E. and Wagner, H.-J. Rod outer segment renewal in the retinae of deep-sea fish 36: 3183
FUKUDA, Y.
Wakabayashi, T., Fukuda, Y. and Kosaka, J. Monoclonal antibody C38 recognizes retinal ganglion cells in cats and rats 36: 1081

FULD, K.
Hammond, B.R., Jr., Curran-Celentano, J., Judd, S., Fuld, K., Krinsky, N.I., Wooten, B.R. and Snodderly, D.M. Sex differences in macular pigment optical density: Relation to plasma carotenoid concentrations and dietary patterns 36: 2001
FULLENKAMP, S.C.
Cannon, M.W. and Fullenkamp, S.C. A model for inhibitory lateral interaction effects in perceived contrast 36: 1115
FYHRQUIST, N.
Djupsund, K. Fyhrquist, N., Hariyama, T. and Donner, K. The effect of background luminance on visual responses to strong flashes: Perceived brightness and the early rise of photoreceptor responses 36: 3253

GALLIE, B.
Reed, M.J., Steeves, J.K.E., Steinbach, M.J., Kraft, S. and Gallie, B. Contrast letter thresholds in the non-affected eye of strabismic and unilateral eye enucleated subjects 36: 3011
GALVIN, S.J.
Galvin, S.J., Williams, D.R. and Coletta, N.J. The spatial grain of motion perception in human peripheral vision 36: 2283
GARCÍA-PÉREZ, M.A.
García-Pérez, M.A. and Sierra-Vázquez, V. Do channels shift their tuning towards lower spatial frequencies in the periphery? 36: 3339
GARCÍA-SÁNCHEZ, J.
Triviño, A., Ramírez, J.M., Salazar, J.J., Ramírez, A.I. and García-Sánchez, J. Immunohistochemical study of human optic nerve head astroglia 36: 2015
Ramírez, J.M., Triviño, A., Ramírez, A.I., Salazar, J.J. and García-Sánchez, J. Structural specializations of human retinal glial cells 36: 2029
GEESAMAN, B.J.
Geesaman, B.J. and Qian, N. A novel speed illusion involving expansion and rotation patterns 36: 3281
GEGENFURTNER, K.R.
Kiper, D.C., Gegenfurtner, K.R. and Movshon, J.A. Cortical oscillatory responses do not affect visual segmentation 36: 539
Gegenfurtner, K.R. and Hawken, M.J. Perceived velocity of luminance, chromatic and non-Fourier stimuli: Influence of contrast and temporal frequency 36: 1281
GEORGESON, M.A.
Georgeson, M.A., Freeman, T.C.A. and Scott-Samuel, N.E. Sub-pixel accuracy: psychophysical validation of an algorithm for fine positioning and movement of dots on visual displays 36: 605
Meese, T.S. and Georgeson, M.A. The tilt aftereffect in plaids and gratings: Channel codes, local signs and "patchwise" transforms 36: 1421
GHANI, N.
Ingling, C.R., Jr., Barley, J.P. and Ghani, N. Chromatic content of spectral lights 36: 2537
GILCHRIST, J.
Pardhan, S., Gilchrist, J., Elliott, D.B. and Beh, G.K. A comparison of sampling efficiency and internal noise level in young and old subjects 36: 1641
GIRARD, P.
Martini, P., Girard, P., Morrone, M.C. and Burr, D.C. Sensitivity to spatial phase at equiluminance 36: 1153
GLASAUER, S.
Bartl, K., Siebold, C., Glasauer, S., Helmchen, C. and Büttner, U. A simplified calibration method for three-dimensional eye movement recordings using seach-coils 36: 997

GLENNERSTER, A.
Bradshaw, M.F., Glennerster, A. and Rogers, B.J. The effect of display size on disparity scaling from differential perspective and vergence cues 36: 1255
Glennerster, A. The time course of 2-D shape discrimination in random dot stereograms 36: 1955
Glennerster, A., Rogers, B.J. and Bradshaw, M.F. Stereoscopic depth constancy depends on the subject's task 36: 3441
GNADT, J.W.
Gnadt, J.W. and Breznen, B. Statistical analysis of the information content in the activity of cortical neurons 36: 3525
GODWIN, L.D.
Schwartz, S.H. and Godwin, L.D. Masking of the achromatic system: Implications for saccadic suppression 36: 1551
GOLDSTEIN, I.M.
Goldstein, I.M., Ostwald, P. and Roth, S. Nitric oxide: A review of its role in retinal function and disease 36: 2979
GOREA, A.
Papathomas, T.V., Gorea, A. and Chubb, C. Precise assessment of the mean effective luminance of texture patches—An approach based on reverse-phi motion 36: 3775
GOURAS, P.
Saeki, M. and Gouras, P. Cone ERGs to flash trains: The antagonism of a later flash 36: 3229
Gouras, P. and Algvere, P. Retinal cell transplantation in the macula: new techniques 36: 4121
GRAHAM, N.
Graham, N. and Sutter, A. Effect of spatial scale and background luminance on the intensive and spatial nonlinearities in texture segregation 36: 1371
GRAUPNER, H.B.
Greene, P.R., Brown, O.S., Medina, A.P. and Graupner, H.B. Emmetropia approach dynamics with diurnal dual-phase cycling 36: 2249
GRAY, R.
Regan, D., Gray, R. and Hamstra, S.J. Evidence for a neural mechanism that encodes angles 36: 323
Gray, R. and Regan, D. Cyclopean motion perception produced by oscillations of size, disparity and location 36: 655
GREEN, D.G.
Artal, P., Marcos, S., Iglesias, I. and Green, D.G. Optical modulation transfer and contrast sensitivity with decentered small pupils in the human eye 36: 3575
GREENE, P.R.
Greene, P.R., Brown, O.S., Medina, A.P. and Graupner, H.B. Emmetropia approach dynamics with diurnal dual-phase cycling 36: 2249
GREENSTEIN, V.C.
Greenstein, V.C., Halevy, D., Zaidi, Q., Koenig, K.L. and Ritch, R.H. Chromatic and luminance systems deficits in glaucoma 36: 621
Greenstein, V.C., Zaidi, Q., Hood, D.C., Spehar, B., Cideciyan, A.V. and Jacobson, S.G. The enhanced S cone syndrome: an analysis of receptoral and post-receptoral changes 36: 3711
GREENSTREET, E.H.
Djamgoz, M.B.A. and Greenstreet, E.H. Quantitative analysis of triphasic (H3) horizontal cell—cone connectivity in the cyprinid fish (roach) retina 36: 4007
GRIEBEL, U.
Griebel, U. and Schmid, A. Color vision in the manatee *(Trichechus manatus)* 36: 2747

VAN DE GRIND, W.A.
Verstraten, F.A.J., Fredericksen, R.E., van Wezel, R.J.A., Lankheet, M.J.M. and van de Grind, W.A. Recovery from adaptation for dynamic and static motion aftereffects: evidence for two mechanisms 36: 421
Verstraten, F.A.J., Fredericksen, R.E., van Wezel, R.J.A., Boulton, J.C. and van de Grind, W.A. Directional motion sensitivity under transparent motion conditions 36: 2333
van Wezel, R.J.A., Lankheet, M.J.M., Verstraten, F.A.J., Marée, A.F.M. and van de Grind, W.A. Responses of complex cells in area 17 of the cat to bi-vectorial transparent motion 36: 2805
van Damme, W.J.M. and van de Grind, W.A. Non-visual information in structure-from-motion 36: 3119
Lankheet, M.J.M., Rowe, M.H., van Wezel, R.J.A. and van de Grind, W.A. Spatial and temporal properties of cat horizontal cells after prolonged dark adaptation 36: 3955
van de Grind, W.A., Lankheet, M.J.M., van Wezel, R.J.A., Rowe, M.H. and Hulleman, J. Gain control and hyperpolarization level in cat horizontal cells as a function of light and dark adaptation 36: 3969
GROS, B.L.
Gros, B.L., Pope, D.R. and Cohn, T.E. Relative efficiency for the detection of apparent motion 36: 2297
GROSSBERG, S.
Francis, G. and Grossberg, S. Cortical dynamics of form and motion integration: persistence, apparent motion, and illusory contours 36: 149
VON GRÜNAU, M.
von Grünau, M., Racette, L. and Kwas, M. Measuring the attentional speed-up in the motion induction effect 36: 2433
von Grünau, M., Dubé, S. and Kwas, M. Two contributions to motion induction: A preattentive effect and faciliation due to attentional capture 36: 2447
GRÜNERT, U.
Chun, M.-H., Grünert, U., Martin, P.R. and Wässle, H. The synaptic complex of cones in the fovea and in the periphery of the macaque monkey retina 36: 3383
GUITÉ, P.
Lachapelle, P., Benoit, J. and Guité, P. The effect of *in vivo* retinal cooling on the electroretinogram of the rabbit 36: 339
GUNTHER, L.N.
Dengis, C.A., Steinbach, M.J., Ono, H., Gunther, L.N., Fanfarillo, R., Steeves, J.K.E. and Postiglione, S. Learning to look with one eye: The use of head turn by normals and strabismics 36: 3237
GURNEY, K.N.
Gurney, K.N. and Wright, M.J. A model for the spatial integration and differentiation of velocity signals 36: 2939
GUTH, S.L.
Guth, S.L. Comments on "A multi-state color model" 36: 831

HAAK, J.
Kamermans, M., Haak, J., Habraken, J.B.A. and Spekreijse, H. The size of the horizontal cell receptive fields adapts to the stimulus in the light adapted goldfish retina 36: 4105
HAARMEIER, T.
Haarmeier, T. and Thier, P. Modification of the Filehne illusion by conditioning visual stimuli 36: 741

HABRAKEN, J.B.A.
Kamermans, M., Haak, J., Habraken, J.B.A. and Spekreijse, H. The size of the horizontal cell receptive fields adapts to the stimulus in the light adapted goldfish retina 36: 4105
HAEGERSTROM-PORTNOY G.
Verdon, W. and Haegerstrom-Portnoy, G. Mechanisms underlying the detection of increments in parafoveal retina 36: 373
HAHN, S.
Paradiso, M.A. and Hahn, S. Filling-in percepts produced by luminance modulation 36: 2657
HAJDUR, L.V.
Regan, D., Hajdur, L.V. and Hong, X.H. Two-dimensional aspect ratio discrimination for shape defined by orientation texture 36: 3695
HÄKKINEN, J.
Häkkinen, J. and Nyman, G. Depth asymmetry in da Vinci stereopsis 36: 3815
HALEVY, D.
Greenstein, V.C., Halevy, D., Zaidi, Q., Koenig, K.L. and Ritch, R.H. Chromatic and luminance systems deficits in glaucoma 36: 621
HALEVY, D.A.
Hood, D.C., Cideciyan, A.V., Halevy, D.A. and Jacobson, S.G. Sites of disease action in a retinal dystrophy with supernormal and delayed rod electroretinogram *b*-waves 36: 889
HALLETT, P.E.
Kalesnykas, R.P. and Hallett, P.E. Fixation conditions, the foveola and saccadic latency 36: 3195
HALPERN, D.L.
Halpern, D.L., Wilson, H.R. and Blake, R. Stereopsis from interocular spatial frequency differences is not robust 36: 2263
HAMMETT, S.T.
Snowden, R.J. and Hammett, S.T. Spatial frequency adaptation: Threshold elevation and perceived contrast 36: 1797
Hammett, S.T. and Bex, P.J. Motion sharpening: Evidence for the addition of high spatial frequencies to the effective neural image 36: 2729
HAMMOND, B.R., JR.
Hammond, B.R., Jr., Curran-Celentano, J., Judd, S., Fuld, K., Krinsky, N.I., Wooten, B.R. and Snodderly, D.M. Sex differences in macular pigment optical density: Relation to plasma carotenoid concentrations and dietary patterns 36: 2001
Hammond, B.R., Jr., Wooten, B.R. and Snodderly, D.M. Cigarette smoking and retinal carotenoids: Implications for age-related macular degeneration 36: 3003
HAMSTRA, S.J.
Regan, D., Gray, R. and Hamstra, S.J. Evidence for a neural mechanism that encodes angles 36: 323
HANITZSCH, R.
Hanitzsch, R., Lichtenberger, Th. and Mättig, W.-U. The influence of $MgCl_2$ and APB on the light-induced potassium changes and the ERG *b*-wave of the isolated superfused rat retina 36: 499
HARADA, T.
Ohki, K., Yoshida, K., Harada, T., Takamura, M., Matsuda, H. and Imaki, J. c-*fos* Gene expression in postnatal rat retinas with light/dark cycle 36: 1883
HARDING, G.F.A.
Harding, G.F.A., Odom, J.V., Spileers, W. and Spekreijse, H. Standard for visual evoked potentials 1995 36: 3567
HARI, R.
Virsu, V. and Hari, R. Cortical magnification, scale invariance and visual ecology 36: 2971

HARIYAMA, T.
Djupsund, K. Fyhrquist, N., Hariyama, T. and Donner, K. The effect of background luminance on visual responses to strong flashes: Perceived brightness and the early rise of photoreceptor responses 36: 3253
HARRIS, J.
Lee, B. and Harris, J. Contrast transfer characteristics of visual short-term memory 36: 2159
HARRIS, J.M.
Harris, J.M. and Watamaniuk, S.N.J. Poor speed discrimination suggests that there is no specialized speed mechanism for cyclopean motion 36: 2149
HARRIS, J.P.
Harris, J.P. and Fahle, M. Differences between fovea and periphery in the detection and discrimination of spatial offsets 36: 3469
HARRIS, M.G.
Freeman, T.C.A., Harris, M.G. and Meese, T.S. On the relationship between deformation and perceived surface slant 36: 317
HASLWANTER, T.
Moore, S.T., Haslwanter, T., Curthoys, I.S. and Smith, S.T. A geometric basis for measurement of three-dimensional eye position using image processing 36: 445
VAN HATEREN, J.H.
van der Schaaf, A. and van Hateren, J.H. Modelling the power spectra of natural images: Statistics and information 36: 2759
HAWKEN, M.J.
Gegenfurtner, K.R. and Hawken, M.J. Perceived velocity of luminance, chromatic and non-Fourier stimuli: Influence of contrast and temporal frequency 36: 1281
Ringach, D.L., Hawken, M.J. and Shapley, R. Binocular eye movements caused by the perception of three-dimensional structure from motion 36: 1479
HE, P.
Regan, D. and He, P. Magnetic and electrical brain responses to chromatic contrast in human 36: 1
HEEGER, D.J.
Fleet, D.J., Wagner, H. and Heeger, D.J. Neural encoding of binocular disparity: Energy models, position shifts and phase shifts 36: 1839
HEELEY, D.W.
Heeley, D.W. and Buchanan-Smith, H.M. Mechanisms specialized for the perception of image geometry 36: 3607
HEIDENREICH, S.M.
Heidenreich, S.M. and Turano, K.A. Speed discrimination under stabilized and normal viewing conditions 36: 1819
Turano, K.A. and Heidenreich, S.M. Speed discrimination of distal stimuli during smooth pursuit eye motion 36: 3507
HELMCHEN, C.
Bartl, K., Siebold, C., Glasauer, S., Helmchen, C. and Büttner, U. A simplified calibration method for three-dimensional eye movement recordings using seach-coils 36: 997
HEMILÄ, S.
Kalamkarov, G., Pogozheva, I., Shevchenko, T., Koskelainen, A., Hemilä, S. and Donner, K. pH changes in frog rods upon manipulation of putative pH-regulating transport mechanisms 36: 3029
HESS, R.F.
Wilcox, L.M. and Hess, R.F. Is the site of non-linear filtering in stereopsis before or after binocular combination? 36: 391
Hess, R.F., Waugh, S.J. and Nordby, K. Rod temporal channels 36: 613

Mullen, K.T., Sankeralli, M.J. and Hess, R.F. Color and luminance vision in human amblyopia: shifts in isoluminance, contrast sensitivity losses, and positional deficits 36: 645
Demanins, R. and Hess, R.F. Effect of exposure duration on spatial uncertainty in normal and amblyopic eyes 36: 1189
Badcock, D.R., Hess, R.F. and Dobbins, K. Localization of element clusters: Multiple cues 36: 1467
Field, D.J. and Hess, R.F. Uncalibrated distortions *vs.* undersampling 36: 2121
Demanins, R. and Hess, R.F. Positional loss in strabismic amblyopia: Inter-relationship of alignment threshold, bias, spatial scale and eccentricity 36: 2771
Hess, R.F. and Holliday, I. Primitives used in the spatial localization of nonabutting stimuli: peaks or centroids 36: 3821

HEYWOOD, C.A.
Nicholas, J.J., Heywood, C.A. and Cowey, A. Contrast sensitivity in one-eyed subjects 36: 175

HIGGINS, K.E.
Higgins, K.E., Arditi, A. and Knoblauch, K. Detection and identification of mirror-image letter pairs in central and peripheral vision 36: 331

HIROSE, T.
Katsumi, O., Arai, M., Wajima, R., Denno, S. and Hirose, T. Spatial frequency sweep pattern reversal VER acuity vs Snellen visual acuity: effect of optical defocus 36: 903

HISATOMI, O.
Hisatomi, O., Satoh, T., Barthel, L.K., Stenkamp, D.L., Raymond, P.A. and Tokunaga, F. Molecular cloning and characterization of the putative ultraviolet-sensitive visual pigment of goldfish 36: 933
Ishikawa, M., Tonosaki, A., Hisatomi, O., Tokunaga, F., Koseki, T. and Sakuragi, S. Lectin cytochemical analysis of glycoconjugates in photoreceptor cell membranes of *Lampetra japonica* 36: 1513

HOCHSTEIN, S.
Hock, H.S., Schöner, G. and Hochstein, S. Perceptual stability and the selective adaptation of perceived and unperceived motion directions 36: 3311
Ahissar, M. and Hochstein, S. Learning pop-out detection: specificities to stimulus characteristics 36: 3487

HOCK, H.S.
Hock, H.S., Schöner, G. and Hochstein, S. Perceptual stability and the selective adaptation of perceived and unperceived motion directions 36: 3311

HOGBEN, J.H.
Edwards, V.T., Hogben, J.H., Clark, C.D. and Pratt, C. Effects of a red background on magnocellular functioning in average and specifically disabled readers 36: 1037
Hogben, J.H., Pratt, C.; Dedman, K. and Clark, C.D. Blurring the image does not help disabled readers 36: 1503

HOHNSBEIN, J.
Mateeff, S. and Hohnsbein, J. Perception of visual motion with modulated velocity: Effects of viewing distance and aperture size 36: 2873

HOLLIDAY, I.
Hess, R.F. and Holliday, I. Primitives used in the spatial localization of nonabutting stimuli: peaks or centroids 36: 3821

HOLOPIGIAN, K.
Seiple, W., Szlyk, J.P., Yang, S. and Holopigian, K. Age-related functional field losses are not eccentricity dependent 36: 1859

HONG, X.H.
Regan, D., Hajdur, L.V. and Hong, X.H. Two-dimensional aspect ratio discrimination for shape defined by orientation texture 36: 3695

HOOD, D.C.
Hood, D.C., Cideciyan, A.V., Halevy, D.A. and Jacobson, S.G. Sites of disease action in a retinal dystrophy with supernormal and delayed rod electroretinogram *b*-waves 36: 889
Hood, D.C. and Birch, D.G. Abnormalities of the retinal cone system in retinitis pigmentosa 36: 1699
Greenstein, V.C., Zaidi, Q., Hood, D.C., Spehar, B., Cideciyan, A.V. and Jacobson, S.G. The enhanced S cone syndrome: an analysis of receptoral and post-receptoral changes 36: 3711
HOTSON, J.
Boman, D., Braun, D. and Hotson, J. Stationary and pursuit visual fixation share similar behavior 36: 751
HOWARD, I.P.
Kaneko, H. and Howard, I.P. Relative size disparities and the perception of surface slant 36: 1919
HU, Q.J.
Klein, S.A., Hu, Q.J. and Carney, T. The adjacent pixel nonlinearity: Problems and solutions 36: 3167
HÜBNER, R.
Hübner, R. The efficiency of different cue types for reducing spatial-frequency uncertainty 36: 401
Hübner, R. Specific effects of spatial-frequency uncertainty and different cue types on contrast detection: data and models 36: 3429
HULLEMAN, J.
van de Grind, W.A., Lankheet, M.J.M., van Wezel, R.J.A., Rowe, M.H. and Hulleman, J. Gain control and hyperpolarization level in cat horizontal cells as a function of light and dark adaptation 36: 3969
HUNT, D.M.
Hunt, D.M., Fitzgibbon, J., Slobodyanyuk, S.J. and Bowmaker, J.K. Spectral tuning and molecular evolution of rod visual pigments in the species flock of Cottoid fish in Lake Baikal 36: 1217

IGLESIAS, I.
Artal, P., Marcos, S., Iglesias, I. and Green, D.G. Optical modulation transfer and contrast sensitivity with decentered small pupils in the human eye 36: 3575
IKENO, H.
Usui, S., Kamiyama, Y., Ishii, H. and Ikeno, H. Reconstruction of retinal horizontal cell responses by the ionic current model 36: 1711
IMAKI, J.
Ohki, K., Yoshida, K., Harada, T., Takamura, M., Matsuda, H. and Imaki, J. c-*fos* Gene expression in postnatal rat retinas with light/dark cycle 36: 1883
INCHINGOLO, P.
Inchingolo, P., Accardo, A., Da Pozzo, S., Pensiero, S. and Perissutti, P. Cyclopean and disconjugate adaptive recovery from post-saccadic drift in strabismic children before and after surgery 36: 2897
INGLING, C.R., JR.
Ingling, C.R., Jr., Barley, J.P. and Ghani, N. Chromatic content of spectral lights 36: 2537
ISHIHARA, A.
Usui, S., Ishihara, A., Kamiyama, Y. and Ishii, H. Ionic current model of bipolar cells in the lower vertebrate retina 36: 4069
ISHII, H.
Usui, S., Kamiyama, Y., Ishii, H. and Ikeno, H. Reconstruction of retinal horizontal cell responses by the ionic current model 36: 1711

Usui, S., Ishihara, A., Kamiyama, Y. and Ishii, H. Ionic current model of bipolar cells in the lower vertebrate retina 36: 4069

ISHIKAWA, M.

Ishikawa, M., Tonosaki, A., Hisatomi, O., Tokunaga, F., Koseki, T. and Sakuragi, S. Lectin cytochemical analysis of glycoconjugates in photoreceptor cell membranes of *Lampetra japonica* 36: 1513

JACOBI, P.C.

Jacobi, P.C., Osswald, H. and Zrenner, E. Bradykinin receptor inhibition affects the rod b-wave in the cat electroretinogram 36: 3843

JACOBS, G.H.

Jacobs, G.H., Deegan, J.F. II and Moran, J.L. ERG measurements of the spectral sensitivity of common chimpanzee *(Pan troglodytes)* 36: 2587

JACOBSON, S.G.

Hood, D.C., Cideciyan, A.V., Halevy, D.A. and Jacobson, S.G. Sites of disease action in a retinal dystrophy with supernormal and delayed rod electroretinogram *b*-waves 36: 889

Cideciyan, A.V. and Jacobson, S.G. An alternative phototransduction model for human rod and cone ERG *a*-waves: Normal parameters and variation with age 36: 2609

Greenstein, V.C., Zaidi, Q., Hood, D.C., Spehar, B., Cideciyan, A.V. and Jacobson, S.G. The enhanced S cone syndrome: an analysis of receptoral and post-receptoral changes 36: 3711

JAGGER, W.S.

Jagger, W.S. and Sands, P.J. A wide-angle gradient index optical model of the crystaline lens and eye of the rainbow trout 36: 2623

Jagger, W.S. Image formation by the crystalline lens and eye of the rainbow trout 36: 2641

JANSSEN-BIENHOLD, U.

Weiler, R., Schultz, K. and Janssen-Bienhold, U. Ca^{2+} dependency of spinule plasticity at dendrites of retinal horizontal cells and its possible implication for the functional role of spinules 36: 3891

JIANG, B.C.

Jiang, B.C. Accommodative vergence is driven by the phasic component of the accommodative controller 36: 97

JOHNSTON, A.

McOwan, P.W. and Johnston, A. A second-order pattern reveals separate strategies for encoding orientation in two-dimensional space and space-time 36: 425

Curran, W. and Johnston, A. The effect of illuminant position on perceived curvature 36: 1399

Johnston, A. and Curran, W. Investigating shape-from-shading illusions using solid objects 36: 2827

Curran, W. and Johnston, A. Three-dimensional curvature contrast—geometric or brightness illusion? 36: 3641

JOLICOEUR, P.

Bauer, B., Jolicoeur, P. and Cowan, W.B. Visual search for colour targets that are or are not linearly separable from distractors 36: 1439

JOLLY, N.

Freeman, A.W., Nguyen, V.A. and Jolly, N. Components of visual acuity loss in strabismus 36: 765

JONES, R.

Fogt, N. and Jones, R. The effect of refractive lenses on perceived direction 36: 3735

JUDD, S.
Hammond, B.R., Jr., Curran-Celentano, J., Judd, S., Fuld, K., Krinsky, N.I., Wooten, B.R. and Snodderly, D.M. Sex differences in macular pigment optical density: Relation to plasma carotenoid concentrations and dietary patterns 36: 2001
JURAN, J.
Kubová, Z., Kuba, M., Juran, J. and Blakemore, C. Is the motion system relatively spared in amblyopia? Evidence from cortical evoked responses 36: 181
JURKLIES, B.
Jurklies, B., Kaelin-Lang, A. and Niemeyer, G. Cholinergic effects on cat retina *in vitro:* changes in rod- and cone-driven *b*-wave and optic nerve response 36: 797
JÜTTNER, M.
Jüttner, M. and Rentschler, I. Reduced perceptual dimensionality in extrafoveal vision 36: 1007

KAELIN-LANG, A.
Jurklies, B., Kaelin-Lang, A. and Niemeyer, G. Cholinergic effects on cat retina *in vitro:* changes in rod- and cone-driven *b*-wave and optic nerve response 36: 797
KALAMKAROV, G.
Kalamkarov, G., Pogozheva, I., Shevchenko, T., Koskelainen, A., Hemilä, S. and Donner, K. pH changes in frog rods upon manipulation of putative pH-regulating transport mechanisms 36: 3029
KALESNYKAS, R.P.
Kalesnykas, R.P. and Hallett, P.E. Fixation conditions, the foveola and saccadic latency 36: 3195
KALINOWSKI, H.-O.
Nöll, G.N. and Kalinowski, H.-O. Identification of retinolisomers by high-performance liquid chromatography not unequivocal up to now 36: 1887
KAMERMANS, M.
Sjoerdsma, T., Kamermans, M. and Spekreijse, H. Modulating wavelength discrimination in goldfish with ethambutol and stimulus intensity 36: 3519
Kamermans, M. and Spekreijse, H. A functional description based on morphology, physiology and neural modelling 36: 3857
Vandenbranden, C.A.V., Verweij, J., Kamermans, M., Müller, L.J., Ruijter, J.M., Vrensen, G.F.J.M. and Spekreijse, H. Clearance of neurotransmitter from the cone synaptic cleft in goldfish retina 36: 3859
Verweij, J., Kamermans, M., van den Aker, E.C. and Spekreijse, H. Modulation of horizontal cell receptive fields in the light adapted goldfish retina 36: 3913
Verweij, J., Kamermans, M. and Spekreijse, H. Horizontal cells feed back to cones by shifting the cone calcium-current activation range 36: 3943
Kamermans, M., Haak, J., Habraken, J.B.A. and Spekreijse, H. The size of the horizontal cell receptive fields adapts to the stimulus in the light adapted goldfish retina 36: 4105
KAMIYAMA, Y.
Usui, S., Kamiyama, Y., Ishii, H. and Ikeno, H. Reconstruction of retinal horizontal cell responses by the ionic current model 36: 1711
Kamiyama, Y., Ogura, T. and Usui, S. Ionic current model of the vertebrate rod photoreceptor 36: 4059
Usui, S., Ishihara, A., Kamiyama, Y. and Ishii, H. Ionic current model of bipolar cells in the lower vertebrate retina 36: 4069
KANEKO, A.
Sasaki, T and Kaneko, A. L-Glutamate-induced responses in OFF-type bipolar cells of the cat retina 36: 787

KANEKO, H.
Kaneko, H. and Howard, I.P. Relative size disparities and the perception of surface slant 36: 1919
KAPOULA, Z.
Kapoula, Z., Bucci, M.P., Eggert, T. and Zamfirescu, F. Fast disconjugate adaptations of saccades in microstrabismic subjects 36: 103
Kapoula, Z., Eggert, T. and Bucci, M.P. Disconjugate adaptation of the vertical oculomotor system 36: 2735
KAPPERS, A.M.L.
te Pas, S.F., Kappers, A.M.L. and Koenderink, J.J. Detection of first-order structure in optic flow fields 36: 259
Kappers, A.M.L., Te Pas, S.F., Koenderink, J.J. and van Doorn, A.J. Simulating the detection of first-order optical flow components 36: 3539
KATSUMI, O.
Katsumi, O., Arai, M., Wajima, R., Denno, S. and Hirose, T. Spatial frequency sweep pattern reversal VER acuity vs Snellen visual acuity: effect of optical defocus 36: 903
KAWAKAMI, S.
Kawakami, S. and Okamoto, H. A cell model for the detection of local image motion on the magno-cellular pathway of the visual cortex 36: 117
KAWAMURA, S.
Kawamura, S. and Yokoyama, S. Phylogenetic relationships among short wavelength-sensitive opsins of American chameleon *(Anolis carolinensis)* and other vertebrates 36: 2797
KEEBLE, D.R.T.
Kingdom, F.A.A. and Keeble, D.R.T. A linear systems approach to the detection of both abrupt and smooth spatial variations in orientation-defined textures 36: 409
KELLEY, C.
Borsting, E., Ridder, W.H. III, Dudeck, K., Kelley, C., Matsui, L. and Motoyama, J. The presence of a magnocellular defect depends on the type of dyslexia 36: 1047
KELLY, S.L.
Buckingham, T.J. and Kelly, S.L. The comparative development of movement hyperacuity and visual acuity in children 36: 3851
KERSTEN, D.
Mamassian, P. and Kersten, D. Illumination, shading and the perception of local orientation 36: 2351
D'Avossa, G. and Kersten, D. Evidence in human subjects for independent coding of azimuth and elevation for direction of heading from optic flow 36: 2915
KIM, J.
Kim, J. and Wilson, H.R. Direction repulsion between components in motion transparency 36: 1177
KIMURA, E.
Kimura, E. and Young, R.S.L. A chromatic-cancellation property of human pupillary responses 36: 1543
KINGDOM, F.A.A.
Kingdom, F.A.A. and Keeble, D.R.T. A linear systems approach to the detection of both abrupt and smooth spatial variations in orientation-defined textures 36: 409
Kingdom, F.A.A. and Whittle, P. Contrast discrimination at high contrasts reveals the influence of local light adaptation on contrast processing 36: 817
Kingdom, F.A.A. and Simmons, D.R. Stereoacuity and colour contrast 36: 1311
Mullen, K.T. and Kingdom, F.A.A. Losses in peripheral colour sensitivity predicted from "hit and miss" post-receptoral cone connections 36: 1995
McCourt, M.E. and Kingdom, F.A.A. Facilitation of luminance grating detection by induced gratings 36: 2563

KIORPES, L.
Kiorpes, L. and Kiper, D.C. Development of contrast sensitivity across the visual field in macaque monkeys *(Macaca nemestrina)* 36: 239
KIPER, D.C.
Kiorpes, L. and Kiper, D.C. Development of contrast sensitivity across the visual field in macaque monkeys *(Macaca nemestrina)* 36: 239
Kiper, D.C., Gegenfurtner, K.R. and Movshon, J.A. Cortical oscillatory responses do not affect visual segmentation 36: 539
KIRSCHFELD, K.
Türke, W., Nalbach, H.-O. and Kirschfeld, K. Visually elicited head rotation in pigeons *(Columba livia)* 36: 3329
KLEIN, S.A.
Wang, H., Levi, D.M. and Klein, S.A. Intrinsic uncertainty and integration efficiency in bisection acuity 36: 717
Levi, D.M. and Klein, S.A. Limitations on position coding imposed by undersampling and univariance 36: 2111
Klein, S.A., Hu, Q.J. and Carney, T. The adjacent pixel nonlinearity: Problems and solutions 36: 3167
KNOBLAUCH, K.
Knoblauch, K. and Maloney, L.T. Testing the indeterminacy of linear color mechanisms from color discrimination data 36: 295
Higgins, K.E., Arditi, A. and Knoblauch, K. Detection and identification of mirror-image letter pairs in central and peripheral vision 36: 331
KOENDERINK, J.J.
te Pas, S.F., Kappers, A.M.L. and Koenderink, J.J. Detection of first-order structure in optic flow fields 36: 259
Kappers, A.M.L., Te Pas, S.F., Koenderink, J.J. and van Doorn, A.J. Simulating the detection of first-order optical flow components 36: 3539
KOENIG, K.L.
Greenstein, V.C., Halevy, D., Zaidi, Q., Koenig, K.L. and Ritch, R.H. Chromatic and luminance systems deficits in glaucoma 36: 621
KOLJONEN, T.
Rovamo, J., Koljonen, T. and Näsänen, R. A new psychophysical method for determining the photopic spectral-luminosity function of the human eye 36: 2675
KOSAKA, J.
Wakabayashi, T., Fukuda, Y. and Kosaka, J. Monoclonal antibody C38 recognizes retinal ganglion cells in cats and rats 36: 1081
KOSEKI, T.
Ishikawa, M., Tonosaki, A., Hisatomi, O., Tokunaga, F., Koseki, T. and Sakuragi, S. Lectin cytochemical analysis of glycoconjugates in photoreceptor cell membranes of *Lampetra japonica* 36: 1513
KOSKELAINEN, A.
Kalamkarov, G., Pogozheva, I., Shevchenko, T., Koskelainen, A., Hemilä, S. and Donner, K. pH changes in frog rods upon manipulation of putative pH-regulating transport mechanisms 36: 3029
VAN DE KRAATS, J.
van de Kraats, J., Berendschot, T.T.J.M. and van Norren, D. The pathways of light measured in fundus reflectometry 36: 2229
KRAFT, S.
Reed, M.J., Steeves, J.K.E., Steinbach, M.J., Kraft, S. and Gallie, B. Contrast letter thresholds in the non-affected eye of strabismic and unilateral eye enucleated subjects 36: 3011
KRAMER, D.
Kramer, D. and Fahle, M. A simple mechanism for detecting low curvatures 36: 1411

KRAUSKOPF, J.
Krauskopf, J., Wu, H.-J. and Farell, B. Coherence, cardinal directions and higher-order mechanisms 36: 1235
KRAUZLIS, R.J.
Krauzlis, R.J. and Miles, F.A. Decreases in the latency of smooth pursuit and saccadic eye movements produced by the "gap paradigm" in the monkey 36: 1973
KREMER, T.
Scheibner, H. and Kremer, T. Deuteranomaly studied with four perceptual criteria 36: 3157
KREMERS, J.
Yeh, T, Lee, B.B. and Kremers, J. The time course of adaptation in macaque retinal ganglion cells 36: 913
KRINSKY, N.I.
Hammond, B.R., Jr., Curran-Celentano, J., Judd, S., Fuld, K., Krinsky, N.I., Wooten, B.R. and Snodderly, D.M. Sex differences in macular pigment optical density: Relation to plasma carotenoid concentrations and dietary patterns 36: 2001
KRÖGER, R.H.H.
Kröger, R.H.H. and Wagner, H.-J. Horizontal cell spinule dynamics in fish are affected by rearing in monochromatic light 36: 3879
KUBA, M.
Kubová, Z., Kuba, M., Juran, J. and Blakemore, C. Is the motion system relatively spared in amblyopia? Evidence from cortical evoked responses 36: 181
KUBOVÁ, Z.
Kubová, Z., Kuba, M., Juran, J. and Blakemore, C. Is the motion system relatively spared in amblyopia? Evidence from cortical evoked responses 36: 181
KUKKONEN, H.
Rovamo, J. and Kukkonen, H. The effect of noise check size and shape on grating detectability 36: 271
KULIKOWSKI, J.J.
Kulikowski, J.J., Robson, A.G. and McKeefry, D.J. Specificity and selectivity of chromatic visual evoked potentials 36: 3397
KUMAR, T.
Kumar, T. Multiple matching of features in simple stereograms 36: 675
KWAS, M.
von Grünau, M., Racette, L. and Kwas, M. Measuring the attentional speed-up in the motion induction effect 36: 2433
von Grünau, M., Dubé, S. and Kwas, M. Two contributions to motion induction: A preattentive effect and faciliation due to attentional capture 36: 2447

LACHAPELLE, P.
Lachapelle, P., Benoit, J. and Guité, P. The effect of *in vivo* retinal cooling on the electroretinogram of the rabbit 36: 339
LAMEDICA, A.
Oleari, C., Baratta, G., Lamedica, A. and Macaluso, C. Confusion points and constant-luminance planes for trichromats, protanopes and deuteranopes 36: 3501
LANGLEY, K.
Clifford, C.W.G. and Langley, K. A model of temporal adaptation in fly motion vision 36: 2595
LANKHEET, M.J.M.
Verstraten, F.A.J., Fredericksen, R.E., van Wezel, R.J.A., Lankheet, M.J.M. and van de Grind, W.A. Recovery from adaptation for dynamic and static motion aftereffects: evidence for two mechanisms 36: 421
Lankheet, M.J.M. and Lennie, P. Spatio-temporal requirements for binocular correlation in stereopsis 36: 527

van Wezel, R.J.A., Lankheet, M.J.M., Verstraten, F.A.J., Marée, A.F.M. and van de Grind, W.A. Responses of complex cells in area 17 of the cat to bi-vectorial transparent motion 36: 2805
Lankheet, M.J.M., Rowe, M.H., van Wezel, R.J.A. and van de Grind, W.A. Spatial and temporal properties of cat horizontal cells after prolonged dark adaptation 36: 3955
van de Grind, W.A., Lankheet, M.J.M., van Wezel, R.J.A., Rowe, M.H. and Hulleman, J. Gain control and hyperpolarization level in cat horizontal cells as a function of light and dark adaptation 36: 3969
LANUZA, E.
Lanuza, E., Martínez-Marcos, A., Font, C. and Martínez-Garcia, F. Catecholaminergic interplexiform cells in the retina of lizards 36: 1349
LATHAM, K.
Latham, K. and Whitaker, D. A comparison of word recognition and reading performance in foveal and peripheral vision 36: 2665
LAUGHLIN, S.B.
Laughlin, S.B. Matched filtering by a photoreceptor membrane 36: 1529
LEDGEWAY, T.
Ledgeway, T. How similar must the Fourier spectra of the frames of a random-dot kinematogram be to support motion perception? 36: 2489
LEE, B.
Lee, B. and Harris, J. Contrast transfer characteristics of visual short-term memory 36: 2159
LEE, B.B.
Lee, B.B. Receptive field structure in the primate retina 36: 631
Yeh, T, Lee, B.B. and Kremers, J. The time course of adaptation in macaque retinal ganglion cells 36: 913
LEGGE, G.E.
Mansfield, J.S. and Legge, G.E. The binocular computation of visual direction 36: 27
Beckmann, P.J. and Legge, G.E. Psychophysics of reading—XIV. The page navigation problem in using magnifiers 36: 3723
LEHKY, S.R.
Lehky, S.R. and Maunsell, J.H.R. No binocular rivalry in the LGN of alert macaque monkeys 36: 1225
LEHMKUHLE, S.
Patterson, R., Bowd, C., Phinney, R., Fox, R. and Lehmkuhle, S. Disparity tuning of the stereoscopic (Cyclopean) motion aftereffect 36: 975
LEIGH, R.J.
Rottach, K.G., Zivotofsky, A.Z., Das, V.E., Averbuch-Heller, L., Discenna, A.O., Poonyathalang, A. and Leigh, R.J. Comparison of horizontal, vertical and diagonal smooth pursuit eye movements in normal human subjects 36: 2189
LENNIE, P.
Lankheet, M.J.M. and Lennie, P. Spatio-temporal requirements for binocular correlation in stereopsis 36: 527
LEONARDS, U.
Leonards, U., Singer, W. and Fahle, M. The influence of temporal phase differences on texture segmentation 36: 2689
LEVI, D.M.
Levi, D.M. and Waugh, S.J. Position acuity with opposite-contrast polarity features: evidence for a nonlinear collector mechanism for position acuity? 36: 573
Wang, H., Levi, D.M. and Klein, S.A. Intrinsic uncertainty and integration efficiency in bisection acuity 36: 717
Tripathy, S.P., Levi, D.M. and Ogmen, H. Two-dot alignment across the physiological blind spot 36: 1585
Chen, S. and Levi, D.M. Angle judgment: Is the whole the sum of its parts? 36: 1721

Levi, D.M. and Klein, S.A. Limitations on position coding imposed by undersampling and univariance 36: 2111
Chung, S.T.L., Levi, D.M. and Bedell, H.E. Vernier in motion: What accounts for the threshold elevation? 36: 2395
Mussap, A.J. and Levi, D.M. Spatial properties of filters underlying vernier acuity revealed by masking: Evidence for collator mechanisms 36: 2459
Levi, D.M. and Tripathy, S.P. Localization of a peripheral patch: The role of blur and spatial frequency 36: 3785

LIANG, J.
Miller, D.T., Williams, D.R., Morris, G.M. and Liang, J. Images of cone photoreceptors in the living human eye 36: 1067

LICHTENBERGER, TH.
Hanitzsch, R., Lichtenberger, Th. and Mättig, W.-U. The influence of $MgCl_2$ and APB on the light-induced potassium changes and the ERG *b*-wave of the isolated superfused rat retina 36: 499

LIN, L.-M.
Lin, L.-M. and Wilson, H.R. Fourier and non-Fourier pattern discrimination compared 36: 1907

LIN, Z.-S.
Yazulla, S., Lin, Z.-S. and Studholme, K.M. Dopaminergic control of light-adaptive synaptic plasticity and role in goldfish visual behavior 36: 4045

LINDSEY, D.T.
Lindsey, D.T. and Todd, J.T. On the relative contributions of motion energy and transparency to the perception of moving plaids 36: 207

LIU, L.
Tyler, C.W. and Liu, L. Saturation revealed by clamping the gain of the retinal light response 36: 2553

LIVINGSTONE, M.S.
Livingstone, M.S. Differences between stereopsis, interocular correlation and binocularity 36: 1127

LOHSE, G.L.
Rao, A.R. and Lohse, G.L. Towards a texture naming system: Identifying relevant dimensions of texture 36: 1649

LORENCEAU, J.
Shiffrar, M. and Lorenceau, J. Increased motion linking across edges with decreased luminance contrast, edge width and duration 36: 2061
Lorenceau, J. Motion integration with dot patterns: effects of motion noise and structural information 36: 3415

LOUIE, K.
Choe, H.-G., Louie, K. and Basinger, S.F. Effects of excitatory amino acids on phosphoinositide metabolism in frog retina 36: 1873

LU, Z.-L.
Lu, Z.-L. and Sperling, G. Second-order illusions: Mach bands, Chevreul, and Craik—O'Brien—Cornsweet 36: 559

LUCASSEN, M.P.
Lucassen, M.P. and Walraven, J. Color constancy under natural and artificial illumination 36: 2699

LUKKARINEN, S.
Rovamo, J., Raninen, A., Lukkarinen, S. and Donner, K. Flicker sensitivity as a function of spectral density of external white temporal noise 36: 3767

MACALUSO, C.
Oleari, C., Baratta, G., Lamedica, A. and Macaluso, C. Confusion points and constant-luminance planes for trichromats, protanopes and deuteranopes 36: 3501

MAHON, L.E.
Mahon, L.E. and Vingrys, A.J. Normal saturation processing provides a model for understanding the effects of disease on color perception 36: 2995
MALLOT, H.A.
Mallot, H.A., Roll, A. and Arndt, P.A. Disparity-evoked vergence is driven by interocular correlation 36: 2925
MALONEY, L.T.
Knoblauch, K. and Maloney, L.T. Testing the indeterminacy of linear color mechanisms from color discrimination data 36: 295
Poirson, A.B. and Maloney, L.T. A video-input device that displays high-luminance, high-resolution color iamges 36: 2575
MAMASSIAN, P.
Mamassian, P. and Kersten, D. Illumination, shading and the perception of local orientation 36: 2351
MANSFIELD, J.S.
Mansfield, J.S. and Legge, G.E. The binocular computation of visual direction 36: 27
MAPLE, B.R.
Maple, B.R. and Wu, S.M. Synaptic inputs mediating bipolar cell responses in the tiger slamander retina 36: 4015
MARCOS, S.
Artal, P., Marcos, S., Iglesias, I. and Green, D.G. Optical modulation transfer and contrast sensitivity with decentered small pupils in the human eye 36: 3575
MARÉE, A.F.M.
van Wezel, R.J.A., Lankheet, M.J.M., Verstraten, F.A.J., Marée, A.F.M. and van de Grind, W.A. Responses of complex cells in area 17 of the cat to bi-vectorial transparent motion 36: 2805
MARESCHAL, I.
Bex, P.J., Verstraten, F.A.J. and Mareschal, I. Temporal and spatial frequency tuning of the flicker motion aftereffect 36: 2721
MARTIN, P.R.
Chun, M.-H., Grünert, U., Martin, P.R. and Wässle, H. The synaptic complex of cones in the fovea and in the periphery of the macaque monkey retina 36: 3383
MARTÍNEZ-GARCIA, F.
Lanuza, E., Martínez-Marcos, A., Font, C. and Martínez-Garcia, F. Catecholaminergic interplexiform cells in the retina of lizards 36: 1349
MARTÍNEZ-MARCOS, A.
Lanuza, E., Martínez-Marcos, A., Font, C. and Martínez-Garcia, F. Catecholaminergic interplexiform cells in the retina of lizards 36: 1349
MARTINI, P.
Martini, P., Girard, P., Morrone, M.C. and Burr, D.C. Sensitivity to spatial phase at equiluminance 36: 1153
MATEEFF, S.
Mateeff, S. and Hohnsbein, J. Perception of visual motion with modulated velocity: Effects of viewing distance and aperture size 36: 2873
MATSUDA, H.
Ohki, K., Yoshida, K., Harada, T., Takamura, M., Matsuda, H. and Imaki, J. c-*fos* Gene expression in postnatal rat retinas with light/dark cycle 36: 1883
MATSUI, L.
Borsting, E., Ridder, W.H. III, Dudeck, K., Kelley, C., Matsui, L. and Motoyama, J. The presence of a magnocellular defect depends on the type of dyslexia 36: 1047
MÄTTIG, W.-U.
Hanitzsch, R., Lichtenberger, Th. and Mättig, W.-U. The influence of $MgCl_2$ and APB on the light-induced potassium changes and the ERG *b*-wave of the isolated superfused rat retina 36: 499

MAUNSELL, J.H.R.
Lehky, S.R. and Maunsell, J.H.R. No binocular rivalry in the LGN of alert macaque monkeys 36: 1225
MAXIMOV, V.V.
Maximov, V.V. and Byzov, A.L. Horizontal cell dynamics: what are the main factors? 36: 4077
MAXWELL, J.S.
Maxwell, J.S. and Schor, C.M. Adaptation of vertical eye alignment in relation to head tilt 36: 1195
MAY, J.G.
Williams, M.C. and May, J.G. On a failure to replicate: Methodologically close, but not close enough. A response to Hogben *et al.* 36: 1509
MCCOURT, M.E.
McCourt, M.E. and Kingdom, F.A.A. Facilitation of luminance grating detection by induced gratings 36: 2563
MCGRAW, P.V.
Whitaker, D., McGraw, P.V., Pacey, I. and Barrett, B.T. Centroid analysis predicts visual localization of first- and second-order stimuli 36: 2957
MCILHAGGA, W.H.
McIlhagga, W.H. and Mullen, K.T. Contour integration with colour and luminance contrast 36: 1265
MCKEEFRY, D.J.
Kulikowski, J.J., Robson, A.G. and McKeefry, D.J. Specificity and selectivity of chromatic visual evoked potentials 36: 3397
MCMAHON, M.J.
Williams, D.R., Artal, P., Navarro, R., McMahon, M.J. and Brainard, D.H. Off-axis optical quality and retinal sampling in the human eye 36: 1103
MCOWAN, P.W.
McOwan, P.W. and Johnston, A. A second-order pattern reveals separate strategies for encoding orientation in two-dimensional space and space-time 36: 425
MCREYNOLDS, J.S.
Myhr, K.L. and McReynolds, J.S. Cholinergic modulation of dopamine release and horizontal cell coupling in mudpuppy retina 36: 3933
MEDINA, A.P.
Greene, P.R., Brown, O.S., Medina, A.P. and Graupner, H.B. Emmetropia approach dynamics with diurnal dual-phase cycling 36: 2249
MEESE, T.S.
Freeman, T.C.A., Harris, M.G. and Meese, T.S. On the relationship between deformation and perceived surface slant 36: 317
Meese, T.S. and Georgeson, M.A. The tilt aftereffect in plaids and gratings: Channel codes, local signs and "patchwise" transforms 36: 1421
MESLAND, B.S.
Mesland, B.S. and Wertheim, A.H. A puzzling percept of stimulus stabilization 36: 3325
MILES, F.A.
Krauzlis, R.J. and Miles, F.A. Decreases in the latency of smooth pursuit and saccadic eye movements produced by the "gap paradigm" in the monkey 36: 1973
MILLER, D. T.
Miller, D.T., Williams, D.R., Morris, G.M. and Liang, J. Images of cone photoreceptors in the living human eye 36: 1067
MILLER, J.M.
Miller, J.M. Egocentric localization of a perisaccadic flash by manual pointing 36: 837
MILLER, P.R.
Shevell, S.K. and Miller, P.R. Color perception with test and adapting lights perceived in different depth planes 36: 949

MINGOLLA, E.
Pessoa, L., Beck, J. and Mingolla, E. Perceived texture segregation in chromatic element-arrangement patterns: High intensity interference 36: 1745
MINKEN, A.W.H.
Minken, A.W.H. and Van Gisbergen, J.A.M. Dynamical version-vergence interactions for a binocular implementation of Donders' law 36: 853
MIYAHARA, E.
Miyahara, E., Pokorny, J. and Smith, V.C. Increment threshold and purity discrimination spectral sensitivities of X-chromosome-linked color defective observers 36: 1597
MÖCKEL, W.
Ammermüller, J., Möckel, W., Perlman, I. and Röhrenbeck, J. Effects of horizontal cell network architecture on signal spread in the turtle outer retina. Experiments and simulations 36: 4089
MOLLON, J.D.
Bonnardel, V., Bellemare, H. and Mollon, J.D. Measurements of human sensitivity to comb-filtered spectra 36: 2713
MOLOTCHNIKOFF, S.
Molotchnikoff, S. and Shumikhina, S. The lateral posterior-pulvinar complex modulation of stimulus-dependent oscillations in the cat visual cortex 36: 2037
MOORE, S.T.
Moore, S.T., Haslwanter, T., Curthoys, I.S. and Smith, S.T. A geometric basis for measurement of three-dimensional eye position using image processing 36: 445
MORA-FERRER, C.
Mora-Ferrer, C. and Neumeyer, C. Reduction of red—green discrimination by dopamine D1 receptor antagonists and retinal dopamine depletion 36: 4035
MORAN, J.L.
Jacobs, G.H., Deegan, J.F. II and Moran, J.L. ERG measurements of the spectral sensitivity of common chimpanzee *(Pan troglodytes)* 36: 2587
MORGAN, M.J.
Castet, E. and Morgan, M.J. Apparent speed of type I symmetrical plaids 36: 223
MORRIS, G.M.
Miller, D.T., Williams, D.R., Morris, G.M. and Liang, J. Images of cone photoreceptors in the living human eye 36: 1067
MORRONE, M.C.
Girard, P.Martini, P., Girard, P., Morrone, M.C. and Burr, D.C. Sensitivity to spatial phase at equiluminance 36: 1153
Burr, D.C. and Morrone, M.C. Temporal impulse response functions for luminance and colour during saccades 36: 2069
Morrone, M.C., Fiorentini, A. and Burr, D.C. Development of the temporal properties of visual evoked potentials to luminance and colour contrast in infants 36: 3141
Fiorentini, A., Porciatti, V., Morrone, M.C. and Burr, D.C. Visual ageing: unspecific decline of the responses to luminance and colour 36: 3557
MORSE, B.S.
Burbeck, C.A., Pizer, S.M., Morse, B.S., Ariely, D., Zauberman, G.S. and Rolland, J.P. Linking object boundaries at scale: a common mechanism for size and shape judgments 36: 361
MOSCHNER, C.
Moschner, C., Zangemeister, W.H. and Demer, J.L. Anticipatory smooth eye movements of high velocity triggered by large target steps: Normal performance and effect of cerebellar degeneration 36: 1341
MOTOYAMA, J.
Borsting, E., Ridder, W.H. III, Dudeck, K., Kelley, C., Matsui, L. and Motoyama, J. The presence of a magnocellular defect depends on the type of dyslexia 36: 1047

MOVSHON, J.A.
Kiper, D.C., Gegenfurtner, K.R. and Movshon, J.A. Cortical oscillatory responses do not affect visual segmentation 36: 539
MUIJS, A.J.M.
Erkelens, C.J., Muijs, A.J.M. and van Ee, R. Binocular alignment in different depth planes 36: 2141
MULLEN, K.T.
Mullen, K.T., Sankeralli, M.J. and Hess, R.F. Color and luminance vision in human amblyopia: shifts in isoluminance, contrast sensitivity losses, and positional deficits 36: 645
McIlhagga, W.H. and Mullen, K.T. Contour integration with colour and luminance contrast 36: 1265
Mullen, K.T. and Kingdom, F.A.A. Losses in peripheral colour sensitivity predicted from "hit and miss" post-receptoral cone connections 36: 1995
Cropper, S.J., Mullen, K.T. and Badcock, D.R. Motion coherence across different chromatic axes 36: 2475
MÜLLER, L.J.
Vandenbranden, C.A.V., Verweij, J., Kamermans, M., Müller, L.J., Ruijter, J.M., Vrensen, G.F.J.M. and Spekreijse, H. Clearance of neurotransmitter from the cone synaptic cleft in goldfish retina 36: 3859
MULLIGAN, J.B.
Beutter, B.R., Mulligan, J.B. and Stone, L.S. The barberplaid illusion: Plaid motion is biased by elongated apertures 36: 3061
MURAKAMI, I.
Murakami, I. and Shimojo, S. Assimilation-type and contrast-type bias of motion induced by the surround in a random-dot display: evidence for center-surround antagonism 36: 3629
MUSSAP, A.J.
Mussap, A.J. and Levi, D.M. Spatial properties of filters underlying vernier acuity revealed by masking: Evidence for collator mechanisms 36: 2459
MYHR, K.L.
Myhr, K.L. and McReynolds, J.S. Cholinergic modulation of dopamine release and horizontal cell coupling in mudpuppy retina 36: 3933

NAARENDORP, F.
Naarendorp, F., Rice, K.S. and Sieving, P.A. Summation of rod and S cone signals at threshold in human observers 36: 2681
NAGY, A.L.
Nagy, A.L. and Cone, S.M. Asymmetries in simple feature searches for color 36: 2837
NALBACH, H.-O.
Türke, W., Nalbach, H.-O. and Kirschfeld, K. Visually elicited head rotation in pigeons *(Columba livia)* 36: 3329
NÄSÄNEN, R.
Rovamo, J., Koljonen, T. and Näsänen, R. A new psychophysical method for determining the photopic spectral-luminosity function of the human eye 36: 2675
NAVARRO, R.
Williams, D.R., Artal, P., Navarro, R., McMahon, M.J. and Brainard, D.H. Off-axis optical quality and retinal sampling in the human eye 36: 1103
NAWROT, M.
Nawrot, M., Shannon, E. and Rizzo, M. The relative efficacy of cues for two-dimensional shape perception 36: 1141
Barton, J.J.S., Rizzo, M., Nawrot, M. and Simpson, T. Optical blur and the perception of global coherent motion in random dot cinematograms 36: 3051

NEUMEYER, C.
Schaerer, S. and Neumeyer, C. Motion detection in goldfish investigated with the optomotor response is "color blind" 36: 4025
Mora-Ferrer, C. and Neumeyer, C. Reduction of red—green discrimination by dopamine D1 receptor antagonists and retinal dopamine depletion 36: 4035
NGUYEN, V.A.
Freeman, A.W., Nguyen, V.A. and Jolly, N. Components of visual acuity loss in strabismus 36: 765
NICHOLAS, J.J.
Nicholas, J.J., Heywood, C.A. and Cowey, A. Contrast sensitivity in one-eyed subjects 36: 175
NICKALLS, R.W.D.
Nickalls, R.W.D. The influence of target angular velocity on visual latency difference determined using the rotating Pulfrich effect 36: 2865
NIEMEYER, G.
Jurklies, B., Kaelin-Lang, A. and Niemeyer, G. Cholinergic effects on cat retina *in vitro:* changes in rod- and cone-driven *b*-wave and optic nerve response 36: 797
NISHIDA, S.
Edwards, M., Badcock, D.R. and Nishida, S. Contrast sensitivity of the motion system 36: 2411
NÖLL, G.N.
Nöll, G.N. and Kalinowski, H.-O. Identification of retinolisomers by high-performance liquid chromatography not unequivocal up to now 36: 1887
NORCIA, A.M.
Allen, D., Tyler, C.W. and Norcia, A.M. Development of grating acuity and contrast sensitivity in the central and peripheral visual field of the human infant 36: 1945
Polat, U. and Norcia, A.M. Neurophysiological evidence for contrast dependent long-range facilitation and suppression in the human visual cortex 36: 2099
NORDBY, K.
Hess, R.F., Waugh, S.J. and Nordby, K. Rod temporal channels 36: 613
VAN NORREN, D.
van de Kraats, J., Berendschot, T.T.J.M. and van Norren, D. The pathways of light measured in fundus reflectometry 36: 2229
NYMAN, G.
Häkkinen, J. and Nyman, G. Depth asymmetry in da Vinci stereopsis 36: 3815

ODOM, J.V.
Harding, G.F.A., Odom, J.V., Spileers, W. and Spekreijse, H. Standard for visual evoked potentials 1995 36: 3567
OGMEN, H.
Tripathy, S.P., Levi, D.M. and Ogmen, H. Two-dot alignment across the physiological blind spot 36: 1585
OGURA, T.
Kamiyama, Y., Ogura, T. and Usui, S. Ionic current model of the vertebrate rod photoreceptor 36: 4059
OHKI, K.
Ohki, K., Yoshida, K., Harada, T., Takamura, M., Matsuda, H. and Imaki, J. c-*fos* Gene expression in postnatal rat retinas with light/dark cycle 36: 1883
OKAMOTO, H.
Kawakami, S. and Okamoto, H. A cell model for the detection of local image motion on the magno-cellular pathway of the visual cortex 36: 117
OLEARI, C.
Oleari, C., Baratta, G., Lamedica, A. and Macaluso, C. Confusion points and constant-luminance planes for trichromats, protanopes and deuteranopes 36: 3501

OLSON, J.D.
Tulunay-Keesey, Ü. and Olson, J.D. Brightness of uniform stabilized fields 36: 351
ONO, H.
Dengis, C.A., Steinbach, M.J., Ono, H., Gunther, L.N., Fanfarillo, R., Steeves, J.K.E. and Postiglione, S. Learning to look with one eye: The use of head turn by normals and strabismics 36: 3237
ORBAN, G.A.
Duysens, J., Schaafsma, S.J. and Orban, G.A. Cortical off response tuning for stimulus duration 36: 3243
O'SHEA, R.P.
Timney B., Symons, L.A., Wilcox, L.M. and O'Shea, R.P. The effect of dark and equiluminant occlusion on the interocular transfer of visual aftereffects 36: 707
O'Shea, R.P. and Williams, D.R. Binocular rivalry with isoluminant stimuli visible only via short-wavelength-sensitive cones 36: 1561
OSSWALD, H.
Jacobi, P.C., Osswald, H. and Zrenner, E. Bradykinin receptor inhibition affects the rod b-wave in the cat electroretinogram 36: 3843
OSTWALD, P.
Goldstein, I.M., Ostwald, P. and Roth, S. Nitric oxide: A review of its role in retinal function and disease 36: 2979

PACEY, I.
Whitaker, D., McGraw, P.V., Pacey, I. and Barrett, B.T. Centroid analysis predicts visual localization of first- and second-order stimuli 36: 2957
PALMER, J.
Teller, D.Y. and Palmer, J. Infant color vision: Motion nulls for red/green vs luminance-modulated stimuli in infants and adults 36: 955
PAPATHOMAS, T.V.
Papathomas, T.V., Gorea, A. and Chubb, C. Precise assessment of the mean effective luminance of texture patches—An approach based on reverse-phi motion 36: 3775
PARADISO, M.A.
Rossi, A.F. and Paradiso, M.A. Temporal limits of brightness induction and mechanisms of brightness perception 36: 1391
Paradiso, M.A. and Hahn, S. Filling-in percepts produced by luminance modulation 36: 2657
PARDHAN, S.
Pardhan, S., Gilchrist, J., Elliott, D.B. and Beh, G.K. A comparison of sampling efficiency and internal noise level in young and old subjects 36: 1641
TE PAS, S.F.
te Pas, S.F., Kappers, A.M.L. and Koenderink, J.J. Detection of first-order structure in optic flow fields 36: 259
PATTERSON, R.
Patterson, R., Bowd, C., Phinney, R., Fox, R. and Lehmkuhle, S. Disparity tuning of the stereoscopic (Cyclopean) motion aftereffect 36: 975
Patterson, R. and Becker, S. Direction-selective adaptation and simultaneous contrast induced by stereoscopic (cyclopean) motion 36: 1773
Bowd, C., Rose, D., Phinney, R.E. and Patterson, R. Enduring stereoscopic motion aftereffects induced by prolonged adaptation 36: 3655
PENSIERO, S.
Inchingolo, P., Accardo, A., Da Pozzo, S., Pensiero, S. and Perissutti, P. Cyclopean and disconjugate adaptive recovery from post-saccadic drift in strabismic children before and after surgery 36: 2897

PERISSUTTI, P.
Inchingolo, P., Accardo, A., Da Pozzo, S., Pensiero, S. and Perissutti, P. Cyclopean and disconjugate adaptive recovery from post-saccadic drift in strabismic children before and after surgery 36: 2897
PERLMAN, I.
Ammermüller, J., Möckel, W., Perlman, I. and Röhrenbeck, J. Effects of horizontal cell network architecture on signal spread in the turtle outer retina. Experiments and simulations 36: 4089
PERONA, P.
Sun, J.Y. and Perona, P. Preattentive perception of elementary three-dimensional shapes 36: 2515
PESSOA, L.
Pessoa, L., Beck, J. and Mingolla, E. Perceived texture segregation in chromatic element-arrangement patterns: High intensity interference 36: 1745
Pessoa, L. Mach bands: How many models are possible? Recent experimental findings and modeling attempts 36: 3205
PETERSIK, J.T.
Petersik, J.T. The detection of stimuli rotating in depth amid linear motion and rotating distractors 36: 2271
PETERZELL, D.H.
Peterzell, D.H. and Teller, D.Y. Individual differences in contrast sensitivity functions: The lowest spatial frequency channels 36: 3077
PETRIG, B.
Birch, E. and Petrig, B. FPL and VEP measures of fusion, stereopsis and stereoacuity in normal infants 36: 1321
PHINNEY, R.
Patterson, R., Bowd, C., Phinney, R., Fox, R. and Lehmkuhle, S. Disparity tuning of the stereoscopic (Cyclopean) motion aftereffect 36: 975
PHINNEY, R.E.
Bowd, C., Rose, D., Phinney, R.E. and Patterson, R. Enduring stereoscopic motion aftereffects induced by prolonged adaptation 36: 3655
PIZER, S.M.
Burbeck, C.A., Pizer, S.M., Morse, B.S., Ariely, D., Zauberman, G.S. and Rolland, J.P. Linking object boundaries at scale: a common mechanism for size and shape judgments 36: 361
POGOZHEVA, I.
Kalamkarov, G., Pogozheva, I., Shevchenko, T., Koskelainen, A., Hemilä, S. and Donner, K. pH changes in frog rods upon manipulation of putative pH-regulating transport mechanisms 36: 3029
POIRSON, A.B.
Poirson, A.B. and Wandell, B.A. Pattern-color separable pathways predict sensitivity to simple colored patterns 36: 515
Poirson, A.B. and Maloney, L.T. A video-input device that displays high-luminance, high-resolution color iamges 36: 2575
POKORNY, J.
Miyahara, E., Pokorny, J. and Smith, V.C. Increment threshold and purity discrimination spectral sensitivities of X-chromosome-linked color defective observers 36: 1597
Smith, V.C. and Pokorny, J. Color contrast under controlled chromatic adaptation reveals opponent rectification 36: 3087
POLAT, U.
Polat, U. and Norcia, A.M. Neurophysiological evidence for contrast dependent long-range facilitation and suppression in the human visual cortex 36: 2099

POLLATSEK, A.
Rayner, K. and Pollatsek, A. Reading unspaced text is not easy: comments on the implications of Epelboim *et al.'s* (1994) study for models of eye movement control in reading 36: 461
POONYATHALANG, A.
Rottach, K.G., Zivotofsky, A.Z., Das, V.E., Averbuch-Heller, L., Discenna, A.O., Poonyathalang, A. and Leigh, R.J. Comparison of horizontal, vertical and diagonal smooth pursuit eye movements in normal human subjects 36: 2189
POPE, D.R.
Gros, B.L., Pope, D.R. and Cohn, T.E. Relative efficiency for the detection of apparent motion 36: 2297
PORCIATTI, V.
Fiorentini, A., Porciatti, V., Morrone, M.C. and Burr, D.C. Visual ageing: unspecific decline of the responses to luminance and colour 36: 3557
PORTFORS-YEOMANS, C.V.
Portfors-Yeomans, C.V. and Regan, D. Cyclopean discrimination thresholds for the direction and speed of motion in depth 36: 3265
POSTIGLIONE, S.
Dengis, C.A., Steinbach, M.J., Ono, H., Gunther, L.N., Fanfarillo, R., Steeves, J.K.E. and Postiglione, S. Learning to look with one eye: The use of head turn by normals and strabismics 36: 3237
PRATT, C.
Edwards, V.T., Hogben, J.H., Clark, C.D. and Pratt, C. Effects of a red background on magnocellular functioning in average and specifically disabled readers 36: 1037
Hogben, J.H., Pratt, C.; Dedman, K. and Clark, C.D. Blurring the image does not help disabled readers 36: 1503
PUGH, E.N. JR
Pugh, E.N. Jr. Obituary for Mathew Alpern 36: 3573

QIAN, N.
Geesaman, B.J. and Qian, N. A novel speed illusion involving expansion and rotation patterns 36: 3281

RABIN, J.
Switkes, E., Crognale, M., Rabin, J., Schneck, M.E. and Adams, A.J. Reply to "Specificity and selectivity of chromatic visual evoked potentials" 36: 3403
RACETTE, L.
von Grünau, M., Racette, L. and Kwas, M. Measuring the attentional speed-up in the motion induction effect 36: 2433
RAMACHANDRAN, V.S.
Ramachandran, V.S. Motion capture and visual attention: comments on Culham and Cavanagh (1994) 36: 77
RAMÍREZ, A.I.
Triviño, A., Ramírez, J.M., Salazar, J.J., Ramírez, A.I. and García-Sánchez, J. Immunohistochemical study of human optic nerve head astroglia 36: 2015
Ramírez, J.M., Triviño, A., Ramírez, A.I., Salazar, J.J. and García-Sánchez, J. Structural specializations of human retinal glial cells 36: 2029
RAMÍREZ, J.M.
Triviño, A., Ramírez, J.M., Salazar, J.J., Ramírez, A.I. and García-Sánchez, J. Immunohistochemical study of human optic nerve head astroglia 36: 2015
Ramírez, J.M., Triviño, A., Ramírez, A.I., Salazar, J.J. and García-Sánchez, J. Structural specializations of human retinal glial cells 36: 2029

RANINEN, A.
Rovamo, J., Raninen, A., Lukkarinen, S. and Donner, K. Flicker sensitivity as a function of spectral density of external white temporal noise 36: 3767
RAO, A.R.
Rao, A.R. and Lohse, G.L. Towards a texture naming system: Identifying relevant dimensions of texture 36: 1649
RAYMOND, J.
Raymond, J. and Braddick, O. Responses to opposed directions of motion: Continuum or independent mechanisms? 36: 1931
RAYMOND, J.E.
Scase, M.O., Braddick, O.J. and Raymond, J.E. What is noise for the motion system? 36: 2579
RAYMOND, P.A.
Hisatomi, O., Satoh, T., Barthel, L.K., Stenkamp, D.L., Raymond, P.A. and Tokunaga, F. Molecular cloning and characterization of the putative ultraviolet-sensitive visual pigment of goldfish 36: 933
RAYNER, K.
Rayner, K. and Pollatsek, A. Reading unspaced text is not easy: comments on the implications of Epelboim *et al.'s* (1994) study for models of eye movement control in reading 36: 461
REED, M.J.
Reed, M.J., Steeves, J.K.E., Steinbach, M.J., Kraft, S. and Gallie, B. Contrast letter thresholds in the non-affected eye of strabismic and unilateral eye enucleated subjects 36: 3011
REEVES, A.
Wu, S., Burns, S.A., Reeves, A. and Elsner, A.E. Flicker brightness enhancement and visual nonlinearity 36: 1573
REGAN, D.
Regan, D. and He, P. Magnetic and electrical brain responses to chromatic contrast in human 36: 1
Regan, D., Gray, R. and Hamstra, S.J. Evidence for a neural mechanism that encodes angles 36: 323
Gray, R. and Regan, D. Cyclopean motion perception produced by oscillations of size, disparity and location 36: 655
Portfors-Yeomans, C.V. and Regan, D. Cyclopean discrimination thresholds for the direction and speed of motion in depth 36: 3265
Regan, D., Hajdur, L.V. and Hong, X.H. Two-dimensional aspect ratio discrimination for shape defined by orientation texture 36: 3695
REINER, A.
Cuthbertson, S., White, J., Fitzgerald, M.E.C., Shih, Y.-F. and Reiner, A. Distribution within the choroid of cholinergic nerve fibers from the ciliary ganglion in pigeons 36: 775
RENTSCHLER, I.
Jüttner, M. and Rentschler, I. Reduced perceptual dimensionality in extrafoveal vision 36: 1007
Treutwein, B., Rentschler, I. Zetzsche, C., Scheidler, M. and Boergen, K.-P. Amblyopic quasi-blindness for image structure 36: 2211
RICE, K.S.
Naarendorp, F., Rice, K.S. and Sieving, P.A. Summation of rod and S cone signals at threshold in human observers 36: 2681
RICHARDS, W.
Subirana-Vilanova, J.B. and Richards, W. Attentional frames, frame curves and figural boundaries: The inside/outside dilemma 36: 1493

RIDDER, W.H. III
Borsting, E., Ridder, W.H. III, Dudeck, K., Kelley, C., Matsui, L. and Motoyama, J. The presence of a magnocellular defect depends on the type of dyslexia 36: 1047
RIDDLE, R.B.
Cormack, L.K. and Riddle, R.B. Binocular correlation detection with oriented dynamic random-line stereograms 36: 2303
RINGACH, D.L.
Ringach, D.L., Hawken, M.J. and Shapley, R. Binocular eye movements caused by the perception of three-dimensional structure from motion 36: 1479
Ringach, D.L. and Shapley, R. Spatial and temporal properties of illusory contours and amodal boundary completion 36: 3037
RITCH, R.H.
Greenstein, V.C., Halevy, D., Zaidi, Q., Koenig, K.L. and Ritch, R.H. Chromatic and luminance systems deficits in glaucoma 36: 621
RIVEST, J.
Rivest, J. and Cavanagh, P. Localizing contours defined by more than one attribute 36: 53
RIZZO, M.
Nawrot, M., Shannon, E. and Rizzo, M. The relative efficacy of cues for two-dimensional shape perception 36: 1141
Barton, J.J.S., Rizzo, M., Nawrot, M. and Simpson, T. Optical blur and the perception of global coherent motion in random dot cinematograms 36: 3051
ROBSON, A.G.
Kulikowski, J.J., Robson, A.G. and McKeefry, D.J. Specificity and selectivity of chromatic visual evoked potentials 36: 3397
ROGERS, B.J.
Eagle, R.A. and Rogers, B.J. Motion detection is limited by element density not spatial frequency 36: 545
Bradshaw, M.F., Glennerster, A. and Rogers, B.J. The effect of display size on disparity scaling from differential perspective and vergence cues 36: 1255
Glennerster, A., Rogers, B.J. and Bradshaw, M.F. Stereoscopic depth constancy depends on the subject's task 36: 3441
Bradshaw, M.F. and Rogers, B.J. The interaction of binocular disparity and motion parallax in the computation of depth 36: 3457
RÖHRENBECK, J.
Ammermüller, J., Möckel, W., Perlman, I. and Röhrenbeck, J. Effects of horizontal cell network architecture on signal spread in the turtle outer retina. Experiments and simulations 36: 4089
ROLL, A.
Mallot, H.A., Roll, A. and Arndt, P.A. Disparity-evoked vergence is driven by interocular correlation 36: 2925
ROLLAND, J.P.
Burbeck, C.A., Pizer, S.M., Morse, B.S., Ariely, D., Zauberman, G.S. and Rolland, J.P. Linking object boundaries at scale: a common mechanism for size and shape judgments 36: 361
ROSANDER, K.
Von Hofsten, C. and Rosander, K. The development of gaze control and predictive tracking in young infants 36: 81
ROSE, D.
Bowd, C., Rose, D., Phinney, R.E. and Patterson, R. Enduring stereoscopic motion aftereffects induced by prolonged adaptation 36: 3655
ROSENSTEIN, R.E.
Faillace, M.P., Sarmiento, M.I.K. and Rosenstein, R.E. Daily variations in cGMP, guanylate cyclase and phosphodiesterase in the golden hamster retina 36: 1365

ROSS, J.
Ross, J. and Speed, H.D. Perceived contrast following adaptation to gratings of different orientations 36: 1811
ROSSI, A.F.
Rossi, A.F. and Paradiso, M.A. Temporal limits of brightness induction and mechanisms of brightness perception 36: 1391
ROSSITTI, S.
Frisén, L. and Rossitti, S. Relative dispersion analysis enhances perimetric sensitivity 36: 491
ROTH, S.
Goldstein, I.M., Ostwald, P. and Roth, S. Nitric oxide: A review of its role in retinal function and disease 36: 2979
ROTTACH, K.G.
Rottach, K.G., Zivotofsky, A.Z., Das, V.E., Averbuch-Heller, L., Discenna, A.O., Poonyathalang, A. and Leigh, R.J. Comparison of horizontal, vertical and diagonal smooth pursuit eye movements in normal human subjects 36: 2189
ROVAMO, J.
Rovamo, J. and Kukkonen, H. The effect of noise check size and shape on grating detectability 36: 271
Rovamo, J., Koljonen, T. and Näsänen, R. A new psychophysical method for determining the photopic spectral-luminosity function of the human eye 36: 2675
Rovamo, J., Raninen, A., Lukkarinen, S. and Donner, K. Flicker sensitivity as a function of spectral density of external white temporal noise 36: 3767
ROWE, M.H.
Cox, J.F. and Rowe, M.H. Linear and nonlinear contributions to step responses in cat retinal ganglion cells 36: 2047
Lankheet, M.J.M., Rowe, M.H., van Wezel, R.J.A. and van de Grind, W.A. Spatial and temporal properties of cat horizontal cells after prolonged dark adaptation 36: 3955
van de Grind, W.A., Lankheet, M.J.M., van Wezel, R.J.A., Rowe, M.H. and Hulleman, J. Gain control and hyperpolarization level in cat horizontal cells as a function of light and dark adaptation 36: 3969
RUIJTER, J.M.
Vandenbranden, C.A.V., Verweij, J., Kamermans, M., Müller, L.J., Ruijter, J.M., Vrensen, G.F.J.M. and Spekreijse, H. Clearance of neurotransmitter from the cone synaptic cleft in goldfish retina 36: 3859

SAARINEN, J.
Saarinen, J. Localization and discrimination of "pop-out" targets 36: 313
SAEKI, M.
Saeki, M. and Gouras, P. Cone ERGs to flash trains: The antagonism of a later flash 36: 3229
SAGI, D.
Zenger, B. and Sagi, D. Isolating excitatory and inhibitory nonlinear spatial interactions involved in contrast detection 36: 2497
SAKURAGI, S.
Ishikawa, M., Tonosaki, A., Hisatomi, O., Tokunaga, F., Koseki, T. and Sakuragi, S. Lectin cytochemical analysis of glycoconjugates in photoreceptor cell membranes of *Lampetra japonica* 36: 1513
SALAZAR, J.J.
Triviño, A., Ramírez, J.M., Salazar, J.J., Ramírez, A.I. and García-Sánchez, J. Immunohistochemical study of human optic nerve head astroglia 36: 2015
Ramírez, J.M., Triviño, A., Ramírez, A.I., Salazar, J.J. and García-Sánchez, J. Structural specializations of human retinal glial cells 36: 2029

SÁNCHEZ-PRIETO, J.
Duarte, C.B., Santos, P.F., Sánchez-Prieto, J. and Carvalho, A.P. On-line detection of glutamate release from cultured chick retinospheroids 36: 1867
SANDS, P.J.
Jagger, W.S. and Sands, P.J. A wide-angle gradient index optical model of the crystaline lens and eye of the rainbow trout 36: 2623
SANKERALLI, M.J.
Mullen, K.T., Sankeralli, M.J. and Hess, R.F. Color and luminance vision in human amblyopia: shifts in isoluminance, contrast sensitivity losses, and positional deficits 36: 645
SANTOS, P.F.
Duarte, C.B., Santos, P.F. and Carvalho, A.P. $[Ca^{2+}]_i$ regulation by glutamate receptor agonists in cultured chick retina cells 36: 1091
Duarte, C.B., Santos, P.F., Sánchez-Prieto, J. and Carvalho, A.P. On-line detection of glutamate release from cultured chick retinospheroids 36: 1867
SARMIENTO, M.I.K.
Faillace, M.P., Sarmiento, M.I.K. and Rosenstein, R.E. Daily variations in cGMP, guanylate cyclase and phosphodiesterase in the golden hamster retina 36: 1365
SASAKI, T.
Sasaki, T and Kaneko, A. L-Glutamate-induced responses in OFF-type bipolar cells of the cat retina 36: 787
SATOH, T.
Hisatomi, O., Satoh, T., Barthel, L.K., Stenkamp, D.L., Raymond, P.A. and Tokunaga, F. Molecular cloning and characterization of the putative ultraviolet-sensitive visual pigment of goldfish 36: 933
SCASE, M.O.
Zohary, E., Scase, M.O. and Braddick, O.J. Integration across directions in dynamic random dot displays: Vector summation or winner take all? 36: 2321
Scase, M.O., Braddick, O.J. and Raymond, J.E. What is noise for the motion system? 36: 2579
VAN DER SCHAAF, A.
van der Schaaf, A. and van Hateren, J.H. Modelling the power spectra of natural images: Statistics and information 36: 2759
SCHAAFSMA, S.J.
Duysens, J., Schaafsma, S.J. and Orban, G.A. Cortical off response tuning for stimulus duration 36: 3243
SCHAERER, S.
Schaerer, S. and Neumeyer, C. Motion detection in goldfish investigated with the optomotor response is "color blind" 36: 4025
SCHEIBNER, H.
Scheibner, H. and Kremer, T. Deuteranomaly studied with four perceptual criteria 36: 3157
SCHEIDLER, M.
Treutwein, B., Rentschler, I. Zetzsche, C., Scheidler, M. and Boergen, K.-P. Amblyopic quasi-blindness for image structure 36: 2211
SCHIRILLO, J.A.
Schirillo, J.A. and Shevell, S.K. Brightness contrast from inhomogeneous surrounds 36: 1783
SCHMID, A.
Griebel, U. and Schmid, A. Color vision in the manatee *(Trichechus manatus)* 36: 2747
SCHMID, K.L.
Schmid, K.L. and Wildsoet, C.F. Effects on the compensatory responses to positive and negative lenses of intermittent lens wear and ciliary nerve section in chicks 36: 1023

SCHMIDT, K.-F.
Schmidt, K.-F. Protein kinase C does not mediate the dopamine-dependent modulation of glutamate receptors in retinal horizontal cells of the perch *(Perca fluviatilis)* 36: 3939
SCHNECK, M.E.
Switkes, E., Crognale, M., Rabin, J., Schneck, M.E. and Adams, A.J. Reply to "Specificity and selectivity of chromatic visual evoked potentials" 36: 3403
SCHNEIDER, W.X.
Deubel, H., Schneider, W.X. and Bridgeman, B. Postsaccadic target blanking prevents saccadic suppression of image displacement 36: 985
Deubel, H. and Schneider, W.X. Saccade target selection and object recognition: Evidence for a common attentional mechanism 36: 1827
SCHÖNER, G.
Hock, H.S., Schöner, G. and Hochstein, S. Perceptual stability and the selective adaptation of perceived and unperceived motion directions 36: 3311
SCHOR, C.M.
Maxwell, J.S. and Schor, C.M. Adaptation of vertical eye alignment in relation to head tilt 36: 1195
Crognale, M.A. and Schor, C.M. Contribution of chromatic mechanisms to the production of small-field optokinetic nystagmus (OKN) in normals and strabismics 36: 1687
SCHULTZ, K.
Weiler, R., Schultz, K. and Janssen-Bienhold, U. Ca^{2+} dependency of spinule plasticity at dendrites of retinal horizontal cells and its possible implication for the functional role of spinules 36: 3891
SCHWARTZ, S.H.
Schwartz, S.H. and Godwin, L.D. Masking of the achromatic system: Implications for saccadic suppression 36: 1551
SCHWIPPERT, W.W.
Schwippert, W.W., Beneke, T.W. and Ewert, J.-P. Disproportionate distribution of field potentials across the toad's tectal visual map in response to diffuse light ON and OFF stimulations 36: 19
SCOTT-SAMUEL, N.E.
Georgeson, M.A., Freeman, T.C.A. and Scott-Samuel, N.E. Sub-pixel accuracy: psychophysical validation of an algorithm for fine positioning and movement of dots on visual displays 36: 605
SEIPLE, W.
Seiple, W., Szlyk, J.P., Yang, S. and Holopigian, K. Age-related functional field losses are not eccentricity dependent 36: 1859
SENDTNER, R.A.
Stetter, M., Sendtner, R.A. and Timberlake, G.T. A novel method for measuring saccade profiles using the scanning laser ophthalmoscope 36: 1987
SHANNON, E.
Shannon, E., Skoczenski, A.M. and Banks, M.S. Retinal illuminance and contrast sensitivity in human infants 36: 67
Nawrot, M., Shannon, E. and Rizzo, M. The relative efficacy of cues for two-dimensional shape perception 36: 1141
SHAPLEY, R.
Ringach, D.L., Hawken, M.J. and Shapley, R. Binocular eye movements caused by the perception of three-dimensional structure from motion 36: 1479
Ringach, D.L. and Shapley, R. Spatial and temporal properties of illusory contours and amodal boundary completion 36: 3037
SHEVCHENKO, T.
Kalamkarov, G., Pogozheva, I., Shevchenko, T., Koskelainen, A., Hemilä, S. and Donner, K. pH changes in frog rods upon manipulation of putative pH-regulating transport mechanisms 36: 3029

SHEVELL, S.K.
Shevell, S.K. and Miller, P.R. Color perception with test and adapting lights perceived in different depth planes 36: 949
Schirillo, J.A. and Shevell, S.K. Brightness contrast from inhomogeneous surrounds 36: 1783
SHIFFRAR, M.
Shiffrar, M. and Lorenceau, J. Increased motion linking across edges with decreased luminance contrast, edge width and duration 36: 2061
SHIH, Y.-F.
Cuthbertson, S., White, J., Fitzgerald, M.E.C., Shih, Y.-F. and Reiner, A. Distribution within the choroid of cholinergic nerve fibers from the ciliary ganglion in pigeons 36: 775
SHIMOJO, S.
Tanaka, Y. and Shimojo, S. Location vs feature: Reaction time reveals dissociation between two visual functions 36: 2125
Murakami, I. and Shimojo, S. Assimilation-type and contrast-type bias of motion induced by the surround in a random-dot display: evidence for center-surround antagonism 36: 3629
SHUMIKHINA, S.
Molotchnikoff, S. and Shumikhina, S. The lateral posterior-pulvinar complex modulation of stimulus-dependent oscillations in the cat visual cortex 36: 2037
SIEBOLD, C.
Bartl, K., Siebold, C., Glasauer, S., Helmchen, C. and Büttner, U. A simplified calibration method for three-dimensional eye movement recordings using seach-coils 36: 997
SIERRA-VÁZQUEZ, V.
García-Pérez, M.A. and Sierra-Vázquez, V. Do channels shift their tuning towards lower spatial frequencies in the periphery? 36: 3339
SIEVING, P.A.
Naarendorp, F., Rice, K.S. and Sieving, P.A. Summation of rod and S cone signals at threshold in human observers 36: 2681
SIMMONS, D.R.
Kingdom, F.A.A. and Simmons, D.R. Stereoacuity and colour contrast 36: 1311
SIMPSON, T.
Barton, J.J.S., Rizzo, M., Nawrot, M. and Simpson, T. Optical blur and the perception of global coherent motion in random dot cinematograms 36: 3051
SINGER, W.
Leonards, U., Singer, W. and Fahle, M. The influence of temporal phase differences on texture segmentation 36: 2689
SINHA, P.
Sinha, P. The coherence of subjective gratings 36: 3661
SIVAK, J.G.
Andison, M.E. and Sivak, J.G. The naturally occurring accommodative response of the oscar, *Astronotus ocellatus*, to visual stimuli 36: 3021
SJOERDSMA, T.
Sjoerdsma, T., Kamermans, M. and Spekreijse, H. Modulating wavelength discrimination in goldfish with ethambutol and stimulus intensity 36: 3519
SKOCZENSKI, A.M.
Shannon, E., Skoczenski, A.M. and Banks, M.S. Retinal illuminance and contrast sensitivity in human infants 36: 67
SLOBODYANYUK, S.J.
Hunt, D.M., Fitzgibbon, J., Slobodyanyuk, S.J. and Bowmaker, J.K. Spectral tuning and molecular evolution of rod visual pigments in the species flock of Cottoid fish in Lake Baikal 36: 1217

SMITH, D.R.R.
Smith, D.R.R. and Derrington, A.M. What is the denominator for contrast normalisation? 36: 3759
SMITH, R.G.
Vardi, N. and Smith, R.G. The AII amacrine network: coupling can increase correlated activity 36: 3743
SMITH, S.T.
Moore, S.T., Haslwanter, T., Curthoys, I.S. and Smith, S.T. A geometric basis for measurement of three-dimensional eye position using image processing 36: 445
SMITH, V.C.
Miyahara, E., Pokorny, J. and Smith, V.C. Increment threshold and purity discrimination spectral sensitivities of X-chromosome-linked color defective observers 36: 1597
Smith, V.C. and Pokorny, J. Color contrast under controlled chromatic adaptation reveals opponent rectification 36: 3087
SNODDERLY, D.M.
Hammond, B.R., Jr., Curran-Celentano, J., Judd, S., Fuld, K., Krinsky, N.I., Wooten, B.R. and Snodderly, D.M. Sex differences in macular pigment optical density: Relation to plasma carotenoid concentrations and dietary patterns 36: 2001
Hammond, B.R., Jr., Wooten, B.R. and Snodderly, D.M. Cigarette smoking and retinal carotenoids: Implications for age-related macular degeneration 36: 3003
SNOWDEN, R.J.
Snowden, R.J. and Hammett, S.T. Spatial frequency adaptation: Threshold elevation and perceived contrast 36: 1797
SOMOGYI, P.
Wilson, J.R., Cowey, A. and Somogyi, P. GABA immunopositive axons in the optic nerve and optic tract of macaque monkeys 36: 1357
SORIANO, M.
Soriano, M., Spillmann, L. and Bach, M. The abutting grating illusion 36: 109
SPEED, H.D.
Ross, J. and Speed, H.D. Perceived contrast following adaptation to gratings of different orientations 36: 1811
SPEHAR, B.
Spehar, B., Debonet, J.S. and Zaidi, Q. Brightness induction from uniform and complex surrounds: A general model 36: 1893
Greenstein, V.C., Zaidi, Q., Hood, D.C., Spehar, B., Cideciyan, A.V. and Jacobson, S.G. The enhanced S cone syndrome: an analysis of receptoral and post-receptoral changes 36: 3711
SPEKREIJSE, H.
Sjoerdsma, T., Kamermans, M. and Spekreijse, H. Modulating wavelength discrimination in goldfish with ethambutol and stimulus intensity 36: 3519
Harding, G.F.A., Odom, J.V., Spileers, W. and Spekreijse, H. Standard for visual evoked potentials 1995 36: 3567
Kamermans, M. and Spekreijse, H. A functional description based on morphology, physiology and neural modelling 36: 3857
Vandenbranden, C.A.V., Verweij, J., Kamermans, M., Müller, L.J., Ruijter, J.M., Vrensen, G.F.J.M. and Spekreijse, H. Clearance of neurotransmitter from the cone synaptic cleft in goldfish retina 36: 3859
Verweij, J., Kamermans, M., van den Aker, E.C. and Spekreijse, H. Modulation of horizontal cell receptive fields in the light adapted goldfish retina 36: 3913
Verweij, J., Kamermans, M. and Spekreijse, H. Horizontal cells feed back to cones by shifting the cone calcium-current activation range 36: 3943
Kamermans, M., Haak, J., Habraken, J.B.A. and Spekreijse, H. The size of the horizontal cell receptive fields adapts to the stimulus in the light adapted goldfish retina 36: 4105

SPERLING, G.
Lu, Z.-L. and Sperling, G. Second-order illusions: Mach bands, Chevreul, and Craik—O'Brien—Cornsweet 36: 559
SPILEERS, W.
Devos, M., Spileers, W. and Arden, G. Colour contrast thresholds in congenital colour defectives 36: 1055
Harding, G.F.A., Odom, J.V., Spileers, W. and Spekreijse, H. Standard for visual evoked potentials 1995 36: 3567
SPILLMANN, L.
Soriano, M., Spillmann, L. and Bach, M. The abutting grating illusion 36: 109
Wade, N.J., Spillmann, L. and Swanston, M.T. Visual motion aftereffects: Critical adaptation and test conditions 36: 2167
STABELL, B.
Stabell, B. and Stabell, U. Peripheral colour vision: effects of rod intrusion at different eccentricities 36: 3407
STABELL, U.
Stabell, B. and Stabell, U. Peripheral colour vision: effects of rod intrusion at different eccentricities 36: 3407
STEEVES, J.K.E.
Reed, M.J., Steeves, J.K.E., Steinbach, M.J., Kraft, S. and Gallie, B. Contrast letter thresholds in the non-affected eye of strabismic and unilateral eye enucleated subjects 36: 3011
Dengis, C.A., Steinbach, M.J., Ono, H., Gunther, L.N., Fanfarillo, R., Steeves, J.K.E. and Postiglione, S. Learning to look with one eye: The use of head turn by normals and strabismics 36: 3237
STEINBACH, M.J.
Reed, M.J., Steeves, J.K.E., Steinbach, M.J., Kraft, S. and Gallie, B. Contrast letter thresholds in the non-affected eye of strabismic and unilateral eye enucleated subjects 36: 3011
Dengis, C.A., Steinbach, M.J., Ono, H., Gunther, L.N., Fanfarillo, R., Steeves, J.K.E. and Postiglione, S. Learning to look with one eye: The use of head turn by normals and strabismics 36: 3237
STEINMAN, R.M.
Epelboim, J., Booth, J.R. and Steinman, R.M. Much ado about nothing: the place of space in text 36: 465
STENKAMP, D.L.
Hisatomi, O., Satoh, T., Barthel, L.K., Stenkamp, D.L., Raymond, P.A. and Tokunaga, F. Molecular cloning and characterization of the putative ultraviolet-sensitive visual pigment of goldfish 36: 933
STERLING, P.
Calkins, D.J., Tsukamoto, Y. and Sterling, P. Foveal cones form basal as well as invaginating junctions with diffuse ON bipolar cells 36: 3373
STETTER, M.
Stetter, M., Sendtner, R.A. and Timberlake, G.T. A novel method for measuring saccade profiles using the scanning laser ophthalmoscope 36: 1987
STILL, D.L.
Thibos, L.N., Still, D.L. and Bradley, A. Characterization of spatial aliasing and contrast sensitivity in peripheral vision 36: 249
STONE, L.S.
Thompson, P., Stone, L.S. and Swash, S. Speed estimates from grating patches are not contrast-normalized 36: 667
Beutter, B.R., Mulligan, J.B. and Stone, L.S. The barberplaid illusion: Plaid motion is biased by elongated apertures 36: 3061

STONER, G.R.
Stoner, G.R. and Albright, T.D. The interpretation of visual motion: Evidence for surface segmentation mechanisms 36: 1291
STUDHOLME, K.M.
Yazulla, S., Lin, Z.-S. and Studholme, K.M. Dopaminergic control of light-adaptive synaptic plasticity and role in goldfish visual behavior 36: 4045
SUBIRANA-VILANOVA, J.B.
Subirana-Vilanova, J.B. and Richards, W. Attentional frames, frame curves and figural boundaries: The inside/outside dilemma 36: 1493
SUN, J.Y.
Sun, J.Y. and Perona, P. Preattentive perception of elementary three-dimensional shapes 36: 2515
SUTTER, A.
Graham, N. and Sutter, A. Effect of spatial scale and background luminance on the intensive and spatial nonlinearities in texture segregation 36: 1371
SWANSON, W.H.
Swanson, W.H. and Fish, G.E. Age-related changes in the color-match-area effect 36: 2079
Swanson, W.H. S-cone spatial contrast sensitivity can be independent of pre-receptoral factors 36: 3549
SWANSTON, M.T.
Wade, N.J., Spillmann, L. and Swanston, M.T. Visual motion aftereffects: Critical adaptation and test conditions 36: 2167
SWASH, S.
Thompson, P., Stone, L.S. and Swash, S. Speed estimates from grating patches are not contrast-normalized 36: 667
SWITKES, E.
Switkes, E., Crognale, M., Rabin, J., Schneck, M.E. and Adams, A.J. Reply to "Specificity and selectivity of chromatic visual evoked potentials" 36: 3403
SYMONS, L.A.
Timney B., Symons, L.A., Wilcox, L.M. and O'Shea, R.P. The effect of dark and equiluminant occlusion on the interocular transfer of visual aftereffects 36: 707
SZLYK, J.P.
Seiple, W., Szlyk, J.P., Yang, S. and Holopigian, K. Age-related functional field losses are not eccentricity dependent 36: 1859

TAKAHASHI, K.-I.
Dixon, D.B., Takahashi, K.-I., Bieda, M. and Copenhagen, D.R. Quinine, intracellular pH and modulation of hemi-gap junctions in catfish horizontal cells 36: 3925
TAKAMURA, M.
Ohki, K., Yoshida, K., Harada, T., Takamura, M., Matsuda, H. and Imaki, J. *c-fos* Gene expression in postnatal rat retinas with light/dark cycle 36: 1883
TANAKA, Y.
Tanaka, Y. and Shimojo, S. Location vs feature: Reaction time reveals dissociation between two visual functions 36: 2125
TE PAS, S.F.
Kappers, A.M.L., Te Pas, S.F., Koenderink, J.J. and van Doorn, A.J. Simulating the detection of first-order optical flow components 36: 3539
TELLER, D.Y.
Dobkins, K.R. and Teller, D.Y. Infant contrast detectors are selective for direction of motion 36: 281
Teller, D.Y. and Palmer, J. Infant color vision: Motion nulls for red/green vs luminance-modulated stimuli in infants and adults 36: 955

Peterzell, D.H. and Teller, D.Y. Individual differences in contrast sensitivity functions: The lowest spatial frequency channels 36: 3077
Dobkins, K.R. and Teller, D.Y. Infant motion: detection *(M:D)* ratios for chromatically defined and luminance-defined moving stimuli 36: 3293
THIBOS, L.N.
Thibos, L.N., Still, D.L. and Bradley, A. Characterization of spatial aliasing and contrast sensitivity in peripheral vision 36: 249
Wang, Y.-Z., Thibos, L.N. and Bradley, A. Undersampling produces non-veridical motion perception, but not necessarily motion reversal, in peripheral vision 36: 1737
THIER, P.
Haarmeier, T. and Thier, P. Modification of the Filehne illusion by conditioning visual stimuli 36: 741
THOMPSON, P.
Thompson, P., Stone, L.S. and Swash, S. Speed estimates from grating patches are not contrast-normalized 36: 667
TIEMAN, D.G.
Tieman, S.B. and Tieman, D.G. *N*-Acetylaspartylglutamate immunoreactivity in human retina 36: 941
TIEMAN, S.B.
Tieman, S.B. and Tieman, D.G. *N*-Acetylaspartylglutamate immunoreactivity in human retina 36: 941
TIGGES, M.
Bradley, D.V., Fernandes, A., Tigges, M. and Boothe, R.G. Diffuser contact lenses retard axial elongation in infant rhesus monkeys 36: 509
TIMBERLAKE, G.T.
Stetter, M., Sendtner, R.A. and Timberlake, G.T. A novel method for measuring saccade profiles using the scanning laser ophthalmoscope 36: 1987
TIMNEY, B.
Timney B., Symons, L.A., Wilcox, L.M. and O'Shea, R.P. The effect of dark and equiluminant occlusion on the interocular transfer of visual aftereffects 36: 707
TODD, J.T.
Lindsey, D.T. and Todd, J.T. On the relative contributions of motion energy and transparency to the perception of moving plaids 36: 207
TOKUNAGA, F.
Hisatomi, O., Satoh, T., Barthel, L.K., Stenkamp, D.L., Raymond, P.A. and Tokunaga, F. Molecular cloning and characterization of the putative ultraviolet-sensitive visual pigment of goldfish 36: 933
Ishikawa, M., Tonosaki, A., Hisatomi, O., Tokunaga, F., Koseki, T. and Sakuragi, S. Lectin cytochemical analysis of glycoconjugates in photoreceptor cell membranes of *Lampetra japonica* 36: 1513
TONOSAKI, A.
Ishikawa, M., Tonosaki, A., Hisatomi, O., Tokunaga, F., Koseki, T. and Sakuragi, S. Lectin cytochemical analysis of glycoconjugates in photoreceptor cell membranes of *Lampetra japonica* 36: 1513
TREUTWEIN, B.
Treutwein, B., Rentschler, I. Zetzsche, C., Scheidler, M. and Boergen, K.-P. Amblyopic quasi-blindness for image structure 36: 2211
TRIPATHY, S.P.
Tripathy, S.P., Levi, D.M. and Ogmen, H. Two-dot alignment across the physiological blind spot 36: 1585
Levi, D.M. and Tripathy, S.P. Localization of a peripheral patch: The role of blur and spatial frequency 36: 3785

TRIVIÑO, A.
Triviño, A., Ramírez, J.M., Salazar, J.J., Ramírez, A.I. and García-Sánchez, J. Immunohistochemical study of human optic nerve head astroglia 36: 2015
Ramírez, J.M., Triviño, A., Ramírez, A.I., Salazar, J.J. and García-Sánchez, J. Structural specializations of human retinal glial cells 36: 2029
TROJE, N.F.
Troje, N.F. and Bülthoff, H.H. Face recognition under varying poses: The role of texture and shape 36: 1761
TSUKAMOTO, Y.
Calkins, D.J., Tsukamoto, Y. and Sterling, P. Foveal cones form basal as well as invaginating junctions with diffuse ON bipolar cells 36: 3373
TULUNAY-KEESEY, Ü.
Tulunay-Keesey, Ü. and Olson, J.D. Brightness of uniform stabilized fields 36: 351
TURANO, K.A.
Heidenreich, S.M. and Turano, K.A. Speed discrimination under stabilized and normal viewing conditions 36: 1819
Turano, K.A. and Heidenreich, S.M. Speed discrimination of distal stimuli during smooth pursuit eye motion 36: 3507
TÜRKE, W.
Türke, W., Nalbach, H.-O. and Kirschfeld, K. Visually elicited head rotation in pigeons *(Columba livia)* 36: 3329
TYLER, C.W.
Allen, D., Tyler, C.W. and Norcia, A.M. Development of grating acuity and contrast sensitivity in the central and peripheral visual field of the human infant 36: 1945
Tyler, C.W. and Liu, L. Saturation revealed by clamping the gain of the retinal light response 36: 2553

USUI, S.
Usui, S., Kamiyama, Y., Ishii, H. and Ikeno, H. Reconstruction of retinal horizontal cell responses by the ionic current model 36: 1711
Kamiyama, Y., Ogura, T. and Usui, S. Ionic current model of the vertebrate rod photoreceptor 36: 4059
Usui, S., Ishihara, A., Kamiyama, Y. and Ishii, H. Ionic current model of bipolar cells in the lower vertebrate retina 36: 4069

VAN GISBERGEN, J.A.M.
Minken, A.W.H. and Van Gisbergen, J.A.M. Dynamical version-vergence interactions for a binocular implementation of Donders' law 36: 853
VANDENBRANDEN, C.A.V.
Vandenbranden, C.A.V., Verweij, J., Kamermans, M., Müller, L.J., Ruijter, J.M., Vrensen, G.F.J.M. and Spekreijse, H. Clearance of neurotransmitter from the cone synaptic cleft in goldfish retina 36: 3859
VAQUERO, C.F.
Blanco, R., Vaquero, C.F. and de la Villa, P. The effects of GABA and glycine on horizontal cells of the rabbit retina 36: 3987
VARDI, N.
Vardi, N. and Smith, R.G. The AII amacrine network: coupling can increase correlated activity 36: 3743
VAN VEEN, H.A.H.C.
van Veen, H.A.H.C. and Werkhoven, P. Metamerisms in structure-from-motion perception 36: 2197

VERDON, W.
Verdon, W. and Haegerstrom-Portnoy, G. Mechanisms underlying the detection of increments in parafoveal retina 36: 373
VERSTRATEN, F.A.J.
Verstraten, F.A.J., Fredericksen, R.E., van Wezel, R.J.A., Lankheet, M.J.M. and van de Grind, W.A. Recovery from adaptation for dynamic and static motion aftereffects: evidence for two mechanisms 36: 421
Verstraten, F.A.J., Fredericksen, R.E., van Wezel, R.J.A., Boulton, J.C. and van de Grind, W.A. Directional motion sensitivity under transparent motion conditions 36: 2333
Bex, P.J., Verstraten, F.A.J. and Mareschal, I. Temporal and spatial frequency tuning of the flicker motion aftereffect 36: 2721
van Wezel, R.J.A., Lankheet, M.J.M., Verstraten, F.A.J., Marée, A.F.M. and van de Grind, W.A. Responses of complex cells in area 17 of the cat to bi-vectorial transparent motion 36: 2805
VERWEIJ, J.
Vandenbranden, C.A.V., Verweij, J., Kamermans, M., Müller, L.J., Ruijter, J.M., Vrensen, G.F.J.M. and Spekreijse, H. Clearance of neurotransmitter from the cone synaptic cleft in goldfish retina 36: 3859
Verweij, J., Kamermans, M., van den Aker, E.C. and Spekreijse, H. Modulation of horizontal cell receptive fields in the light adapted goldfish retina 36: 3913
Verweij, J., Kamermans, M. and Spekreijse, H. Horizontal cells feed back to cones by shifting the cone calcium-current activation range 36: 3943
VICTOR, J.D.
Victor, J.D. and Conte, M.M. The role of high-order phase correlations in texture processing 36: 1615
DE LA VILLA, P.
Blanco, R., Vaquero, C.F. and de la Villa, P. The effects of GABA and glycine on horizontal cells of the rabbit retina 36: 3987
VINGRYS, A.J.
Mahon, L.E. and Vingrys, A.J. Normal saturation processing provides a model for understanding the effects of disease on color perception 36: 2995
VIRSU, V.
Virsu, V. and Hari, R. Cortical magnification, scale invariance and visual ecology 36: 2971
VOLZ, H.
Volz, H. and Zanker, J.M. Hyperacuity for spatial localization of contrast-modulated patterns 36: 1329
VON HOFSTEN, C.
Von Hofsten, C. and Rosander, K. The development of gaze control and predictive tracking in young infants 36: 81
VRENSEN, G.F.J.M.
Vandenbranden, C.A.V., Verweij, J., Kamermans, M., Müller, L.J., Ruijter, J.M., Vrensen, G.F.J.M. and Spekreijse, H. Clearance of neurotransmitter from the cone synaptic cleft in goldfish retina 36: 3859

WADE, N.J.
Wade, N.J., Spillmann, L. and Swanston, M.T. Visual motion aftereffects: Critical adaptation and test conditions 36: 2167
WAGNER, H.
Fleet, D.J., Wagner, H. and Heeger, D.J. Neural encoding of binocular disparity: Energy models, position shifts and phase shifts 36: 1839
WAGNER, H.-J.
Fröhlich, E. and Wagner, H.-J. Rod outer segment renewal in the retinae of deep-sea fish 36: 3183

Kröger, R.H.H. and Wagner, H.-J. Horizontal cell spinule dynamics in fish are affected by rearing in monochromatic light 36: 3879
Behrens, U.D. and Wagner, H.-J. Adaptation-dependent changes of bipolar cell terminals in fish retina: effects on overall morphology and spinule formation in Ma and Mb cells 36: 3901
WAJIMA, R.
Katsumi, O., Arai, M., Wajima, R., Denno, S. and Hirose, T. Spatial frequency sweep pattern reversal VER acuity vs Snellen visual acuity: effect of optical defocus 36: 903
WAKABAYASHI, T.
Wakabayashi, T., Fukuda, Y. and Kosaka, J. Monoclonal antibody C38 recognizes retinal ganglion cells in cats and rats 36: 1081
WALRAVEN, J.
Lucassen, M.P. and Walraven, J. Color constancy under natural and artificial illumination 36: 2699
WANDELL, B.A.
Poirson, A.B. and Wandell, B.A. Pattern-color separable pathways predict sensitivity to simple colored patterns 36: 515
Bäuml, K.-H. and Wandell, B.A. Color appearance of mixture gratings 36: 2849
WANG, H.
Wang, H., Levi, D.M. and Klein, S.A. Intrinsic uncertainty and integration efficiency in bisection acuity 36: 717
WANG, Y.-Z.
Wang, Y.-Z., Thibos, L.N. and Bradley, A. Undersampling produces non-veridical motion perception, but not necessarily motion reversal, in peripheral vision 36: 1737
WÄSSLE, H.
Chun, M.-H., Grünert, U., Martin, P.R. and Wässle, H. The synaptic complex of cones in the fovea and in the periphery of the macaque monkey retina 36: 3383
WATAMANIUK, S.N.J.
Harris, J.M. and Watamaniuk, S.N.J. Poor speed discrimination suggests that there is no specialized speed mechanism for cyclopean motion 36: 2149
WATTAM-BELL, J.
Wattam-Bell, J. Visual motion processing in one-month-old infants: Preferential looking experiments 36: 1671
Wattam-Bell, J. Visual motion processing in one-month-old infants: Habituation experiments 36: 1679
WAUGH, S.J.
Levi, D.M. and Waugh, S.J. Position acuity with opposite-contrast polarity features: evidence for a nonlinear collector mechanism for position acuity? 36: 573
Hess, R.F., Waugh, S.J. and Nordby, K. Rod temporal channels 36: 613
WEILER, R.
Weiler, R., Schultz, K. and Janssen-Bienhold, U. Ca^{2+} dependency of spinule plasticity at dendrites of retinal horizontal cells and its possible implication for the functional role of spinules 36: 3891
WEITER, J.J.
Elsner, A.E., Burns, S.A., Weiter, J.J. and Delori, F.C. Infrared imaging of sub-retinal structures in the human ocular fundus 36: 191
WENDEROTH, P.
Alais, D., Burke, D. and Wenderoth, P. Further evidence for monocular determinants of perceived plaid direction 36: 1247
Wenderoth, P. The effects of dot pattern parameters and constraints on the relative salience of vertical bilateral symmetry 36: 2311

WERBLIN, F.S.
Dong, C.-J. and Werblin, F.S. Use-dependent and use-independent blocking actions of picrotoxin and zinc at the $GABA_C$ receptor in retinal horizontal cells 36: 3997
WERKHOVEN, P.
van Veen, H.A.H.C. and Werkhoven, P. Metamerisms in structure-from-motion perception 36: 2197
WERTHEIM, A.H.
Mesland, B.S. and Wertheim, A.H. A puzzling percept of stimulus stabilization 36: 3325
VAN WEZEL, R.J.A.
Verstraten, F.A.J., Fredericksen, R.E., van Wezel, R.J.A., Lankheet, M.J.M. and van de Grind, W.A. Recovery from adaptation for dynamic and static motion aftereffects: evidence for two mechanisms 36: 421
Verstraten, F.A.J., Fredericksen, R.E., van Wezel, R.J.A., Boulton, J.C. and van de Grind, W.A. Directional motion sensitivity under transparent motion conditions 36: 2333
van Wezel, R.J.A., Lankheet, M.J.M., Verstraten, F.A.J., Marée, A.F.M. and van de Grind, W.A. Responses of complex cells in area 17 of the cat to bi-vectorial transparent motion 36: 2805
Lankheet, M.J.M., Rowe, M.H., van Wezel, R.J.A. and van de Grind, W.A. Spatial and temporal properties of cat horizontal cells after prolonged dark adaptation 36: 3955
van de Grind, W.A., Lankheet, M.J.M., van Wezel, R.J.A., Rowe, M.H. and Hulleman, J. Gain control and hyperpolarization level in cat horizontal cells as a function of light and dark adaptation 36: 3969
WHITAKER, D.
Latham, K. and Whitaker, D. A comparison of word recognition and reading performance in foveal and peripheral vision 36: 2665
Whitaker, D., McGraw, P.V., Pacey, I. and Barrett, B.T. Centroid analysis predicts visual localization of first- and second-order stimuli 36: 2957
WHITE, J.
Cuthbertson, S., White, J., Fitzgerald, M.E.C., Shih, Y.-F. and Reiner, A. Distribution within the choroid of cholinergic nerve fibers from the ciliary ganglion in pigeons 36: 775
WHITTLE, P.
Kingdom, F.A.A. and Whittle, P. Contrast discrimination at high contrasts reveals the influence of local light adaptation on contrast processing 36: 817
WILCOS, L.M.
Wilcox, L.M. and Hess, R.F. Is the site of non-linear filtering in stereopsis before or after binocular combination? 36: 391
WILCOX, L.M.
Timney B., Symons, L.A., Wilcox, L.M. and O'Shea, R.P. The effect of dark and equiluminant occlusion on the interocular transfer of visual aftereffects 36: 707
WILDSOET, C.F.
Schmid, K.L. and Wildsoet, C.F. Effects on the compensatory responses to positive and negative lenses of intermittent lens wear and ciliary nerve section in chicks 36: 1023
WILLIAMS, D.R.
Miller, D.T., Williams, D.R., Morris, G.M. and Liang, J. Images of cone photoreceptors in the living human eye 36: 1067
Williams, D.R., Artal, P., Navarro, R., McMahon, M.J. and Brainard, D.H. Off-axis optical quality and retinal sampling in the human eye 36: 1103
O'Shea, R.P. and Williams, D.R. Binocular rivalry with isoluminant stimuli visible only via short-wavelength-sensitive cones 36: 1561
Galvin, S.J., Williams, D.R. and Coletta, N.J. The spatial grain of motion perception in human peripheral vision 36: 2283

WILLIAMS, M.C.
Williams, M.C. and May, J.G. On a failure to replicate: Methodologically close, but not close enough. A response to Hogben *et al.* 36: 1509
WILSON, H.R.
Kim, J. and Wilson, H.R. Direction repulsion between components in motion transparency 36: 1177
Lin, L.-M. and Wilson, H.R. Fourier and non-Fourier pattern discrimination compared 36: 1907
Halpern, D.L., Wilson, H.R. and Blake, R. Stereopsis from interocular spatial frequency differences is not robust 36: 2263
WILSON, J.R.
Wilson, J.R., Cowey, A. and Somogyi, P. GABA immunopositive axons in the optic nerve and optic tract of macaque monkeys 36: 1357
WOLF, J.E.
Wolf, J.E. and Arden, G.B. Selective magnocellular damage in melanoma-associated retinopathy: Comparison with congenital stationary nightblindness 36: 2369
WOODS, R.L.
Woods, R.L., Bradley, A. and Atchison, D.A. Consequences of monocular diplopia for the contrast sensitivity function 36: 3587
Woods, R.L., Bradley, A. and Atchison, D.A. Monocular diplopia cuased by ocular aberrations and hyperopic defocus 36: 3597
WOOTEN, B.R.
Hammond, B.R., Jr., Curran-Celentano, J., Judd, S., Fuld, K., Krinsky, N.I., Wooten, B.R. and Snodderly, D.M. Sex differences in macular pigment optical density: Relation to plasma carotenoid concentrations and dietary patterns 36: 2001
Hammond, B.R., Jr., Wooten, B.R. and Snodderly, D.M. Cigarette smoking and retinal carotenoids: Implications for age-related macular degeneration 36: 3003
WRIGHT, M.J.
Gurney, K.N. and Wright, M.J. A model for the spatial integration and differentiation of velocity signals 36: 2939
WU, H.-J.
Krauskopf, J., Wu, H.-J. and Farell, B. Coherence, cardinal directions and higher-order mechanisms 36: 1235
WU, S.
Wu, S., Burns, S.A., Reeves, A. and Elsner, A.E. Flicker brightness enhancement and visual nonlinearity 36: 1573
WU, S.M.
Maple, B.R. and Wu, S.M. Synaptic inputs mediating bipolar cell responses in the tiger slamander retina 36: 4015
WU, X.
Wu, X. and Christensen, B.N. Proton inhibition of the NMDA-gated channel in isolated catfish cone horizontal cells 36: 1521
WUERGER, S.M.
Wuerger, S.M. Color appearance changes resulting from iso-luminant chromatic adaptation 36: 3107

YAKIMOFF, N.
Bocheva, N. and Yakimoff, N. Different mechanisms may underlie the performance in relative localization tasks 36: 2531
YANG, S.
Seiple, W., Szlyk, J.P., Yang, S. and Holopigian, K. Age-related functional field losses are not eccentricity dependent 36: 1859

YAZULLA, S.
Yazulla, S., Lin, Z.-S. and Studholme, K.M. Dopaminergic control of light-adaptive synaptic plasticity and role in goldfish visual behavior 36: 4045
YEH, T.
Yeh, T, Lee, B.B. and Kremers, J. The time course of adaptation in macaque retinal ganglion cells 36: 913
YOKOYAMA, S.
Kawamura, S. and Yokoyama, S. Phylogenetic relationships among short wavelength-sensitive opsins of American chameleon *(Anolis carolinensis)* and other vertebrates 36: 2797
YOSHIDA, K.
Ohki, K., Yoshida, K., Harada, T., Takamura, M., Matsuda, H. and Imaki, J. c-*fos* Gene expression in postnatal rat retinas with light/dark cycle 36: 1883
YOUNG, R.S.L.
Kimura, E. and Young, R.S.L. A chromatic-cancellation property of human pupillary responses 36: 1543
YU, C.
Yu, C. and Essock, E.A. Psychophysical end-stopping associated with line targets 36: 2883
Yu, C. and Essock, E.A. Spatial scaling of end-stopped perceptive fields: Differences in neural bases of end-zones, flanks and centers 36: 3129

ZAIDI, Q.
Greenstein, V.C., Halevy, D., Zaidi, Q., Koenig, K.L. and Ritch, R.H. Chromatic and luminance systems deficits in glaucoma 36: 621
Spehar, B., Debonet, J.S. and Zaidi, Q. Brightness induction from uniform and complex surrounds: A general model 36: 1893
Greenstein, V.C., Zaidi, Q., Hood, D.C., Spehar, B., Cideciyan, A.V. and Jacobson, S.G. The enhanced S cone syndrome: an analysis of receptoral and post-receptoral changes 36: 3711
ZAMFIRESCU, F.
Kapoula, Z., Bucci, M.P., Eggert, T. and Zamfirescu, F. Fast disconjugate adaptations of saccades in microstrabismic subjects 36: 103
ZANGEMEISTER, W.H.
Moschner, C., Zangemeister, W.H. and Demer, J.L. Anticipatory smooth eye movements of high velocity triggered by large target steps: Normal performance and effect of cerebellar degeneration 36: 1341
ZANKER, J.M.
Volz, H. and Zanker, J.M. Hyperacuity for spatial localization of contrast-modulated patterns 36: 1329
ZAUBERMAN, G.S.
Burbeck, C.A., Pizer, S.M., Morse, B.S., Ariely, D., Zauberman, G.S. and Rolland, J.P. Linking object boundaries at scale: a common mechanism for size and shape judgments 36: 361
ZELINSKY, G.J.
Zelinsky, G.J. Using eye saccades to assess the selectivity of search movements 36: 2177
ZENGER, B.
Zenger, B. and Sagi, D. Isolating excitatory and inhibitory nonlinear spatial interactions involved in contrast detection 36: 2497
ZETZSCHE, C.
Treutwein, B., Rentschler, I. Zetzsche, C., Scheidler, M. and Boergen, K.-P. Amblyopic quasi-blindness for image structure 36: 2211

ZIVOTOFSKY, A.Z.
Rottach, K.G., Zivotofsky, A.Z., Das, V.E., Averbuch-Heller, L., Discenna, A.O., Poonyathalang, A. and Leigh, R.J. Comparison of horizontal, vertical and diagonal smooth pursuit eye movements in normal human subjects 36: 2189
ZOHARY, E.
Zohary, E., Scase, M.O. and Braddick, O.J. Integration across directions in dynamic random dot displays: Vector summation or winner take all? 36: 2321
ZRENNER, E.
Jacobi, P.C., Osswald, H. and Zrenner, E. Bradykinin receptor inhibition affects the rod b-wave in the cat electroretinogram 36: 3843

SUBJECT INDEX

ABERRATION
Off-axis optical qualitby and retinal sampling in the human eye 36: 1103
A wide-angle gradient index optical model of the crystalline lens and eye of the rainbow trout 36: 2623
Image formation by the crystalline lens and eye of the rainbow trout 36: 2641
Specificity and selectivity of chromatic visual evoked potentials 36: 3397
Reply to "Specificity and selectivity of chromatic visual evoked potentials" 36: 3403
Optical modulation transfer and contrast sensitivity with decentered small pupils in the human eye 36: 3575
Consequences of monocular diplopia for the contrast sensitivity function 36: 3587
Monocular diplopia caused by ocular aberrations and hyperopic defocus 36: 3597

ABSOLUTE THRESHOLD (*see* DETECTION THRESHOLD)

ACCOMMODATION
Accommodative vergence is driven by the phasic component of the accommodative controller 36: 97
Effects on the compensatory responses to positive and negative lenses of intermittent lens wear and ciliary nerve section in chicks 36: 1023
Emmetropia approach dynamics with diurnal dual-phase cycling 36: 2249
The naturally occurring accommodative response of the oscar, *Astronotus ocellatus*, to visual stimuli 36: 3021

ACUITY (*see also* HYPERACUITY; STEREOPSIS)
Retinal illuminance and contrast sensitivity in human infants 36: 67
Sequential stereopsis: a simple demonstration 36: 307
Components of visual acuity loss in strabismus 36: 765
Spatial frequency sweep pattern reversal VER acuity vs Snellen visual acuity: effect of optical defocus 36: 903
Infant peripheral vision: The development of monocular visual acuity in the first 3 months of postnatal life 36: 1207
Stereoacuity and colour contrast 36: 1311
Development of grating acuity and contrast sensitivity in the central and peripheral visual field of the human infant 36: 1945
Cortical magnification, scale invariance and visual ecology 36: 2971
Intraocular light scatter in patients with retinitis pigmentosa 36: 3703
Localization of a peripheral patch: The role of blur and spatial frequency 36: 3785
The comparative development of movement hyperacuity and visual acuity in children 36: 3851

ADAPTATION
The time course of adaptation in macaque retinal ganglion cells 36: 913
Effect of spatial scale and background luminance on the intensive and spatial nonlinearities in texture segregation 36: 1371
Spatial frequency adaptation: Threshold elevation and perceived contrast 36: 1797
Perceived contrast following adaptation to gratings of different orientations 36: 1811
Adaptive changes in saccade amplitude: Oculocentric or orbitocentric mapping? 36: 2087
Disconjugate adaptation of the vertical oculomotor system 36: 2735
Psychophysical end-stopping associated with line targets 36: 2883
Cyclopean and disconjugate adaptive recovery from post-saccadic drift in strabismic children before and after surgery 36: 2897
Adaptation to peripheral flicker 36: 3479
S-cone spatial contrast sensitivity can be independent of pre-receptoral factors 36: 3549

The effect of refractive lenses on perceived direction 36: 3735
Ca^{2+} dependency of spinule plasticity at dendrites of retinal horizontal cells and its possible implication for the functional role of spinules 36: 3891
Adaptation-dependent changes of bipolar cell terminals in fish retina: effects on overall morphology and spinule formation in Ma and Mb cells 36: 3901

ADAPTATION, CHROMATIC
Color perception with test and adapting lights perceived in different depth planes 36: 949
ERG measurements of the spectral sensitivity of common chimpanzee *(Pan troglodytes)* 36: 2587
Color contrast under controlled chromatic adaptation reveals opponent rectification 36: 3087
Color appearance changes resulting from iso-luminant chromatic adaptation 36: 3107

ADAPTATION, DARK
Peripheral colour vision: effects of rod intrusion at different eccentricities 36: 3407
Horizontal cell spinule dynamics in fish are affected by rearing in monochromatic light 36: 3879
Spatial and temporal properties of cat horizontal cells after prolonged dark adaptation 36: 3955
Gain control and hyperpolarization level in cat horizontal cells as a function of light and dark adaptation 36: 3969

ADAPTATION, LIGHT
Brightness of uniform stabilized fields 36: 351
Contrast discrimination at high contrasts reveals the influence of local light adaptation on contrast processing 36: 817
The effect of background luminance on visual responses to strong flashes: Perceived brightness and the early rise of photoreceptor responses 36: 3253
Horizontal cell spinule dynamics in fish are affected by rearing in monochromatic light 36: 3879
Modulation of horizontal cell receptive fields in the light adapted goldfish retina 36: 3913
Gain control and hyperpolarization level in cat horizontal cells as a function of light and dark adaptation 36: 3969

ADAPTATION, MOTION
Recovery from adaptation for dynamic and static motion aftereffects: evidence for two mechanisms 36: 421
Disparity tuning of the stereoscopic (Cyclopean) motion aftereffect 36: 975
Further evidence for monocular determinants of perceived plaid direction 36: 1247
Direction-selective adaptation and simultaneous contrast induced by stereoscopic (cyclopean) motion 36: 1773
Responses to opposed directions of motion: Continuum or independent mechanisms? 36: 1931
Visual motion aftereffects: Critical adaptation and test conditions 36: 2167
A model of temporal adaptation in fly motion vision 36: 2595
Temporal and spatial frequency tuning of the flicker motion aftereffect 36: 2721
Motion sharpening: Evidence for the addition of high spatial frequencies to the effective neural image 36: 2729
Perceptual stability and the selective adaptation of perceived and unperceived motion directions 36: 3311
Enduring stereoscopic motion aftereffects induced by prolonged adaptation 36: 3655

ADAPTATION, OCULOMOTOR
Accommodative vergence is driven by the phasic component of the accommodative controller 36: 97
Fast disconjugate adaptations of saccades in microstrabismic subjects 36: 103
Adaptation of vertical eye alignment in relation to head tilt 36: 1195

AFTEREFFECTS (*see also* ILLUSION; PERSISTENCE)
Recovery from adaptation for dynamic and static motion aftereffects: evidence for two mechanisms 36: 421
The effect of dark and equiluminant occlusion on the interocular transfer of visual aftereffects 36: 707
Disparity tuning of the stereoscopic (Cyclopean) motion aftereffect 36: 975
Further evidence for monocular determinants of perceived plaid direction 36: 1247
The tilt aftereffect in plaids and gratings: Channel codes, local signs and "patchwise" transforms 36: 1421
Direction-selective adaptation and simultaneous contrast induced by stereoscopic (cyclopean) motion 36: 1773
Visual motion aftereffects: Critical adaptation and test conditions 36: 2167
Temporal and spatial frequency tuning of the flicker motion aftereffect 36: 2721
Enduring stereoscopic motion aftereffects induced by prolonged adaptation 36: 3655

AFTERIMAGES (*see* AFTEREFFECTS)

AGING
A comparison of sampling efficiency and internal noise level in young and old subjects 36: 1641
Age-related functional field losses are not eccentricity dependent 36: 1859
Age-related changes in the color-match-area effect 36: 2079
Visual ageing: unspecific decline of the responses to luminance and colour 36: 3557

ALIASING
Characterization of spatial aliasing and contrast sensitivity in peripheral vision 36: 249
Off-axis optical quality and retinal sampling in the human eye 36: 1103
Undersampling produces non-veridical motion perception, but not necessarily motion reversal, in peripheral vision 36: 1737
The spatial grain of motion perception in human peripheral vision 36: 2283

ALIGNMENT (*see* HYPERACUITY)

AMACRINE CELLS
N-Acetylaspartylglutamate immunoreactivity in human retina 36: 941
Catecholaminergic interplexiform cells in the retina of lizards 36: 1349
The AII amacrine network: coupling can increase correlated activity 36: 3743

AMBLYOPIA
Is the motion system relatively spared in amblyopia? Evidence from cortical evoked responses 36: 181
Color and luminance vision in human amblyopia: shifts in isoluminance, contrast sensitivity losses, and positional deficits 36: 645
Components of visual acuity loss in strabismus 36: 765
Effect of exposure duration on spatial uncertainty in normal and amblyopic eyes 36: 1189
Better performance through amblyopic than through normal eyes 36: 1939
Uncalibrated distortions *vs.* undersampling 36: 2121
Amblyopic quasi-blindness for image structure 36: 2211

Positional loss in strabismic amblyopia: Inter-relationship of alignment threshold, bias, spatial scale and eccentricity 36: 2771

APPARATUS
Infrared imaging of sub-retinal structures in the human ocular fundus 36: 191
A novel method for measuring saccade profiles using the scanning laser ophthalmoscope 36: 1987
Glia cells of the monkey retina—II. Müller cells 36: 2381
A video-input device that displays high-luminance, high-resolution color images 36: 2575
The adjacent pixel nonlinearity: Problems and solutions 36: 3167

APPARENT MOTION (*see* MOTION PERCEPTION (APPARENT MOTION))

ATTENTION
Motion capture and visual attention: comments on Culham and Cavanagh (1994) 36: 77
Motion capture and visual attention: a reply to Ramachandran (1996) 36: 79
Attentional frames, frame curves and figural boundaries: The inside/outside dilemma 36: 1493
Saccade target selection and object recognition: Evidence for a common attentional mechanism 36: 1827
Age-related functional field losses are not eccentricity dependent 36: 1859
Decreases in the latency of smooth pursuit and saccadic eye movements produced by the "gap paradigm" in the monkey 36: 1973
Using eye saccades to assess the selectivity of search movements 36: 2177
The detection of stimuli rotating in depth amid linear motion and rotating distractors 36: 2271
Judgements of heading 36: 2337
Measuring the attentional speed-up in the motion induction effect 36: 2433
Two contributions to motion induction: A preattentive effect and facilitation due to attentional capture 36: 2447
Asymmetries in simple feature searches for color 36: 2837

BINOCULAR RIVALRY
Differences between stereopsis, interocular correlation and binocularity 36: 1127
No binocular rivalry in the LGN of alert macaque monkeys 36: 1225
Binocular rivalry with isoluminant stimuli visible only via short-wavelength-sensitive cones 36: 1561

BINOCULAR VISION
The binocular computation of visual direction 36: 27
Temporal aspects of binocular slant perception 36: 43
Fast disconjugate adaptations of saccades in microstrabismic subjects 36: 103
Is the site of non-linear filtering in stereopsis before or after binocular combination? 36: 391
Spatio-temporal requirements for binocular correlation in stereopsis 36: 527
Cyclopean motion perception produced by oscillations of size, disparity and location 36: 655
Multiple matching of features in simple stereograms 36: 675
Perceived motion in depth 36: 699
Dynamical version-vergence interactions for a binocular implementation of Donders' law 36: 853
Differences between stereopsis, interocular correlation and binocularity 36: 1127

No binocular rivalry in the LGN of alert macaque monkeys 36: 1225
The effect of display size on disparity scaling from differential perspective and vergence cues 36: 1255
Neural encoding of binocular disparity: Energy models, position shifts and phase shifts 36: 1839
Stereoscopic depth perception and vertical disparity: Neural mechanisms 36: 1969
Binocular alignment in different depth planes 36: 2141
Poor speed discrimination suggests that there is no specialized speed mechanism for cyclopean motion 36: 2149
Anisotropy in Werner's binocular depth contrast effect 36: 2253
Binocular correlation detection with oriented dynamic random-line stereograms 36: 2303
Disconjugate adaptation of the vertical oculomotor system 36: 2735
Disparity-evoked vergence is driven by interocular correlation 36: 2925
Stereoscopic depth constancy depends on the subject's task 36: 3441
The interaction of binocular disparity and motion parallax in the computation of depth 36: 3457
Depth asymmetry in da Vinci stereopsis 36: 3815
Stability of binocular depth perception with moving head and eyes 36: 3827

BIPOLAR CELLS
L-Glutamate-induced responses in OFF-type bipolar cells of the cat retina 36: 787
Nitric oxide: A review of its role in retinal function and disease 36: 2979
Foveal cones form basal as well as invaginating junctions with diffuse ON bipolar cells 36: 3373
The synaptic complex of cones in the fovea and in the periphery of the macaque monkey retina 36: 3383
Adaptation-dependent changes of bipolar cell terminals in fish retina: effects on overall morphology and spinule formation in Ma and Mb cells 36: 3901
Synaptic inputs mediating bipolar cell responses in the tiger salamander retina 36: 4015
Ionic current model of bipolar cells in the lower vertebrate retina 36: 4069

BLEACHING (*see* ADAPTATION, DARK)

BRIGHTNESS PERCEPTION
Brightness of uniform stabilized fields 36: 351
Temporal limits of brightness induction and mechanisms of brightness perception 36: 1391
Flicker brightness enhancement and visual nonlinearity 36: 1573
Brightness contrast from inhomogeneous surrounds 36: 1783
Brightness induction from uniform and complex surrounds: A general model 36: 1893
Facilitation of luminance grating detection by induced gratings 36: 2563
Filling-in percepts produced by luminance modulation 36: 2657
Mach bands: How many models are possible? Recent experimental findings and modeling attempts 36: 3205
The effect of background luminance on visual responses to strong flashes: Perceived brightness and the early rise of photoreceptor responses 36: 3253

BROCA-SULZER EFFECT (*see* BRIGHTNESS PERCEPTION)

CELLS (*see* CORTEX; GANGLION CELLS; HORIZONTAL CELLS)

CHANNELS
A linear systems approach to the detection of both abrupt and smooth spatial variations in orientation-defined textures 36: 409

Rod temporal channels 36: 613
Effects of a red background on magnocellular functioning in average and specifically disabled readers 36: 1037
$[Ca^{2+}]_i$ regulation by glutamate receptor agonists in cultured chick retina cells 36: 1091
Effect of spatial scale and background luminance on the intensive and spatial nonlinearities in texture segregation 36: 1371
The tilt aftereffect in plaids and gratings: Channel codes, local signs and "patchwise" transforms 36: 1421
Proton inhibition of the NMDA-gated channel in isolated catfish cone horizontal cells 36: 1521
Perceived texture segregation in chromatic element-arrangement patterns: High intensity interference 36: 1745
Individual differences in contrast sensitivity functions: The lowest spatial frequency channels 36: 3077
Do channels shift their tuning towards lower spatial frequencies in the periphery? 36: 3339
Specific effects of spatial-frequency uncertainty and different cue types on contrast detection: data and models 36: 3429

CHROMATIC ABERRATION (*see* ABERRATION)

CHROMATIC CONTRAST (*see* COLOR CONTRAST)

CHROMATIC INDUCTION (*see* COLOR CONTRAST)

CLINICAL APPLICATIONS
Blurring the image does not help disabled readers 36: 1503
On a failure to replicate: Methodologically close, but not close enough. A response to Hogben *et al.* 36: 1509
An alternative phototransduction model for human rod and cone ERG *a*-waves: Normal parameters and variation with age 36: 2609
Psychophysics of reading—XIV. The page navigation problem in using magnifiers 36: 3723
The effect of refractive lenses on perceived direction 36: 3735
The comparative development of movement hyperacuity and visual acuity in children 36: 3851
Retinal cell transplantation in the macula: new techniques 36: 4121

COGNITION
Contrast transfer characteristics of visual short-term memory 36: 2159
Two contributions to motion induction: A preattentive effect and facilitation due to attentional capture 36: 2447
Preattentive perception of elementary three-dimensional shapes 36: 2515
Specific effects of spatial-frequency uncertainty and different cue types on contrast detection: data and models 36: 3429
Learning pop-out detection: specificities to stimulus characteristics 36: 3487

COLOR ANOMALY
Colour contrast thresholds in congenital colour defectives 36: 1055
Increment threshold and purity discrimination spectral sensitivities of X-chromosome-linked color defective observers 36: 1597
Deuteranomaly studied with four perceptual criteria 36: 3157
Modulating wavelength discrimination in goldfish with ethambutol and stimulus intensity 36: 3519

COLOR APPEARANCE
Mechanisms underlying the detection of increments in parafoveal retina 36: 373
Color perception with test and adapting lights perceived in different depth planes 36: 949
Increment threshold and purity discrimination spectral sensitivities of X-chromosome-linked color defective observers 36: 1597
Chromatic content of spectral lights 36: 2537
A video-input device that displays high-luminance, high-resolution color images 36: 2575
Color constancy under natural and artificial illumination 36: 2699
Measurements of human sensitivity to comb-filtered spectra 36: 2713
Color appearance of mixture gratings 36: 2849
Normal saturation processing provides a model for understanding the effects of disease on color perception 36: 2995
Color appearance changes resulting from iso-luminant chromatic adaptation 36: 3107
Deuteranomaly studied with four perceptual criteria 36: 3157

COLOR BLINDNESS (*see* DICHROMACY)

COLOR CODING
Coherence, cardinal directions and higher-order mechanisms 36: 1235
Contribution of chromatic mechanisms to the production of small-field optokinetic nystagmus (OKN) in normals and strabismics 36: 1687
Motion coherence across different chromatic axes 36: 2475
Quantitative analysis of triphasic (H3) horizontal cell—cone connectivity in the cyprinid fish (roach) retina 36: 4007
Reduction of red—green discrimination by dopamine D1 receptor antagonists and retinal dopamine depletion 36: 4035

COLOR CONTRAST
Magnetic and electrical brain responses to chromatic contrast in human 36: 1
Localizing contours defined by more than one attribute 36: 53
Color and luminance vision in human amblyopia: shifts in isoluminance, contrast sensitivity losses, and positional deficits 36: 645
Colour contrast thresholds in congenital colour defectives 36: 1055
Sensitivity to spatial phase at equiluminance 36: 1153
Contour integration with colour and luminance contrast 36: 1265
Perceived velocity of luminance, chromatic and non-Fourier stimuli: Influence of contrast and temporal frequency 36: 1281
Stereoacuity and colour contrast 36: 1311
Losses in peripheral colour sensitivity predicted from "hit and miss" post-receptoral cone connections 36: 1995
Global-motion perception: Interaction of chromatic and luminance signals 36: 2423
Color constancy under natural and artificial illumination 36: 2699
Color contrast under controlled chromatic adaptation reveals opponent rectification 36: 3087
Development of the temporal properties of visual evoked potentials to luminance and colour contrast in infants 36: 3141
Infant motion: detection *(M:D)* ratios for chromatically defined and luminance-defined moving stimuli 36: 3293
Visual ageing: unspecific decline of the responses to luminance and colour 36: 3557
Motion detection in goldfish investigated with the optomotor response is "color blind" 36: 4025

COLOR DISCRIMINATION
Testing the indeterminacy of linear color mechanisms from color discrimination data 36: 295
Chromatic and luminance systems deficits in glaucoma 36: 621
Colour contrast thresholds in congenital colour defectives 36: 1055
The relative efficacy of cues for two-dimensional shape perception 36: 1141
Visual search for colour targets that are or are not linearly separable from distractors 36: 1439
Location vs feature: Reaction time reveals dissociation between two visual functions 36: 2125
Color vision in the manatee *(Trichechus manatus)* 36: 2747
Asymmetries in simple feature searches for color 36: 2837
Modulating wavelength discrimination in goldfish with ethambutol and stimulus intensity 36: 3519
Reduction of red—green discrimination by dopamine D1 receptor antagonists and retinal dopamine depletion 36: 4035

COLOR MATCHING
A model for inhibitory lateral interaction effects in perceived contrast 36: 1115
Age-related changes in the color-match-area effect 36: 2079
Color appearance of mixture gratings 36: 2849
Color contrast under controlled chromatic adaptation reveals opponent rectification 36: 3087
Color appearance changes resulting from iso-luminant chromatic adaptation 36: 3107
Peripheral colour vision: effects of rod intrusion at different eccentricities 36: 3407

COLOR OPPONENCY
Mechanisms underlying the detection of increments in parafoveal retina 36: 373
Chromatic and luminance systems deficits in glaucoma 36: 621
Comments on "A multi-state color model" 36: 831
On "A three-stage color model" 36: 833
A chromatic-cancellation property of human pupillary responses 36: 1543
Masking of the achromatic system: Implications for saccadic suppression 36: 1551
Losses in peripheral colour sensitivity predicted from "hit and miss" post-receptoral cone connections 36: 1995
Chromatic content of spectral lights 36: 2537
Color appearance of mixture gratings 36: 2849
Color contrast under controlled chromatic adaptation reveals opponent rectification 36: 3087
Deuteranomaly studied with four perceptual criteria 36: 3157
Peripheral colour vision: effects of rod intrusion at different eccentricities 36: 3407
Confusion points and constant-luminance planes for trichromats, protanopes and deuteranopes 36: 3501

COLOR SELECTIVITY
Pattern-color separable pathways predict sensitivity to simple colored patterns 36: 515
Coherence, cardinal directions and higher-order mechanisms 36: 1235
Phylogenetic relationships among short wavelength-sensitive opsins of American chameleon *(Anolis carolinensis)* and other vertebrates 36: 2797
Specificity and selectivity of chromatic visual evoked potentials 36: 3397
Reply to "Specificity and selectivity of chromatic visual evoked potentials" 36: 3403

CONES
Cholinergic effects on cat retina *in vitro:* changes in rod- and cone-driven *b*-wave and optic nerve response 36: 797

Sites of disease action in a retinal dystrophy with supernormal and delayed rod electroretinogram *b*-waves 36: 889
Molecular cloning and characterization of the putative ultraviolet-sensitive visual pigment of goldfish 36: 933
Images of cone photoreceptors in the living human eye 36: 1067
A chromatic-cancellation property of human pupillary responses 36: 1543
Binocular rivalry with isoluminant stimuli visible only via short-wavelength-sensitive cones 36: 1561
Contribution of chromatic mechanisms to the production of small-field optokinetic nystagmus (OKN) in normals and strabismics 36: 1687
Abnormalities of the retinal cone system in retinitis pigmentosa 36: 1699
Losses in peripheral colour sensitivity predicted from "hit and miss" post-receptoral cone connections 36: 1995
Age-related changes in the color-match-area effect 36: 2079
ERG measurements of the spectral sensitivity of common chimpanzee *(Pan troglodytes)* 36: 2587
An alternative phototransduction model for human rod and cone ERG *a*-waves: Normal parameters and variation with age 36: 2609
Summation of rod and S cone signals at threshold in human observers 36: 2681
Color appearance changes resulting from iso-luminant chromatic adaptation 36: 3107
Cone ERGs to flash trains: The antagonism of a later flash 36: 3229
Foveal cones form basal as well as invaginating junctions with diffuse ON bipolar cells 36: 3373
The synaptic complex of cones in the fovea and in the periphery of the macaque monkey retina 36: 3383
Specificity and selectivity of chromatic visual evoked potentials 36: 3397
Reply to "Specificity and selectivity of chromatic visual evoked potentials" 36: 3403
Peripheral colour vision: effects of rod intrusion at different eccentricities 36: 3407
Modulating wavelength discrimination in goldfish with ethambutol and stimulus intensity 36: 3519
S-cone spatial contrast sensitivity can be independent of pre-receptoral factors 36: 3549
The enhanced S cone syndrome: an analysis of receptoral and post-receptoral changes 36: 3711
Clearance of neurotransmitter from the cone synaptic cleft in goldfish retina 36: 3859
Horizontal cells feed back to cones by shifting the cone calcium-current activation range 36: 3943
Motion detection in goldfish investigated with the optomotor response is "color blind" 36: 4025

CONTOUR PERCEPTION
Localizing contours defined by more than one attribute 36: 53
The abutting grating illusion 36: 109
Cortical dynamics of form and motion integration: persistence, apparent motion, and illusory contours 36: 149
Linking object boundaries at scale: a common mechanism for size and shape judgments 36: 361
The effect of dark and equiluminant occlusion on the interocular transfer of visual aftereffects 36: 707
Sensitivity to spatial phase at equiluminance 36: 1153
Contour integration with colour and luminance contrast 36: 1265
Attentional frames, frame curves and figural boundaries: The inside/outside dilemma 36: 1493
Increased motion linking across edges with decreased luminance contrast, edge width and duration 36: 2061
Illumination, shading and the perception of local orientation 36: 2351

Spatial and temporal properties of illusory contours and amodal boundary completion 36: 3037
Three-dimensional curvature contrast—geometric or brightness illusion? 36: 3641

CONTRAST DISCRIMINATION
Second-order illusions: Mach bands, Chevreul, and Craik—O'Brien—Cornsweet 36: 559
Contrast discrimination at high contrasts reveals the influence of local light adaptation on contrast processing 36: 817
Limitations on position coding imposed by undersampling and univariance 36: 2111
Contrast transfer characteristics of visual short-term memory 36: 2159
Isolating excitatory and inhibitory nonlinear spatial interactions involved in contrast detection 36: 2497
Facilitation of luminance grating detection by induced gratings 36: 2563
Normal saturation processing provides a model for understanding the effects of disease on color perception 36: 2995

CONTRAST FLASH (*see* MASKING)

CONTRAST PERCEPTION
A second-order pattern reveals separate strategies for encoding orientation in two-dimensional space and space-time 36: 425
A model for inhibitory lateral interaction effects in perceived contrast 36: 1115
Direction-selective adaptation and simultaneous contrast induced by stereoscopic (cyclopean) motion 36: 1773
Spatial frequency adaptation: Threshold elevation and perceived contrast 36: 1797
Perceived contrast following adaptation to gratings of different orientations 36: 1811
Brightness induction from uniform and complex surrounds: A general model 36: 1893
Centroid analysis predicts visual localization of first- and second-order stimuli 36: 2957

CONTRAST SENSITIVITY
Retinal illuminance and contrast sensitivity in human infants 36: 67
Contrast sensitivity in one-eyed subjects 36: 175
Development of contrast sensitivity across the visual field in macaque monkeys *(Macaca nemestrina)* 36: 239
Characterization of spatial aliasing and contrast sensitivity in peripheral vision 36: 249
Infant contrast detectors are selective for direction of motion 36: 281
Diffuser contact lenses retard axial elongation in infant rhesus monkeys 36: 509
Pattern-color separable pathways predict sensitivity to simple colored patterns 36: 515
Color and luminance vision in human amblyopia: shifts in isoluminance, contrast sensitivity losses, and positional deficits 36: 645
Speed estimates from grating patches are not contrast-normalized 36: 667
Infant color vision: Motion nulls for red/green vs luminance-modulated stimuli in infants and adults 36: 955
The presence of a magnocellular defect depends on the type of dyslexia 36: 1047
Sensitivity to spatial phase at equiluminance 36: 1153
Effect of exposure duration on spatial uncertainty in normal and amblyopic eyes 36: 1189
Hyperacuity for spatial localization of contrast-modulated patterns 36: 1329
A comparison of sampling efficiency and internal noise level in young and old subjects 36: 1641
Development of grating acuity and contrast sensitivity in the central and peripheral visual field of the human infant 36: 1945
Losses in peripheral colour sensitivity predicted from "hit and miss" post-receptoral cone connections 36: 1995
Temporal impulse response functions for luminance and colour during saccades 36: 2069

Amblyopic quasi-blindness for image structure 36: 2211
Relative efficiency for the detection of apparent motion 36: 2297
Selective magnocellular damage in melanoma-associated retinopathy: Comparison with congenital stationary nightblindness 36: 2369
Contrast sensitivity of the motion system 36: 2411
Global-motion perception: Interaction of chromatic and luminance signals 36: 2423
A new psychophysical method for determining the photopic spectral-luminosity function of the human eye 36: 2675
Modelling the power spectra of natural images: Statistics and information 36: 2759
Positional loss in strabismic amblyopia: Inter-relationship of alignment threshold, bias, spatial scale and eccentricity 36: 2771
Contrast letter thresholds in the non-affected eye of strabismic and unilateral eye enucleated subjects 36: 3011
Individual differences in contrast sensitivity functions: The lowest spatial frequency channels 36: 3077
Infant motion: detection *(M:D)* ratios for chromatically defined and luminance-defined moving stimuli 36: 3293
Visually elicited head rotation in pigeons *(Columba livia)* 36: 3329
Do channels shift their tuning towards lower spatial frequencies in the periphery? 36: 3339
Specific effects of spatial-frequency uncertainty and different cue types on contrast detection: data and models 36: 3429
S-cone spatial contrast sensitivity can be independent of pre-receptoral factors 36: 3549
Optical modulation transfer and contrast sensitivity with decentered small pupils in the human eye 36: 3575
Consequences of monocular diplopia for the contrast sensitivity function 36: 3587
Monocular diplopia caused by ocular aberrations and hyperopic defocus 36: 3597
Intraocular light scatter in patients with retinitis pigmentosa 36: 3703
What is the denominator for contrast normalisation? 36: 3759
Precise assessment of the mean effective luminance of texture patches—An approach based on reverse-phi motion 36: 3775

CORTEX
Magnetic and electrical brain responses to chromatic contrast in human 36: 1
The abutting grating illusion 36: 109
A cell model for the detection of local image motion on the magno-cellular pathway of the visual cortex 36: 117
Cortical dynamics of form and motion integration: persistence, apparent motion, and illusory contours 36: 149
Cortical oscillatory responses do not affect visual segmentation 36: 539
Speed estimates from grating patches are not contrast-normalized 36: 667
Contribution of area MT to perception of three-dimensional shape: a computational study 36: 869
Two-dot alignment across the physiological blind spot 36: 1585
Perceived texture segregation in chromatic element-arrangement patterns: High intensity interference 36: 1745
Neural encoding of binocular disparity: Energy models, position shifts and phase shifts 36: 1839
The lateral posterior-pulvinar complex modulation of stimulus-dependent oscillations in the cat visual cortex 36: 2037
Neurophysiological evidence for contrast dependent long-range facilitation and suppression in the human visual cortex 36: 2099
Integration across directions in dynamic random dot displays: Vector summation or winner take all? 36: 2321
Contrast sensitivity of the motion system 36: 2411

Global-motion perception: Interaction of chromatic and luminance signals 36: 2423
Responses of complex cells in area 17 of the cat to bi-vectorial transparent motion 36: 2805
The role of the background: Texture segregation and figure-ground segmentation 36: 2815
Spatial scaling of end-stopped perceptive fields: Differences in neural bases of end-zones, flanks and centers 36: 3129
Cortical off response tuning for stimulus duration 36: 3243
Statistical analysis of the information content in the activity of cortical neurons 36: 3525

CORTICAL MAGNIFICATION
Reduced perceptual dimensionality in extrafoveal vision 36: 1007
Cortical magnification, scale invariance and visual ecology 36: 2971
Do channels shift their tuning towards lower spatial frequencies in the periphery? 36: 3339
Differences between fovea and periphery in the detection and discrimination of spatial offsets 36: 3469
Adaptation to peripheral flicker 36: 3479

CRAIK-O'BRIEN EFFECT (*see* CONTOUR PERCEPTION)

CURVATURE
The effect of illuminant position on perceived curvature 36: 1399
A simple mechanism for detecting low curvatures 36: 1411
Investigating shape-from-shading illusions using solid objects 36: 2827
Three-dimensional curvature contrast—geometric or brightness illusion? 36: 3641

DEPTH PERCEPTION
The binocular computation of visual direction 36: 27
Cyclopean motion perception produced by oscillations of size, disparity and location 36: 655
Multiple matching of features in simple stereograms 36: 675
Perceived motion in depth 36: 699
Color perception with test and adapting lights perceived in different depth planes 36: 949
The effect of display size on disparity scaling from differential perspective and vergence cues 36: 1255
Can random-dot stereograms serve as a model for the perception of depth in relation to real three-dimensional objects? 36: 1473
Binocular eye movements caused by the perception of three-dimensional structure from motion 36: 1479
Stereoscopic depth perception and vertical disparity: Neural mechanisms 36: 1969
Anisotropy in Werner's binocular depth contrast effect 36: 2253
Preattentive perception of elementary three-dimensional shapes 36: 2515
Investigating shape-from-shading illusions using solid objects 36: 2827
Non-visual information in structure-from-motion 36: 3119
Cyclopean discrimination thresholds for the direction and speed of motion in depth 36: 3265
Stereoscopic depth constancy depends on the subject's task 36: 3441
The interaction of binocular disparity and motion parallax in the computation of depth 36: 3457
Three-dimensional curvature contrast—geometric or brightness illusion? 36: 3641
Depth asymmetry in da Vinci stereopsis 36: 3815
Stability of binocular depth perception with moving head and eyes 36: 3827

DETECTION THRESHOLD
Detection of first-order structure in optic flow fields 36: 259
Detection and identification of mirror-image letter pairs in central and peripheral vision 36: 331
The efficiency of different cue types for reducing spatial-frequency uncertainty 36: 401
Pattern-color separable pathways predict sensitivity to simple colored patterns 36: 515
The effect of dark and equiluminant occlusion on the interocular transfer of visual aftereffects 36: 707
Losses in peripheral colour sensitivity predicted from "hit and miss" post-receptoral cone connections 36: 1995
Isolating excitatory and inhibitory nonlinear spatial interactions involved in contrast detection 36: 2497
Infant motion: detection *(M:D)* ratios for chromatically defined and luminance-defined moving stimuli 36: 3293
Specific effects of spatial-frequency uncertainty and different cue types on contrast detection: data and models 36: 3429
Learning pop-out detection: specificities to stimulus characteristics 36: 3487

DEUTERANOPIA (*see* DICHROMACY)

DEVELOPMENT
Retinal illuminance and contrast sensitivity in human infants 36: 67
The development of gaze control and predictive tracking in young infants 36: 81
Contrast sensitivity in one-eyed subjects 36: 175
Development of contrast sensitivity across the visual field in macaque monkeys *(Macaca nemestrina)* 36: 239
Infant contrast detectors are selective for direction of motion 36: 281
Sites of disease action in a retinal dystrophy with supernormal and delayed rod electroretinogram *b*-waves 36: 889
Infant color vision: Motion nulls for red/green vs luminance-modulated stimuli in infants and adults 36: 955
Infant peripheral vision: The development of monocular visual acuity in the first 3 months of postnatal life 36: 1207
FPL and VEP measures of fusion, stereopsis and stereoacuity in normal infants 36: 1321
Infants' sensitivity to uniform motion 36: 1633
Visual motion processing in one-month-old infants: Preferential looking experiments 36: 1671
Visual motion processing in one-month-old infants: Habituation experiments 36: 1679
c-*fos* Gene expression in postnatal rat retinas with light/dark cycle 36: 1883
Development of grating acuity and contrast sensitivity in the central and peripheral visual field of the human infant 36: 1945
Individual differences in contrast sensitivity functions: The lowest spatial frequency channels 36: 3077
Development of the temporal properties of visual evoked potentials to luminance and colour contrast in infants 36: 3141
Infant motion: detection *(M:D)* ratios for chromatically defined and luminance-defined moving stimuli 36: 3293
The comparative development of movement hyperacuity and visual acuity in children 36: 3851

DICHROMACY
Color vision in the manatee *(Trichechus manatus)* 36: 2747
Confusion points and constant-luminance planes for trichromats, protanopes and deuteranopes 36: 3501

DIPLOPIA (*see* BINOCULAR VISION)

DIRECTIONAL SENSITIVITY (MOTION) (*see* MOTION PERCEPTION (DIRECTIONAL SENSITIVITY))

DISPARITY (*see* BINOCULAR VISION; STEREOPSIS)

ECCENTRICITY (*see* PERIPHERAL VISION)

ELECTRORETINOGRAM
The effect of *in vivo* retinal cooling on the electroretinogram of the rabbit 36: 339
The influence of $MgCl_2$ and APB on the light-induced potassium changes and the ERG *b*-wave of the isolated superfused rat retina 36: 499
Cholinergic effects on cat retina *in vitro:* changes in rod- and cone-driven *b*-wave and optic nerve response 36: 797
Sites of disease action in a retinal dystrophy with supernormal and delayed rod electroretinogram *b*-waves 36: 889
Abnormalities of the retinal cone system in retinitis pigmentosa 36: 1699
ERG measurements of the spectral sensitivity of common chimpanzee *(Pan troglodytes)* 36: 2587
Cone ERGs to flash trains: The antagonism of a later flash 36: 3229
The enhanced S cone syndrome: an analysis of receptoral and post-receptoral changes 36: 3711
Bradykinin receptor inhibition affects the rod b-wave in the cat electroretinogram 36: 3843
Dopaminergic control of light-adaptive synaptic plasticity and role in goldfish visual behavior 36: 4045

ENTOPTIC PHENOMENA
Image formation by the crystalline lens and eye of the rainbow trout 36: 2641

EVOKED POTENTIALS
Magnetic and electrical brain responses to chromatic contrast in human 36: 1
Is the motion system relatively spared in amblyopia? Evidence from cortical evoked responses 36: 181
Spatial frequency sweep pattern reversal VER acuity vs Snellen visual acuity: effect of optical defocus 36: 903
FPL and VEP measures of fusion, stereopsis and stereoacuity in normal infants 36: 1321
The role of high-order phase correlations in texture processing 36: 1615
Neurophysiological evidence for contrast dependent long-range facilitation and suppression in the human visual cortex 36: 2099
Development of the temporal properties of visual evoked potentials to luminance and colour contrast in infants 36: 3141
Specificity and selectivity of chromatic visual evoked potentials 36: 3397
Reply to "Specificity and selectivity of chromatic visual evoked potentials" 36: 3403
Visual ageing: unspecific decline of the responses to luminance and colour 36: 3557
Standard for visual evoked potentials 1995 36: 3567

EYE-MOVEMENTS
The development of gaze control and predictive tracking in young infants 36: 81
Sequential stereopsis: a simple demonstration 36: 307

A geometric basis for measurement of three-dimensional eye position using image processing 36: 445
A simplified calibration method for three-dimensional eye movement recordings using search-coils 36: 997
Speed discrimination under stabilized and normal viewing conditions 36: 1819
The influence of target angular velocity on visual latency difference determined using the rotating Pulfrich effect 36: 2865
The special role of distant structures in perceived object velocity 36: 3805

EYE-MOVEMENTS, OPTOKINETIC NYSTAGMUS
Infant color vision: Motion nulls for red/green vs luminance-modulated stimuli in infants and adults 36: 955
Infants' sensitivity to uniform motion 36: 1633
Contribution of chromatic mechanisms to the production of small-field optokinetic nystagmus (OKN) in normals and strabismics 36: 1687
Visually elicited head rotation in pigeons *(Columba livia)* 36: 3329

EYE-MOVEMENTS, SACCADIC
Fast disconjugate adaptations of saccades in microstrabismic subjects 36: 103
Reading unspaced text is not easy: comments on the implications of Epelboim *et al.'s* (1994) study for models of eye movement control in reading 36: 461
Much ado about nothing: the place of space in text 36: 465
The 'center of gravity' of words: evidence for an effect of the word-initial letters 36: 589
Stationary and pursuit visual fixation share similar behavior 36: 751
Egocentric localization of a perisaccadic flash by manual pointing 36: 837
Postsaccadic target blanking prevents saccadic suppression of image displacement 36: 985
Saccade target selection and object recognition: Evidence for a common attentional mechanism 36: 1827
Decreases in the latency of smooth pursuit and saccadic eye movements produced by the "gap paradigm" in the monkey 36: 1973
A novel method for measuring saccade profiles using the scanning laser ophthalmoscope 36: 1987
Temporal impulse response functions for luminance and colour during saccades 36: 2069
Adaptive changes in saccade amplitude: Oculocentric or orbitocentric mapping? 36: 2087
Using eye saccades to assess the selectivity of search movements 36: 2177
Disconjugate adaptation of the vertical oculomotor system 36: 2735
Cyclopean and disconjugate adaptive recovery from post-saccadic drift in strabismic children before and after surgery 36: 2897
Fixation conditions, the foveola and saccadic latency 36: 3195
Slow-velocity asymmetrical convergence: a decisive failure of "Hering's Law" 36: 3667

EYE-MOVEMENTS, SMOOTH PURSUIT
The development of gaze control and predictive tracking in young infants 36: 81
Estimating heading during real and simulated eye movements 36: 431
Modification of the Filehne illusion by conditioning visual stimuli 36: 741
Stationary and pursuit visual fixation share similar behavior 36: 751
Anticipatory smooth eye movements of high velocity triggered by large target steps: Normal performance and effect of cerebellar degeneration 36: 1341
Decreases in the latency of smooth pursuit and saccadic eye movements produced by the "gap paradigm" in the monkey 36: 1973
Comparison of horizontal, vertical and diagonal smooth pursuit eye movements in normal human subjects 36: 2189
Speed discrimination of distal stimuli during smooth pursuit eye motion 36: 3507

EYE-MOVEMENTS, TORSIONAL
A geometric basis for measurement of three-dimensional eye position using image processing 36: 445
Dynamical version-vergence interactions for a binocular implementation of Donders' law 36: 853

EYE-MOVEMENTS, VERGENCE
Accommodative vergence is driven by the phasic component of the accommodative controller 36: 97
Dynamical version-vergence interactions for a binocular implementation of Donders' law 36: 853
Adaptation of vertical eye alignment in relation to head tilt 36: 1195
The effect of display size on disparity scaling from differential perspective and vergence cues 36: 1255
Can random-dot stereograms serve as a model for the perception of depth in relation to real three-dimensional objects? 36: 1473
Binocular eye movements caused by the perception of three-dimensional structure from motion 36: 1479
Disparity-evoked vergence is driven by interocular correlation 36: 2925
Slow-velocity asymmetrical convergence: a decisive failure of "Hering's Law" 36: 3667

EYE-MOVEMENTS, VESTIBULO-OCULAR
A geometric basis for measurement of three-dimensional eye position using image processing 36: 445
Learning to look with one eye: The use of head turn by normals and strabismics 36: 3237

FEATURE DETECTION
Detection and identification of mirror-image letter pairs in central and peripheral vision 36: 331
Location vs feature: Reaction time reveals dissociation between two visual functions 36: 2125

FISH VISION
Molecular cloning and characterization of the putative ultraviolet-sensitive visual pigment of goldfish 36: 933
Spectral tuning and molecular evolution of rod visual pigments in the species flock of Cottoid fish in Lake Baikal 36: 1217
Proton inhibition of the NMDA-gated channel in isolated catfish cone horizontal cells 36: 1521
A wide-angle gradient index optical model of the crystalline lens and eye of the rainbow trout 36: 2623
Image formation by the crystalline lens and eye of the rainbow trout 36: 2641
The naturally occurring accommodative response of the oscar, *Astronotus ocellatus*, to visual stimuli 36: 3021
Rod outer segment renewal in the retinae of deep-sea fish 36: 3183
Modulating wavelength discrimination in goldfish with ethambutol and stimulus intensity 36: 3519
Clearance of neurotransmitter from the cone synaptic cleft in goldfish retina 36: 3859
Horizontal cell spinule dynamics in fish are affected by rearing in monochromatic light 36: 3879
Ca^{2+} dependency of spinule plasticity at dendrites of retinal horizontal cells and its possible implication for the functional role of spinules 36: 3891

Modulation of horizontal cell receptive fields in the light adapted goldfish retina 36: 3913
Quinine, intracellular pH and modulation of hemi-gap junctions in catfish horizontal cells 36: 3925
Cholinergic modulation of dopamine release and horizontal cell coupling in mudpuppy retina 36: 3933
Protein kinase C does not mediate the dopamine-dependent modulation of glutamate receptors in retinal horizontal cells of the perch *(Perca fluviatilis)* 36: 3939
Horizontal cells feed back to cones by shifting the cone calcium-current activation range 36: 3943
Use-dependent and use-independent blocking actions of picrotoxin and zinc at the $GABA_C$ receptor in retinal horizontal cells 36: 3997
Quantitative analysis of triphasic (H3) horizontal cell—cone connectivity in the cyprinid fish (roach) retina 36: 4007
Motion detection in goldfish investigated with the optomotor response is "color blind" 36: 4025
Reduction of red—green discrimination by dopamine D1 receptor antagonists and retinal dopamine depletion 36: 4035
Dopaminergic control of light-adaptive synaptic plasticity and role in goldfish visual behavior 36: 4045
The size of the horizontal cell receptive fields adapts to the stimulus in the light adapted goldfish retina 36: 4105

FIXATION
Stationary and pursuit visual fixation share similar behavior 36: 751
Components of visual acuity loss in strabismus 36: 765
Decreases in the latency of smooth pursuit and saccadic eye movements produced by the "gap paradigm" in the monkey 36: 1973
Fixation conditions, the foveola and saccadic latency 36: 3195

FLICKER
Cortical oscillatory responses do not affect visual segmentation 36: 539
Stationary and pursuit visual fixation share similar behavior 36: 751
Colour contrast thresholds in congenital colour defectives 36: 1055
Flicker brightness enhancement and visual nonlinearity 36: 1573
Temporal and spatial frequency tuning of the flicker motion aftereffect 36: 2721
Adaptation to peripheral flicker 36: 3479
What is the denominator for contrast normalisation? 36: 3759
Flicker sensitivity as a function of spectral density of external white temporal noise 36: 3767

FORM PERCEPTION
Cortical dynamics of form and motion integration: persistence, apparent motion, and illusory contours 36: 149
Linking object boundaries at scale: a common mechanism for size and shape judgments 36: 361
Contribution of area MT to perception of three-dimensional shape: a computational study 36: 869
The relative efficacy of cues for two-dimensional shape perception 36: 1141
Contour integration with colour and luminance contrast 36: 1265
The effect of illuminant position on perceived curvature 36: 1399
Attentional frames, frame curves and figural boundaries: The inside/outside dilemma 36: 1493
The role of high-order phase correlations in texture processing 36: 1615
Face recognition under varying poses: The role of texture and shape 36: 1761

Metamerisms in structure-from-motion perception 36: 2197
The effects of dot pattern parameters and constraints on the relative salience of vertical bilateral symmetry 36: 2311
Illumination, shading and the perception of local orientation 36: 2351
Preattentive perception of elementary three-dimensional shapes 36: 2515
Investigating shape-from-shading illusions using solid objects 36: 2827
Spatial and temporal properties of illusory contours and amodal boundary completion 36: 3037
Three-dimensional curvature contrast—geometric or brightness illusion? 36: 3641
Two-dimensional aspect ratio discrimination for shape defined by orientation texture 36: 3695

FOVEA
Development of contrast sensitivity across the visual field in macaque monkeys *(Macaca nemestrina)* 36: 239
Characterization of spatial aliasing and contrast sensitivity in peripheral vision 36: 249
Intrinsic uncertainty and integration efficiency in bisection acuity 36: 717
Reduced perceptual dimensionality in extrafoveal vision 36: 1007
Images of cone photoreceptors in the living human eye 36: 1067
The pathways of light measured in fundus reflectometry 36: 2229
Glia cells of the monkey retina—II. Müller cells 36: 2381
A comparison of word recognition and reading performance in foveal and peripheral vision 36: 2665
Cigarette smoking and retinal carotenoids: Implications for age-related macular degeneration 36: 3003
Fixation conditions, the foveola and saccadic latency 36: 3195
Foveal cones form basal as well as invaginating junctions with diffuse ON bipolar cells 36: 3373
The synaptic complex of cones in the fovea and in the periphery of the macaque monkey retina 36: 3383
Differences between fovea and periphery in the detection and discrimination of spatial offsets 36: 3469

GAIN CONTROL
Contrast discrimination at high contrasts reveals the influence of local light adaptation on contrast processing 36: 817
Brightness induction from uniform and complex surrounds: A general model 36: 1893
Temporal impulse response functions for luminance and colour during saccades 36: 2069
Neurophysiological evidence for contrast dependent long-range facilitation and suppression in the human visual cortex 36: 2099
Isolating excitatory and inhibitory nonlinear spatial interactions involved in contrast detection 36: 2497
Saturation revealed by clamping the gain of the retinal light response 36: 2553
Gain control and hyperpolarization level in cat horizontal cells as a function of light and dark adaptation 36: 3969

GANGLION CELLS
Receptive field structure in the primate retina 36: 631
The time course of adaptation in macaque retinal ganglion cells 36: 913
N-Acetylaspartylglutamate immunoreactivity in human retina 36: 941
Effects of a red background on magnocellular functioning in average and specifically disabled readers 36: 1037

The presence of a magnocellular defect depends on the type of dyslexia 36: 1047
Monoclonal antibody C38 recognizes retinal ganglion cells in cats and rats 36: 1081
Linear and nonlinear contributions to step responses in cat retinal ganglion cells 36: 2047
The spatial grain of motion perception in human peripheral vision 36: 2283
The effect of background luminance on visual responses to strong flashes: Perceived brightness and the early rise of photoreceptor responses 36: 3253
The AII amacrine network: coupling can increase correlated activity 36: 3743

HISTOCHEMISTRY (*see* NEUROCHEMISTRY)

HORIZONTAL CELLS
Proton inhibition of the NMDA-gated channel in isolated catfish cone horizontal cells 36: 1521
Reconstruction of retinal horizontal cell responses by the ionic current model 36: 1711
The synaptic complex of cones in the fovea and in the periphery of the macaque monkey retina 36: 3383
Clearance of neurotransmitter from the cone synaptic cleft in goldfish retina 36: 3859
Horizontal cell spinule dynamics in fish are affected by rearing in monochromatic light 36: 3879
Ca^{2+} dependency of spinule plasticity at dendrites of retinal horizontal cells and its possible implication for the functional role of spinules 36: 3891
Modulation of horizontal cell receptive fields in the light adapted goldfish retina 36: 3913
Quinine, intracellular pH and modulation of hemi-gap junctions in catfish horizontal cells 36: 3925
Cholinergic modulation of dopamine release and horizontal cell coupling in mudpuppy retina 36: 3933
Protein kinase C does not mediate the dopamine-dependent modulation of glutamate receptors in retinal horizontal cells of the perch *(Perca fluviatilis)* 36: 3939
Horizontal cells feed back to cones by shifting the cone calcium-current activation range 36: 3943
Spatial and temporal properties of cat horizontal cells after prolonged dark adaptation 36: 3955
Gain control and hyperpolarization level in cat horizontal cells as a function of light and dark adaptation 36: 3969
The effects of GABA and glycine on horizontal cells of the rabbit retina 36: 3987
Use-dependent and use-independent blocking actions of picrotoxin and zinc at the $GABA_C$ receptor in retinal horizontal cells 36: 3997
Dopaminergic control of light-adaptive synaptic plasticity and role in goldfish visual behavior 36: 4045
Horizontal cell dynamics: what are the main factors? 36: 4077
Effects of horizontal cell network architecture on signal spread in the turtle outer retina. Experiments and simulations 36: 4089
The size of the horizontal cell receptive fields adapts to the stimulus in the light adapted goldfish retina 36: 4105

HYPERACUITY
Evidence for a neural mechanism that encodes angles 36: 323
Position acuity with opposite-contrast polarity features: evidence for a nonlinear collector mechanism for position acuity? 36: 573
Sub-pixel accuracy: psychophysical validation of an algorithm for fine positioning and movement of dots on visual displays 36: 605

Intrinsic uncertainty and integration efficiency in bisection acuity 36: 717
Hyperacuity for spatial localization of contrast-modulated patterns 36: 1329
A simple mechanism for detecting low curvatures 36: 1411
Better performance through amblyopic than through normal eyes 36: 1939
Vernier in motion: What accounts for the threshold elevation? 36: 2395
Spatial properties of filters underlying vernier acuity revealed by masking: Evidence for collator mechanisms 36: 2459
Differences between fovea and periphery in the detection and discrimination of spatial offsets 36: 3469
The comparative development of movement hyperacuity and visual acuity in children 36: 3851

ILLUSION (*see also* AFTEREFFECTS)
The abutting grating illusion 36: 109
Second-order illusions: Mach bands, Chevreul, and Craik—O'Brien—Cornsweet 36: 559
Modification of the Filehne illusion by conditioning visual stimuli 36: 741
Measuring the attentional speed-up in the motion induction effect 36: 2433
Two contributions to motion induction: A preattentive effect and facilitation due to attentional capture 36: 2447
Facilitation of luminance grating detection by induced gratings 36: 2563
Filling-in percepts produced by luminance modulation 36: 2657
Investigating shape-from-shading illusions using solid objects 36: 2827
The influence of target angular velocity on visual latency difference determined using the rotating Pulfrich effect 36: 2865
Spatial and temporal properties of illusory contours and amodal boundary completion 36: 3037
The barberplaid illusion: Plaid motion is biased by elongated apertures 36: 3061
Mach bands: How many models are possible? Recent experimental findings and modeling attempts 36: 3205
A novel speed illusion involving expansion and rotation patterns 36: 3281
A puzzling percept of stimulus stabilization 36: 3325
Assimilation-type and contrast-type bias of motion induced by the surround in a random-dot display: evidence for center-surround antagonism 36: 3629
Three-dimensional curvature contrast—geometric or brightness illusion? 36: 3641

ILLUSORY CONTOURS (*see* ILLUSION)

IMAGE QUALITY
Matched filtering by a photoreceptor membrane 36: 1529
The adjacent pixel nonlinearity: Problems and solutions 36: 3167

IMMUNOCHEMISTRY
Distribution within the choroid of cholinergic nerve fibers from the ciliary ganglion in pigeons 36: 775
N-Acetylaspartylglutamate immunoreactivity in human retina 36: 941
Monoclonal antibody C38 recognizes retinal ganglion cells in cats and rats 36: 1081
Catecholaminergic interplexiform cells in the retina of lizards 36: 1349
GABA immunopositive axons in the optic nerve and optic tract of macaque monkeys 36: 1357
Immunohistochemical study of human optic nerve head astroglia 36: 2015
Structural specializations of human retinal glial cells 36: 2029
Glia cells of the monkey retina—II. Müller cells 36: 2381

Possible role of the Müller cell in uptake and metabolism of glutamate in the mammalian outer retina 36: 3875

INCREMENT THRESHOLD
Mechanisms underlying the detection of increments in parafoveal retina 36: 373
Masking of the achromatic system: Implications for saccadic suppression 36: 1551
Increment threshold and purity discrimination spectral sensitivities of X-chromosome-linked color defective observers 36: 1597
Brightness contrast from inhomogeneous surrounds 36: 1783
Saturation revealed by clamping the gain of the retinal light response 36: 2553
Facilitation of luminance grating detection by induced gratings 36: 2563
Psychophysical end-stopping associated with line targets 36: 2883

INSECT VISION
A model of temporal adaptation in fly motion vision 36: 2595

INTEROCULAR TRANSFER (*see* AFTEREFFECTS)

LATENCY (*see* REACTION TIME)

LATERAL GENICULATE NUCLEUS
Receptive field structure in the primate retina 36: 631
No binocular rivalry in the LGN of alert macaque monkeys 36: 1225
Cortical off response tuning for stimulus duration 36: 3243

LATERAL INHIBITION
A model for inhibitory lateral interaction effects in perceived contrast 36: 1115
Neurophysiological evidence for contrast dependent long-range facilitation and suppression in the human visual cortex 36: 2099
Mach bands: How many models are possible? Recent experimental findings and modeling attempts 36: 3205

LENS
Diffuser contact lenses retard axial elongation in infant rhesus monkeys 36: 509
Effects on the compensatory responses to positive and negative lenses of intermittent lens wear and ciliary nerve section in chicks 36: 1023
A wide-angle gradient index optical model of the crystalline lens and eye of the rainbow trout 36: 2623
Image formation by the crystalline lens and eye of the rainbow trout 36: 2641
Intraocular light scatter in patients with retinitis pigmentosa 36: 3703

LOW VISION
Psychophysics of reading—XIV. The page navigation problem in using magnifiers 36: 3723

LUMINANCE
Mechanisms underlying the detection of increments in parafoveal retina 36: 373
Second-order illusions: Mach bands, Chevreul, and Craik—O'Brien—Cornsweet 36: 559
The 'center of gravity' of words: evidence for an effect of the word-initial letters 36: 589
Chromatic and luminance systems deficits in glaucoma 36: 621
Color and luminance vision in human amblyopia: shifts in isoluminance, contrast sensitivity losses, and positional deficits 36: 645

Contrast discrimination at high contrasts reveals the influence of local light adaptation on contrast processing 36: 817
Comments on "A multi-state color model" 36: 831
On "A three-stage color model" 36: 833
Infant color vision: Motion nulls for red/green vs luminance-modulated stimuli in infants and adults 36: 955
Sensitivity to spatial phase at equiluminance 36: 1153
Contour integration with colour and luminance contrast 36: 1265
Perceived velocity of luminance, chromatic and non-Fourier stimuli: Influence of contrast and temporal frequency 36: 1281
The interpretation of visual motion: Evidence for surface segmentation mechanisms 36: 1291
Stereoacuity and colour contrast 36: 1311
Effect of spatial scale and background luminance on the intensive and spatial nonlinearities in texture segregation 36: 1371
Temporal limits of brightness induction and mechanisms of brightness perception 36: 1391
Binocular rivalry with isoluminant stimuli visible only via short-wavelength-sensitive cones 36: 1561
Flicker brightness enhancement and visual nonlinearity 36: 1573
Brightness contrast from inhomogeneous surrounds 36: 1783
Losses in peripheral colour sensitivity predicted from "hit and miss" post-receptoral cone connections 36: 1995
Increased motion linking across edges with decreased luminance contrast, edge width and duration 36: 2061
Contrast sensitivity of the motion system 36: 2411
Global-motion perception: Interaction of chromatic and luminance signals 36: 2423
Measuring the attentional speed-up in the motion induction effect 36: 2433
Motion coherence across different chromatic axes 36: 2475
Saturation revealed by clamping the gain of the retinal light response 36: 2553
A video-input device that displays high-luminance, high-resolution color images 36: 2575
Filling-in percepts produced by luminance modulation 36: 2657
A new psychophysical method for determining the photopic spectral-luminosity function of the human eye 36: 2675
Centroid analysis predicts visual localization of first- and second-order stimuli 36: 2957
Color appearance changes resulting from iso-luminant chromatic adaptation 36: 3107
Deuteranomaly studied with four perceptual criteria 36: 3157
The adjacent pixel nonlinearity: Problems and solutions 36: 3167
Precise assessment of the mean effective luminance of texture patches—An approach based on reverse-phi motion 36: 3775
Primitives used in the spatial localization of nonabutting stimuli: peaks or centroids 36: 3821

MACH BANDS (*see* CONTOUR PERCEPTION)

MACULAR PIGMENT
Sex differences in macular pigment optical density: Relation to plasma carotenoid concentrations and dietary patterns 36: 2001
Cigarette smoking and retinal carotenoids: Implications for age-related macular degeneration 36: 3003

MASKING
Masking of spatial frequency in visual memory depends on distal, not retinal, frequency 36: 233
The effect of noise check size and shape on grating detectability 36: 271
Position acuity with opposite-contrast polarity features: evidence for a nonlinear collector mechanism for position acuity? 36: 573
Rod temporal channels 36: 613
Effects of a red background on magnocellular functioning in average and specifically disabled readers 36: 1037
Masking of the achromatic system: Implications for saccadic suppression 36: 1551
Neurophysiological evidence for contrast dependent long-range facilitation and suppression in the human visual cortex 36: 2099
Spatial properties of filters underlying vernier acuity revealed by masking: Evidence for collator mechanisms 36: 2459
Isolating excitatory and inhibitory nonlinear spatial interactions involved in contrast detection 36: 2497
Spatial and temporal properties of illusory contours and amodal boundary completion 36: 3037

MCCOLLOUGH EFFECT (*see* AFTEREFFECTS)

MEMORY (*see* COGNITION)

METACONTRAST (*see* MASKING)

MONOCULAR VISION
Contrast sensitivity in one-eyed subjects 36: 175
Monocular dot-density cues in random-dot stereograms 36: 345
Infant peripheral vision: The development of monocular visual acuity in the first 3 months of postnatal life 36: 1207
Binocular eye movements caused by the perception of three-dimensional structure from motion 36: 1479
Contrast letter thresholds in the non-affected eye of strabismic and unilateral eye enucleated subjects 36: 3011
Learning to look with one eye: The use of head turn by normals and strabismics 36: 3237
Consequences of monocular diplopia for the contrast sensitivity function 36: 3587
Monocular diplopia caused by ocular aberrations and hyperopic defocus 36: 3597
Depth asymmetry in da Vinci stereopsis 36: 3815

MORPHOLOGY (*see* NEUROANATOMY)

MOTION PERCEPTION
Localizing contours defined by more than one attribute 36: 53
Is the motion system relatively spared in amblyopia? Evidence from cortical evoked responses 36: 181
On the relative contributions of motion energy and transparency to the perception of moving plaids 36: 207
Apparent speed of type I symmetrical plaids 36: 223
Motion detection is limited by element density not spatial frequency 36: 545
Sub-pixel accuracy: psychophysical validation of an algorithm for fine positioning and movement of dots on visual displays 36: 605
Modification of the Filehne illusion by conditioning visual stimuli 36: 741
Contribution of area MT to perception of three-dimensional shape: a computational study 36: 869
Disparity tuning of the stereoscopic (Cyclopean) motion aftereffect 36: 975

The relative efficacy of cues for two-dimensional shape perception 36: 1141
The interpretation of visual motion: Evidence for surface segmentation mechanisms 36: 1291
Binocular eye movements caused by the perception of three-dimensional structure from motion 36: 1479
Infants' sensitivity to uniform motion 36: 1633
Contribution of chromatic mechanisms to the production of small-field optokinetic nystagmus (OKN) in normals and strabismics 36: 1687
Undersampling produces non-veridical motion perception, but not necessarily motion reversal, in peripheral vision 36: 1737
Direction-selective adaptation and simultaneous contrast induced by stereoscopic (cyclopean) motion 36: 1773
Better performance through amblyopic than through normal eyes 36: 1939
The detection of stimuli rotating in depth amid linear motion and rotating distractors 36: 2271
The spatial grain of motion perception in human peripheral vision 36: 2283
Vernier in motion: What accounts for the threshold elevation? 36: 2395
Contrast sensitivity of the motion system 36: 2411
Measuring the attentional speed-up in the motion induction effect 36: 2433
Two contributions to motion induction: A preattentive effect and facilitation due to attentional capture 36: 2447
Motion coherence across different chromatic axes 36: 2475
What is noise for the motion system? 36: 2579
A model of temporal adaptation in fly motion vision 36: 2595
Non-visual information in structure-from-motion 36: 3119
A puzzling percept of stimulus stabilization 36: 3325
Visually elicited head rotation in pigeons *(Columba livia)* 36: 3329
Motion integration with dot patterns: effects of motion noise and structural information 36: 3415
The interaction of binocular disparity and motion parallax in the computation of depth 36: 3457
Motion detection in goldfish investigated with the optomotor response is "color blind" 36: 4025

MOTION PERCEPTION (APERTURE PROBLEM)
Increased motion linking across edges with decreased luminance contrast, edge width and duration 36: 2061
The barberplaid illusion: Plaid motion is biased by elongated apertures 36: 3061

MOTION PERCEPTION (APPARENT MOTION)
Motion capture and visual attention: comments on Culham and Cavanagh (1994) 36: 77
Motion capture and visual attention: a reply to Ramachandran (1996) 36: 79
Cortical dynamics of form and motion integration: persistence, apparent motion, and illusory contours 36: 149
The effect of dark and equiluminant occlusion on the interocular transfer of visual aftereffects 36: 707
Relative efficiency for the detection of apparent motion 36: 2297
A model for the spatial integration and differentiation of velocity signals 36: 2939
Perceptual stability and the selective adaptation of perceived and unperceived motion directions 36: 3311
Precise assessment of the mean effective luminance of texture patches—An approach based on reverse-phi motion 36: 3775

MOTION PERCEPTION (DIRECTIONAL SENSITIVITY)
A cell model for the detection of local image motion on the magno-cellular pathway of the visual cortex 36: 117
Infant contrast detectors are selective for direction of motion 36: 281
Infant color vision: Motion nulls for red/green vs luminance-modulated stimuli in infants and adults 36: 955
Direction repulsion between components in motion transparency 36: 1177
Coherence, cardinal directions and higher-order mechanisms 36: 1235
Further evidence for monocular determinants of perceived plaid direction 36: 1247
Visual motion processing in one-month-old infants: Preferential looking experiments 36: 1671
Visual motion processing in one-month-old infants: Habituation experiments 36: 1679
Responses to opposed directions of motion: Continuum or independent mechanisms? 36: 1931
Increased motion linking across edges with decreased luminance contrast, edge width and duration 36: 2061
Integration across directions in dynamic random dot displays: Vector summation or winner take all? 36: 2321
Directional motion sensitivity under transparent motion conditions 36: 2333
Global-motion perception: Interaction of chromatic and luminance signals 36: 2423
How similar must the Fourier spectra of the frames of a random-dot kinematogram be to support motion perception? 36: 2489
Responses of complex cells in area 17 of the cat to bi-vectorial transparent motion 36: 2805
Optical blur and the perception of global coherent motion in random dot cinematograms 36: 3051
The barberplaid illusion: Plaid motion is biased by elongated apertures 36: 3061
Cyclopean discrimination thresholds for the direction and speed of motion in depth 36: 3265
Infant motion: detection *(M:D)* ratios for chromatically defined and luminance-defined moving stimuli 36: 3293
Perceptual stability and the selective adaptation of perceived and unperceived motion directions 36: 3311
Motion integration with dot patterns: effects of motion noise and structural information 36: 3415
Simulating the detection of first-order optical flow components 36: 3539
Visual ageing: unspecific decline of the responses to luminance and colour 36: 3557
Assimilation-type and contrast-type bias of motion induced by the surround in a random-dot display: evidence for center-surround antagonism 36: 3629
The coherence of subjective gratings 36: 3661
Evidence for a feature tracking explanation of why type II plaids move in the vector sum direction at short durations 36: 3685

MOTION PERCEPTION (OPTIC FLOW)
Detection of first-order structure in optic flow fields 36: 259
On the relationship between deformation and perceived surface slant 36: 317
Estimating heading during real and simulated eye movements 36: 431
Ideal observer for heading judgments 36: 471
Cyclopean motion perception produced by oscillations of size, disparity and location 36: 655
Perceived motion in depth 36: 699
Metamerisms in structure-from-motion perception 36: 2197
Judgements of heading 36: 2337
Evidence in human subjects for independent coding of azimuth and elevation for direction of heading from optic flow 36: 2915

Cortical magnification, scale invariance and visual ecology 36: 2971
A novel speed illusion involving expansion and rotation patterns 36: 3281
Simulating the detection of first-order optical flow components 36: 3539
Mechanisms specialized for the perception of image geometry 36: 3607
The special role of distant structures in perceived object velocity 36: 3805

MOTION PERCEPTION (SPEED SENSITIVITY)
A cell model for the detection of local image motion on the magno-cellular pathway of the visual cortex 36: 117
Apparent speed of type I symmetrical plaids 36: 223
Infant contrast detectors are selective for direction of motion 36: 281
Speed estimates from grating patches are not contrast-normalized 36: 667
Perceived motion in depth 36: 699
Direction repulsion between components in motion transparency 36: 1177
Perceived velocity of luminance, chromatic and non-Fourier stimuli: Influence of contrast and temporal frequency 36: 1281
Visual motion processing in one-month-old infants: Preferential looking experiments 36: 1671
Visual motion processing in one-month-old infants: Habituation experiments 36: 1679
Speed discrimination under stabilized and normal viewing conditions 36: 1819
Poor speed discrimination suggests that there is no specialized speed mechanism for cyclopean motion 36: 2149
Motion sharpening: Evidence for the addition of high spatial frequencies to the effective neural image 36: 2729
Perception of visual motion with modulated velocity: Effects of viewing distance and aperture size 36: 2873
Evidence in human subjects for independent coding of azimuth and elevation for direction of heading from optic flow 36: 2915
Cyclopean discrimination thresholds for the direction and speed of motion in depth 36: 3265
A novel speed illusion involving expansion and rotation patterns 36: 3281
Speed discrimination of distal stimuli during smooth pursuit eye motion 36: 3507
The coherence of subjective gratings 36: 3661
What is the denominator for contrast normalisation? 36: 3759

MYOPIA
Diffuser contact lenses retard axial elongation in infant rhesus monkeys 36: 509
Effects on the compensatory responses to positive and negative lenses of intermittent lens wear and ciliary nerve section in chicks 36: 1023
Emmetropia approach dynamics with diurnal dual-phase cycling 36: 2249
The effect of refractive lenses on perceived direction 36: 3735

NATURAL IMAGES
Modelling the power spectra of natural images: Statistics and information 36: 2759

NEURAL NETWORKS
Cortical dynamics of form and motion integration: persistence, apparent motion, and illusory contours 36: 149
A model for inhibitory lateral interaction effects in perceived contrast 36: 1115
Effects of horizontal cell network architecture on signal spread in the turtle outer retina. Experiments and simulations 36: 4089

NEUROANATOMY

Distribution within the choroid of cholinergic nerve fibers from the ciliary ganglion in pigeons 36: 775

Immunohistochemical study of human optic nerve head astroglia 36: 2015

Structural specializations of human retinal glial cells 36: 2029

Adaptation-dependent changes of bipolar cell terminals in fish retina: effects on overall morphology and spinule formation in Ma and Mb cells 36: 3901

Quantitative analysis of triphasic (H3) horizontal cell—cone connectivity in the cyprinid fish (roach) retina 36: 4007

Synaptic inputs mediating bipolar cell responses in the tiger salamander retina 36: 4015

Effects of horizontal cell network architecture on signal spread in the turtle outer retina. Experiments and simulations 36: 4089

NEUROCHEMISTRY

The influence of $MgCl_2$ and APB on the light-induced potassium changes and the ERG *b*-wave of the isolated superfused rat retina 36: 499

Distribution within the choroid of cholinergic nerve fibers from the ciliary ganglion in pigeons 36: 775

L-Glutamate-induced responses in OFF-type bipolar cells of the cat retina 36: 787

Cholinergic effects on cat retina *in vitro:* changes in rod- and cone-driven *b*-wave and optic nerve response 36: 797

N-Acetylaspartylglutamate immunoreactivity in human retina 36: 941

$[Ca^{2+}]_i$ regulation by glutamate receptor agonists in cultured chick retina cells 36: 1091

Proton inhibition of the NMDA-gated channel in isolated catfish cone horizontal cells 36: 1521

On-line detection of glutamate release from cultured chick retinospheroids 36: 1867

Effects of excitatory amino acids on phosphoinositide metabolism in frog retina 36: 1873

c-*fos* Gene expression in postnatal rat retinas with light/dark cycle 36: 1883

Nitric oxide: A review of its role in retinal function and disease 36: 2979

Bradykinin receptor inhibition affects the rod b-wave in the cat electroretinogram 36: 3843

Clearance of neurotransmitter from the cone synaptic cleft in goldfish retina 36: 3859

Possible role of the Müller cell in uptake and metabolism of glutamate in the mammalian outer retina 36: 3875

Ca^{2+} dependency of spinule plasticity at dendrites of retinal horizontal cells and its possible implication for the functional role of spinules 36: 3891

Quinine, intracellular pH and modulation of hemi-gap junctions in catfish horizontal cells 36: 3925

Cholinergic modulation of dopamine release and horizontal cell coupling in mudpuppy retina 36: 3933

Protein kinase C does not mediate the dopamine-dependent modulation of glutamate receptors in retinal horizontal cells of the perch *(Perca fluviatilis)* 36: 3939

Horizontal cells feed back to cones by shifting the cone calcium-current activation range 36: 3943

The effects of GABA and glycine on horizontal cells of the rabbit retina 36: 3987

Use-dependent and use-independent blocking actions of picrotoxin and zinc at the $GABA_C$ receptor in retinal horizontal cells 36: 3997

Synaptic inputs mediating bipolar cell responses in the tiger salamander retina 36: 4015

Reduction of red—green discrimination by dopamine D1 receptor antagonists and retinal dopamine depletion 36: 4035

Dopaminergic control of light-adaptive synaptic plasticity and role in goldfish visual behavior 36: 4045

NEUROTRANSMITTER (*see* NEUROCHEMISTRY)

NOISE
The effect of noise check size and shape on grating detectability 36: 271
Is the site of non-linear filtering in stereopsis before or after binocular combination? 36: 391
The efficiency of different cue types for reducing spatial-frequency uncertainty 36: 401
Recovery from adaptation for dynamic and static motion aftereffects: evidence for two mechanisms 36: 421
Intrinsic uncertainty and integration efficiency in bisection acuity 36: 717
Matched filtering by a photoreceptor membrane 36: 1529
A comparison of sampling efficiency and internal noise level in young and old subjects 36: 1641
What is noise for the motion system? 36: 2579
A new psychophysical method for determining the photopic spectral-luminosity function of the human eye 36: 2675
Statistical analysis of the information content in the activity of cortical neurons 36: 3525
Flicker sensitivity as a function of spectral density of external white temporal noise 36: 3767

OBITUARY
Alpern, Mathew 36: 3573

OCCLUSION
The effect of dark and equiluminant occlusion on the interocular transfer of visual aftereffects 36: 707
Binocular alignment in different depth planes 36: 2141
Illumination, shading and the perception of local orientation 36: 2351

OPTIC TECTUM
Disproportionate distribution of field potentials across the toad's tectal visual map in response to diffuse light ON and OFF stimulations 36: 19

OPTICAL QUALITY
Off-axis optical quality and retinal sampling in the human eye 36: 1103
Image formation by the crystalline lens and eye of the rainbow trout 36: 2641
Consequences of monocular diplopia for the contrast sensitivity function 36: 3587
Monocular diplopia caused by ocular aberrations and hyperopic defocus 36: 3597

ORIENTATION PERCEPTION
Temporal aspects of binocular slant perception 36: 43
Evidence for a neural mechanism that encodes angles 36: 323
A linear systems approach to the detection of both abrupt and smooth spatial variations in orientation-defined textures 36: 409
A second-order pattern reveals separate strategies for encoding orientation in two-dimensional space and space-time 36: 425
Does the human visual system implement an ideal observer theory of slant from texture? 36: 1163
A simple mechanism for detecting low curvatures 36: 1411
Angle judgment: Is the whole the sum of its parts? 36: 1721
Fourier and non-Fourier pattern discrimination compared 36: 1907
Relative size disparities and the perception of surface slant 36: 1919
Binocular correlation detection with oriented dynamic random-line stereograms 36: 2303

The effects of dot pattern parameters and constraints on the relative salience of vertical bilateral symmetry 36: 2311
Illumination, shading and the perception of local orientation 36: 2351
The influence of temporal phase differences on texture segmentation 36: 2689
Modelling the power spectra of natural images: Statistics and information 36: 2759
Learning pop-out detection: specificities to stimulus characteristics 36: 3487
Mechanisms specialized for the perception of image geometry 36: 3607
Two-dimensional aspect ratio discrimination for shape defined by orientation texture 36: 3695

PATHOLOGY

Infrared imaging of sub-retinal structures in the human ocular fundus 36: 191
Relative dispersion analysis enhances perimetric sensitivity 36: 491
Chromatic and luminance systems deficits in glaucoma 36: 621
Sites of disease action in a retinal dystrophy with supernormal and delayed rod electroretinogram *b*-waves 36: 889
Anticipatory smooth eye movements of high velocity triggered by large target steps: Normal performance and effect of cerebellar degeneration 36: 1341
Abnormalities of the retinal cone system in retinitis pigmentosa 36: 1699
Sex differences in macular pigment optical density: Relation to plasma carotenoid concentrations and dietary patterns 36: 2001
Selective magnocellular damage in melanoma-associated retinopathy: Comparison with congenital stationary nightblindness 36: 2369
Nitric oxide: A review of its role in retinal function and disease 36: 2979
Normal saturation processing provides a model for understanding the effects of disease on color perception 36: 2995
Cigarette smoking and retinal carotenoids: Implications for age-related macular degeneration 36: 3003
Intraocular light scatter in patients with retinitis pigmentosa 36: 3703
The enhanced S cone syndrome: an analysis of receptoral and post-receptoral changes 36: 3711
Retinal cell transplantation in the macula: new techniques 36: 4121

PERIPHERAL VISION

Development of contrast sensitivity across the visual field in macaque monkeys *(Macaca nemestrina)* 36: 239
Characterization of spatial aliasing and contrast sensitivity in peripheral vision 36: 249
Detection and identification of mirror-image letter pairs in central and peripheral vision 36: 331
Reduced perceptual dimensionality in extrafoveal vision 36: 1007
Off-axis optical quality and retinal sampling in the human eye 36: 1103
Infant peripheral vision: The development of monocular visual acuity in the first 3 months of postnatal life 36: 1207
Undersampling produces non-veridical motion perception, but not necessarily motion reversal, in peripheral vision 36: 1737
Age-related functional field losses are not eccentricity dependent 36: 1859
Development of grating acuity and contrast sensitivity in the central and peripheral visual field of the human infant 36: 1945
Losses in peripheral colour sensitivity predicted from "hit and miss" post-receptoral cone connections 36: 1995
Uncalibrated distortions *vs.* undersampling 36: 2121
The spatial grain of motion perception in human peripheral vision 36: 2283

A comparison of word recognition and reading performance in foveal and peripheral vision 36: 2665
Evidence in human subjects for independent coding of azimuth and elevation for direction of heading from optic flow 36: 2915
Do channels shift their tuning towards lower spatial frequencies in the periphery? 36: 3339
Peripheral colour vision: effects of rod intrusion at different eccentricities 36: 3407
Differences between fovea and periphery in the detection and discrimination of spatial offsets 36: 3469
Adaptation to peripheral flicker 36: 3479
Localization of a peripheral patch: The role of blur and spatial frequency 36: 3785

PERSISTENCE (*see also* AFTEREFFECTS)
Cortical dynamics of form and motion integration: persistence, apparent motion, and illusory contours 36: 149

PHASE SENSITIVITY
Detection and identification of mirror-image letter pairs in central and peripheral vision 36: 331
Sensitivity to spatial phase at equiluminance 36: 1153
The role of high-order phase correlations in texture processing 36: 1615
Neural encoding of binocular disparity: Energy models, position shifts and phase shifts 36: 1839
Amblyopic quasi-blindness for image structure 36: 2211

PHOTOCHEMISTRY
Sites of disease action in a retinal dystrophy with supernormal and delayed rod electroretinogram *b*-waves 36: 889
Daily variations in cGMP, guanylate cyclase and phosphodiesterase in the golden hamster retina 36: 1365
Lectin cytochemical analysis of glycoconjugates in photoreceptor cell membranes of *Lampetra japonica* 36: 1513
Matched filtering by a photoreceptor membrane 36: 1529
Identification of retinolisomers by high-performance liquid chromatography not unequivocal up to now 36: 1887
pH changes in frog rods upon manipulation of putative pH-regulating transport mechanisms 36: 3029

PHOTOPIC VISION
A new psychophysical method for determining the photopic spectral-luminosity function of the human eye 36: 2675

PHOTOPIGMENTS
Molecular cloning and characterization of the putative ultraviolet-sensitive visual pigment of goldfish 36: 933
Spectral tuning and molecular evolution of rod visual pigments in the species flock of Cottoid fish in Lake Baikal 36: 1217

PHOTORECEPTORS (*see also* CONES; RODS)
Images of cone photoreceptors in the living human eye 36: 1067
Lectin cytochemical analysis of glycoconjugates in photoreceptor cell membranes of *Lampetra japonica* 36: 1513
Matched filtering by a photoreceptor membrane 36: 1529
The pathways of light measured in fundus reflectometry 36: 2229
Nitric oxide: A review of its role in retinal function and disease 36: 2979

The effect of background luminance on visual responses to strong flashes: Perceived brightness and the early rise of photoreceptor responses 36: 3253
Ionic current model of the vertebrate rod photoreceptor 36: 4059
Effects of horizontal cell network architecture on signal spread in the turtle outer retina. Experiments and simulations 36: 4089
Retinal cell transplantation in the macula: new techniques 36: 4121

PIGMENT EPITHELIUM
Infrared imaging of sub-retinal structures in the human ocular fundus 36: 191
Rod outer segment renewal in the retinae of deep-sea fish 36: 3183
Retinal cell transplantation in the macula: new techniques 36: 4121

PLASTICITY
Learning pop-out detection: specificities to stimulus characteristics 36: 3487
Horizontal cell spinule dynamics in fish are affected by rearing in monochromatic light 36: 3879
Ca^{2+} dependency of spinule plasticity at dendrites of retinal horizontal cells and its possible implication for the functional role of spinules 36: 3891
Adaptation-dependent changes of bipolar cell terminals in fish retina: effects on overall morphology and spinule formation in Ma and Mb cells 36: 3901
Quantitative analysis of triphasic (H3) horizontal cell—cone connectivity in the cyprinid fish (roach) retina 36: 4007

POLARIZED LIGHT
Image formation by the crystalline lens and eye of the rainbow trout 36: 2641

PUPILS
A chromatic-cancellation property of human pupillary responses 36: 1543
Optical modulation transfer and contrast sensitivity with decentered small pupils in the human eye 36: 3575

REACTION TIME
Visual search for colour targets that are or are not linearly separable from distractors 36: 1439
Location vs feature: Reaction time reveals dissociation between two visual functions 36: 2125
Fixation conditions, the foveola and saccadic latency 36: 3195

READING
Detection and identification of mirror-image letter pairs in central and peripheral vision 36: 331
Reading unspaced text is not easy: comments on the implications of Epelboim *et al.'s* (1994) study for models of eye movement control in reading 36: 461
Much ado about nothing: the place of space in text 36: 465
The 'center of gravity' of words: evidence for an effect of the word-initial letters 36: 589
Effects of a red background on magnocellular functioning in average and specifically disabled readers 36: 1037
The presence of a magnocellular defect depends on the type of dyslexia 36: 1047
Blurring the image does not help disabled readers 36: 1503
On a failure to replicate: Methodologically close, but not close enough. A response to Hogben *et al.* 36: 1509
A comparison of word recognition and reading performance in foveal and peripheral vision 36: 2665

Psychophysics of reading—XIV. The page navigation problem in using magnifiers 36: 3723

RECEPTIVE FIELDS (*see also individual cell types)*
The abutting grating illusion 36: 109
Receptive field structure in the primate retina 36: 631
Contribution of area MT to perception of three-dimensional shape: a computational study 36: 869
A simple mechanism for detecting low curvatures 36: 1411
Statistical analysis of the information content in the activity of cortical neurons 36: 3525
Assimilation-type and contrast-type bias of motion induced by the surround in a random-dot display: evidence for center-surround antagonism 36: 3629
Modulation of horizontal cell receptive fields in the light adapted goldfish retina 36: 3913
The size of the horizontal cell receptive fields adapts to the stimulus in the light adapted goldfish retina 36: 4105

RECEPTOR POTENTIAL (*see* CONES; ELECTRORETINOGRAM; PHOTORECEPTORS; RODS)

REFRACTION
Diffuser contact lenses retard axial elongation in infant rhesus monkeys 36: 509
The effect of refractive lenses on perceived direction 36: 3735

RETINA
The effect of *in vivo* retinal cooling on the electroretinogram of the rabbit 36: 339
The influence of $MgCl_2$ and APB on the light-induced potassium changes and the ERG *b*-wave of the isolated superfused rat retina 36: 499
Receptive field structure in the primate retina 36: 631
L-Glutamate-induced responses in OFF-type bipolar cells of the cat retina 36: 787
Cholinergic effects on cat retina *in vitro:* changes in rod- and cone-driven *b*-wave and optic nerve response 36: 797
Sites of disease action in a retinal dystrophy with supernormal and delayed rod electroretinogram *b*-waves 36: 889
The time course of adaptation in macaque retinal ganglion cells 36: 913
N-Acetylaspartylglutamate immunoreactivity in human retina 36: 941
Monoclonal antibody C38 recognizes retinal ganglion cells in cats and rats 36: 1081
$[Ca^{2+}]_i$ regulation by glutamate receptor agonists in cultured chick retina cells 36: 1091
Off-axis optical quality and retinal sampling in the human eye 36: 1103
Catecholaminergic interplexiform cells in the retina of lizards 36: 1349
GABA immunopositive axons in the optic nerve and optic tract of macaque monkeys 36: 1357
Daily variations in cGMP, guanylate cyclase and phosphodiesterase in the golden hamster retina 36: 1365
Lectin cytochemical analysis of glycoconjugates in photoreceptor cell membranes of *Lampetra japonica* 36: 1513
Abnormalities of the retinal cone system in retinitis pigmentosa 36: 1699
Spatial frequency adaptation: Threshold elevation and perceived contrast 36: 1797
On-line detection of glutamate release from cultured chick retinospheroids 36: 1867
Effects of excitatory amino acids on phosphoinositide metabolism in frog retina 36: 1873
c-*fos* Gene expression in postnatal rat retinas with light/dark cycle 36: 1883
Sex differences in macular pigment optical density: Relation to plasma carotenoid concentrations and dietary patterns 36: 2001
Structural specializations of human retinal glial cells 36: 2029

Linear and nonlinear contributions to step responses in cat retinal ganglion cells 36: 2047
Glia cells of the monkey retina—II. Müller cells 36: 2381
Nitric oxide: A review of its role in retinal function and disease 36: 2979
pH changes in frog rods upon manipulation of putative pH-regulating transport mechanisms 36: 3029
Rod outer segment renewal in the retinae of deep-sea fish 36: 3183
The effect of background luminance on visual responses to strong flashes: Perceived brightness and the early rise of photoreceptor responses 36: 3253
Foveal cones form basal as well as invaginating junctions with diffuse ON bipolar cells 36: 3373
The synaptic complex of cones in the fovea and in the periphery of the macaque monkey retina 36: 3383
Modulating wavelength discrimination in goldfish with ethambutol and stimulus intensity 36: 3519
The enhanced S cone syndrome: an analysis of receptoral and post-receptoral changes 36: 3711
The AII amacrine network: coupling can increase correlated activity 36: 3743
A functional description based on morphology, physiology and neural modelling 36: 3857
Clearance of neurotransmitter from the cone synaptic cleft in goldfish retina 36: 3859
Possible role of the Müller cell in uptake and metabolism of glutamate in the mammalian outer retina 36: 3875
Horizontal cell spinule dynamics in fish are affected by rearing in monochromatic light 36: 3879
Adaptation-dependent changes of bipolar cell terminals in fish retina: effects on overall morphology and spinule formation in Ma and Mb cells 36: 3901
Modulation of horizontal cell receptive fields in the light adapted goldfish retina 36: 3913
Cholinergic modulation of dopamine release and horizontal cell coupling in mudpuppy retina 36: 3933
Horizontal cells feed back to cones by shifting the cone calcium-current activation range 36: 3943
Spatial and temporal properties of cat horizontal cells after prolonged dark adaptation 36: 3955
Gain control and hyperpolarization level in cat horizontal cells as a function of light and dark adaptation 36: 3969
The effects of GABA and glycine on horizontal cells of the rabbit retina 36: 3987
Use-dependent and use-independent blocking actions of picrotoxin and zinc at the $GABA_C$ receptor in retinal horizontal cells 36: 3997
Reduction of red—green discrimination by dopamine D1 receptor antagonists and retinal dopamine depletion 36: 4035
Dopaminergic control of light-adaptive synaptic plasticity and role in goldfish visual behavior 36: 4045
Ionic current model of bipolar cells in the lower vertebrate retina 36: 4069
Effects of horizontal cell network architecture on signal spread in the turtle outer retina. Experiments and simulations 36: 4089
The size of the horizontal cell receptive fields adapts to the stimulus in the light adapted goldfish retina 36: 4105

RETINAL DISEASE (*see* PATHOLOGY)

ROBOT VISION
Stability of binocular depth perception with moving head and eyes 36: 3827

ROD-CONE INTERACTION (*see* CONES; RODS)

RODS
Rod temporal channels 36: 613
Cholinergic effects on cat retina *in vitro:* changes in rod- and cone-driven *b*-wave and optic nerve response 36: 797
Sites of disease action in a retinal dystrophy with supernormal and delayed rod electroretinogram *b*-waves 36: 889
Spectral tuning and molecular evolution of rod visual pigments in the species flock of Cottoid fish in Lake Baikal 36: 1217
An alternative phototransduction model for human rod and cone ERG *a*-waves: Normal parameters and variation with age 36: 2609
Summation of rod and S cone signals at threshold in human observers 36: 2681
pH changes in frog rods upon manipulation of putative pH-regulating transport mechanisms 36: 3029
Rod outer segment renewal in the retinae of deep-sea fish 36: 3183
Peripheral colour vision: effects of rod intrusion at different eccentricities 36: 3407
Ionic current model of the vertebrate rod photoreceptor 36: 4059

SACCADES (*see* EYE-MOVEMENTS, SACCADIC)

SACCADIC SUPPRESSION (*see* SUPPRESSION)

SATURATION
Saturation revealed by clamping the gain of the retinal light response 36: 2553
Asymmetries in simple feature searches for color 36: 2837
Normal saturation processing provides a model for understanding the effects of disease on color perception 36: 2995

SCOTOPIC VISION
Rod temporal channels 36: 613
Selective magnocellular damage in melanoma-associated retinopathy: Comparison with congenital stationary nightblindness 36: 2369
An alternative phototransduction model for human rod and cone ERG *a*-waves: Normal parameters and variation with age 36: 2609
The AII amacrine network: coupling can increase correlated activity 36: 3743

SEGMENTATION
Localization and discrimination of "pop-out" targets 36: 313
Cortical oscillatory responses do not affect visual segmentation 36: 539
The interpretation of visual motion: Evidence for surface segmentation mechanisms 36: 1291
Perceived texture segregation in chromatic element-arrangement patterns: High intensity interference 36: 1745
Increased motion linking across edges with decreased luminance contrast, edge width and duration 36: 2061
The influence of temporal phase differences on texture segmentation 36: 2689
The role of the background: Texture segregation and figure-ground segmentation 36: 2815
A model for the spatial integration and differentiation of velocity signals 36: 2939
Motion integration with dot patterns: effects of motion noise and structural information 36: 3415

SHORT-WAVELENGTH-SENSITIVITY PATHWAY
Binocular rivalry with isoluminant stimuli visible only via short-wavelength-sensitive cones 36: 1561
Summation of rod and S cone signals at threshold in human observers 36: 2681
Phylogenetic relationships among short wavelength-sensitive opsins of American chameleon *(Anolis carolinensis)* and other vertebrates 36: 2797
Specificity and selectivity of chromatic visual evoked potentials 36: 3397
Reply to "Specificity and selectivity of chromatic visual evoked potentials" 36: 3403
Confusion points and constant-luminance planes for trichromats, protanopes and deuteranopes 36: 3501
S-cone spatial contrast sensitivity can be independent of pre-receptoral factors 36: 3549
The enhanced S cone syndrome: an analysis of receptoral and post-receptoral changes 36: 3711

SIZE PERCEPTION
Linking object boundaries at scale: a common mechanism for size and shape judgments 36: 361
The effect of display size on disparity scaling from differential perspective and vergence cues 36: 1255

SPATIAL FREQUENCY (*see also* PHASE SENSITIVITY)
Contrast sensitivity in one-eyed subjects 36: 175
Apparent speed of type I symmetrical plaids 36: 223
Masking of spatial frequency in visual memory depends on distal, not retinal, frequency 36: 233
The efficiency of different cue types for reducing spatial-frequency uncertainty 36: 401
Motion detection is limited by element density not spatial frequency 36: 545
Rod temporal channels 36: 613
Spatial frequency sweep pattern reversal VER acuity vs Snellen visual acuity: effect of optical defocus 36: 903
Effect of spatial scale and background luminance on the intensive and spatial nonlinearities in texture segregation 36: 1371
Temporal limits of brightness induction and mechanisms of brightness perception 36: 1391
Perceived texture segregation in chromatic element-arrangement patterns: High intensity interference 36: 1745
Brightness contrast from inhomogeneous surrounds 36: 1783
Spatial frequency adaptation: Threshold elevation and perceived contrast 36: 1797
Fourier and non-Fourier pattern discrimination compared 36: 1907
Contrast transfer characteristics of visual short-term memory 36: 2159
Stereopsis from interocular spatial frequency differences is not robust 36: 2263
Vernier in motion: What accounts for the threshold elevation? 36: 2395
Spatial properties of filters underlying vernier acuity revealed by masking: Evidence for collator mechanisms 36: 2459
How similar must the Fourier spectra of the frames of a random-dot kinematogram be to support motion perception? 36: 2489
Temporal and spatial frequency tuning of the flicker motion aftereffect 36: 2721
Motion sharpening: Evidence for the addition of high spatial frequencies to the effective neural image 36: 2729
Modelling the power spectra of natural images: Statistics and information 36: 2759
Color appearance of mixture gratings 36: 2849
Optical blur and the perception of global coherent motion in random dot cinematograms 36: 3051
Individual differences in contrast sensitivity functions: The lowest spatial frequency channels 36: 3077

Do channels shift their tuning towards lower spatial frequencies in the periphery? 36: 3339
Specific effects of spatial-frequency uncertainty and different cue types on contrast detection: data and models 36: 3429
Visual ageing: unspecific decline of the responses to luminance and colour 36: 3557
Localization of a peripheral patch: The role of blur and spatial frequency 36: 3785

SPATIAL VISION (*see also* PHASE SENSITIVITY)
Magnetic and electrical brain responses to chromatic contrast in human 36: 1
Evidence for a neural mechanism that encodes angles 36: 323
A second-order pattern reveals separate strategies for encoding orientation in two-dimensional space and space-time 36: 425
Pattern-color separable pathways predict sensitivity to simple colored patterns 36: 515
Postsaccadic target blanking prevents saccadic suppression of image displacement 36: 985
Effect of exposure duration on spatial uncertainty in normal and amblyopic eyes 36: 1189
Contour integration with colour and luminance contrast 36: 1265
Hyperacuity for spatial localization of contrast-modulated patterns 36: 1329
Localization of element clusters: Multiple cues 36: 1467
Limitations on position coding imposed by undersampling and univariance 36: 2111
Uncalibrated distortions *vs.* undersampling 36: 2121
Selective magnocellular damage in melanoma-associated retinopathy: Comparison with congenital stationary nightblindness 36: 2369
Spatial properties of filters underlying vernier acuity revealed by masking: Evidence for collator mechanisms 36: 2459
Different mechanisms may underlie the performance in relative localization tasks 36: 2531
Positional loss in strabismic amblyopia: Inter-relationship of alignment threshold, bias, spatial scale and eccentricity 36: 2771
Psychophysical end-stopping associated with line targets 36: 2883
Individual differences in contrast sensitivity functions: The lowest spatial frequency channels 36: 3077
Spatial scaling of end-stopped perceptive fields: Differences in neural bases of end-zones, flanks and centers 36: 3129
Primitives used in the spatial localization of nonabutting stimuli: peaks or centroids 36: 3821

SPECTRAL SENSITIVITY
Mechanisms underlying the detection of increments in parafoveal retina 36: 373
Molecular cloning and characterization of the putative ultraviolet-sensitive visual pigment of goldfish 36: 933
Spectral tuning and molecular evolution of rod visual pigments in the species flock of Cottoid fish in Lake Baikal 36: 1217
Increment threshold and purity discrimination spectral sensitivities of X-chromosome-linked color defective observers 36: 1597
Chromatic content of spectral lights 36: 2537
ERG measurements of the spectral sensitivity of common chimpanzee *(Pan troglodytes)* 36: 2587
A new psychophysical method for determining the photopic spectral-luminosity function of the human eye 36: 2675
Measurements of human sensitivity to comb-filtered spectra 36: 2713

SPEED (*see* MOTION PERCEPTION (SPEED SENSITIVITY))

SPHERICAL ABERRATION (*see* ABERRATION)

STABILIZED VISION
Brightness of uniform stabilized fields 36: 351
Speed discrimination under stabilized and normal viewing conditions 36: 1819
Visually elicited head rotation in pigeons *(Columba livia)* 36: 3329

STEREOPSIS
The binocular computation of visual direction 36: 27
Temporal aspects of binocular slant perception 36: 43
Sequential stereopsis: a simple demonstration 36: 307
Is the site of non-linear filtering in stereopsis before or after binocular combination? 36: 391
Spatio-temporal requirements for binocular correlation in stereopsis 36: 527
Multiple matching of features in simple stereograms 36: 675
Color perception with test and adapting lights perceived in different depth planes 36: 949
Disparity tuning of the stereoscopic (Cyclopean) motion aftereffect 36: 975
Differences between stereopsis, interocular correlation and binocularity 36: 1127
Stereoacuity and colour contrast 36: 1311
FPL and VEP measures of fusion, stereopsis and stereoacuity in normal infants 36: 1321
Can random-dot stereograms serve as a model for the perception of depth in relation to real three-dimensional objects? 36: 1473
Binocular eye movements caused by the perception of three-dimensional structure from motion 36: 1479
Direction-selective adaptation and simultaneous contrast induced by stereoscopic (cyclopean) motion 36: 1773
Neural encoding of binocular disparity: Energy models, position shifts and phase shifts 36: 1839
Relative size disparities and the perception of surface slant 36: 1919
The time course of 2-D shape discrimination in random dot stereograms 36: 1955
Stereoscopic depth perception and vertical disparity: Neural mechanisms 36: 1969
Binocular alignment in different depth planes 36: 2141
Poor speed discrimination suggests that there is no specialized speed mechanism for cyclopean motion 36: 2149
Anisotropy in Werner's binocular depth contrast effect 36: 2253
Stereopsis from interocular spatial frequency differences is not robust 36: 2263
Binocular correlation detection with oriented dynamic random-line stereograms 36: 2303
The influence of target angular velocity on visual latency difference determined using the rotating Pulfrich effect 36: 2865
Cyclopean discrimination thresholds for the direction and speed of motion in depth 36: 3265
Stereoscopic depth constancy depends on the subject's task 36: 3441
Enduring stereoscopic motion aftereffects induced by prolonged adaptation 36: 3655
The special role of distant structures in perceived object velocity 36: 3805
Depth asymmetry in da Vinci stereopsis 36: 3815
Stability of binocular depth perception with moving head and eyes 36: 3827

STILES-CRAWFORD EFFECT
The pathways of light measured in fundus reflectometry 36: 2229

STRABISMUS (*see also* AMBLYOPIA)
Is the motion system relatively spared in amblyopia? Evidence from cortical evoked responses 36: 181
Components of visual acuity loss in strabismus 36: 765
Contribution of chromatic mechanisms to the production of small-field optokinetic nystagmus (OKN) in normals and strabismics 36: 1687
Cyclopean and disconjugate adaptive recovery from post-saccadic drift in strabismic children before and after surgery 36: 2897
Contrast letter thresholds in the non-affected eye of strabismic and unilateral eye enucleated subjects 36: 3011
Learning to look with one eye: The use of head turn by normals and strabismics 36: 3237

SUMMATION, PROBABILITY
Summation of rod and S cone signals at threshold in human observers 36: 2681

SUMMATION, SPATIAL
Brightness induction from uniform and complex surrounds: A general model 36: 1893

SUPPRESSION
Postsaccadic target blanking prevents saccadic suppression of image displacement 36: 985
Masking of the achromatic system: Implications for saccadic suppression 36: 1551
Temporal impulse response functions for luminance and colour during saccades 36: 2069

TECHNIQUES
Infrared imaging of sub-retinal structures in the human ocular fundus 36: 191
The effect of *in vivo* retinal cooling on the electroretinogram of the rabbit 36: 339
A geometric basis for measurement of three-dimensional eye position using image processing 36: 445
Relative dispersion analysis enhances perimetric sensitivity 36: 491
Sub-pixel accuracy: psychophysical validation of an algorithm for fine positioning and movement of dots on visual displays 36: 605
Dynamical version-vergence interactions for a binocular implementation of Donders' law 36: 853
A simplified calibration method for three-dimensional eye movement recordings using search-coils 36: 997
Colour contrast thresholds in congenital colour defectives 36: 1055
Identification of retinolisomers by high-performance liquid chromatography not unequivocal up to now 36: 1887
A novel method for measuring saccade profiles using the scanning laser ophthalmoscope 36: 1987
Structural specializations of human retinal glial cells 36: 2029
The pathways of light measured in fundus reflectometry 36: 2229
Glia cells of the monkey retina—II. Müller cells 36: 2381
ERG measurements of the spectral sensitivity of common chimpanzee *(Pan troglodytes)* 36: 2587
An alternative phototransduction model for human rod and cone ERG *a*-waves: Normal parameters and variation with age 36: 2609
A wide-angle gradient index optical model of the crystalline lens and eye of the rainbow trout 36: 2623
Modelling the power spectra of natural images: Statistics and information 36: 2759
Investigating shape-from-shading illusions using solid objects 36: 2827
Confusion points and constant-luminance planes for trichromats, protanopes and deuteranopes 36: 3501

Precise assessment of the mean effective luminance of texture patches—An approach based on reverse-phi motion 36: 3775
Retinal cell transplantation in the macula: new techniques 36: 4121

TEMPORAL DISCRIMINATION
Infant contrast detectors are selective for direction of motion 36: 281
The influence of temporal phase differences on texture segmentation 36: 2689

TEMPORAL FREQUENCY
Apparent speed of type I symmetrical plaids 36: 223
Spatio-temporal requirements for binocular correlation in stereopsis 36: 527
Rod temporal channels 36: 613
Temporal limits of brightness induction and mechanisms of brightness perception 36: 1391
Flicker brightness enhancement and visual nonlinearity 36: 1573
Temporal and spatial frequency tuning of the flicker motion aftereffect 36: 2721
Development of the temporal properties of visual evoked potentials to luminance and colour contrast in infants 36: 3141
Visual ageing: unspecific decline of the responses to luminance and colour 36: 3557
Flicker sensitivity as a function of spectral density of external white temporal noise 36: 3767

TEXTURE PERCEPTION
Localizing contours defined by more than one attribute 36: 53
A linear systems approach to the detection of both abrupt and smooth spatial variations in orientation-defined textures 36: 409
Second-order illusions: Mach bands, Chevreul, and Craik—O'Brien—Cornsweet 36: 559
Does the human visual system implement an ideal observer theory of slant from texture? 36: 1163
Effect of spatial scale and background luminance on the intensive and spatial nonlinearities in texture segregation 36: 1371
The effect of illuminant position on perceived curvature 36: 1399
The role of high-order phase correlations in texture processing 36: 1615
Towards a texture naming system: Identifying relevant dimensions of texture 36: 1649
Perceived texture segregation in chromatic element-arrangement patterns: High intensity interference 36: 1745
Face recognition under varying poses: The role of texture and shape 36: 1761
The influence of temporal phase differences on texture segmentation 36: 2689
The role of the background: Texture segregation and figure-ground segmentation 36: 2815
Centroid analysis predicts visual localization of first- and second-order stimuli 36: 2957
Two-dimensional aspect ratio discrimination for shape defined by orientation texture 36: 3695

THRESHOLD (*see* CONTRAST SENSITIVITY; DETECTION THRESHOLD; INCREMENT THRESHOLD)

TRANSPARENCY
On the relative contributions of motion energy and transparency to the perception of moving plaids 36: 207
Direction repulsion between components in motion transparency 36: 1177
The interpretation of visual motion: Evidence for surface segmentation mechanisms 36: 1291
Directional motion sensitivity under transparent motion conditions 36: 2333
A model for the spatial integration and differentiation of velocity signals 36: 2939

TRITANOPIA (*see* DICHROMACY)

VELOCITY (*see* MOTION PERCEPTION (SPEED SENSITIVITY))

VERNIER ACUITY (*see* HYPERACUITY)

VISUAL DIRECTION
The binocular computation of visual direction 36: 27
On the relative contributions of motion energy and transparency to the perception of moving plaids 36: 207
Egocentric localization of a perisaccadic flash by manual pointing 36: 837
The effect of refractive lenses on perceived direction 36: 3735

WAVELENGTH DISCRIMINATION (*see* COLOR DISCRIMINATION)

VISION RESEARCH

INSTRUCTIONS TO AUTHORS

General

Five double-spaced typewritten copies of the manuscript and illustrations are required. The original plus three copies must be submitted to the central office, preferably by airmail:

Vision Research
P.O. Box 12011
1100 AA Amsterdam-Zuidoost
The Netherlands

and one copy to one of the 10 Section Editors whose subject area most closely relates to the work submitted. This holds for full papers as well as for Rapid Communications. (Please indicate to the central office which Section Editor you have selected; every sixth issue of *Vision Research* contains a full description of the scope of each section). To speed up the reviewing process, the title and abstract of your manuscript should be Emailed simultaneously to the Section Editor of your choice. Should you prefer to send your manuscript by express *courier*, please contact the Central Office by email (e.borghols@ioi.knaw.nl) to obtain the appropriate address, since courier services do not accept packages addressed to a P.O. Box number.

Section 1

YUTAKA FUKUDA, Department of Physiology, Osaka University Medical School, 2-2 Yamadaoka, Suita, 565 Osaka, Japan [*Email* vr@phys2.med.osaka-u.ac.jp]

SAMUEL M. WU, Cullen Eye Institute, Baylor College of Medicine, Houston, TX 77030, U.S.A. [*Email* sam@cephalo.neusc.bcm.tmc.edu]

Section 2

DENNIS M. LEVI, University of Houston, Central Campus, College of Optometry, 4901 Calhoun Boulevard, Houston, TX 77204-6052, U.S.A. [*Email* dlevi@uh.edu]

STEVEN K. SHEVELL, Visual Sciences Center, The University of Chicago, 939 East 57th Street, Chicago, IL 60637, U.S.A. [*Email* shevell@uchicago.edu]

Section 3

EILEEN KOWLER, Department of Psychology, Rutgers University, New Brunswick, NJ 08903, U.S.A. [*Email* kowler@rci.rutgers.edu]

CHRISTA NEUMEYER, Institut für Zoologie (Abt. III), Johannes Gutenberg Universität, 55099 Mainz, Germany [*Email* neumeyer@mzdmza.zdv.uni-mainz.de]

Section 4

ELLEN C. HILDRETH, Department of Computer Science, Wellesley College, Wellesley, MA 02181, U.S.A. [*Email* ehildreth@wellesley.edu]

CONCETTA MORRONE, Istituto di Neurofisiologia del C.N.R., Via S. Zeno, 51, 56100, Pisa, Italy [*Email* concetta@neuro.in.pi.cnr.it]

Section 5

IVAN BODIS-WOLLNER, Department of Neurology, SUNY Health Science Center at Brooklyn, 450 Clarkson Avenue, Box 1213, Brooklyn, NY 11203, U.S.A. [*Email* bodisi01@hscbklyn.edu]

EBERHART ZRENNER, Department of Pathophysiology of Vision and Neuro-Ophthalmology, University of Tübingen, Schleichstraße 12–16, 72076 Tübingen, Germany [*Email* eberhart.zrenner@uni-tuebingen.de]

Authors are urged to be as concise as their material will allow, both in text and in illustrations and to take particular care to ensure that the paper is in final form once submitted. Papers of monograph length will not be considered, nor will a series of numbered papers. *Rapid Communications* should not exceed a length of about 2000 words.

All manuscripts should be accompanied by a clear statement that the work has not been published elsewhere and is not under review with another journal, and that if published in *Vision Research* it will not be reprinted elsewhere in any language in the same form without the consent of the publisher, who holds the copyright. Authors should keep copies of all material submitted. Manuscripts will not be returned, and top copies of the artwork will be returned only if this is specifically indicated.

All authors must sign the 'Transfer of Copyright' agreement before the article can be published. This transfer agreement enables Elsevier Science Ltd to protect the copyrighted material for the authors, but does not relinquish the author's proprietary rights. The copyright transfer covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations, and includes the right to adapt the article for use in conjunction with computer systems and programs, including reproduction or publication in machine-readable form and incorporation in retrieval systems. Authors are responsible for obtaining from the copyright holder permission to reproduce any figures for which copyright exists.

Full papers and Rapid Communications will be judged by two qualified reviewers. Authors volunteering to prepare *Minireviews* are invited to submit proposals to the appropriate Section Editor including the following information: (1) title, (2) justification for a Minireview at this time on the topic selected, (3) a rough outline and (4) a **firm** date for submission of the completed work, should the Section Editor accept the proposal. *Vision Research* has a restrictive *Obituary* policy. Obituaries should be submitted to the appropriate section Editor and the Chairman, and should not exceed a length of about 900 words.

Specific

1. Papers should be written in the English language, accompanied by an abstract. The title page should include up to five key words selected from the key word list published bi-annually in the first and thirteenth issues of *Vision Research*. If a key word which does not appear in the list is needed, it should be underlined. Animal classification should also be given to serve as a guideline for abstracting and indexing. A running head of no more than 40 characters should be provided.
2. The abstract must be no longer than 100 words and should supplement the title informing the reader of the essential points of the paper.
3. Authors are encouraged to use 95% confidence limits. For purely descriptive studies, rather than those which aim to compare means, the standard deviation is an appropriate measure.
4. The manuscript should be single-sided, double-space *typewritten* with generous margins. All material will be discarded **one month** after publication, unless the publisher is requested to return orginal material to the author.

5. Rejected manuscripts and figures will not be returned to authors, unless specifically required. Rejected manuscripts will not be reconsidered for publication, so they cannot be resubmitted as a revision. Submission as a new paper is possible if manuscript and experiments have been extended substantially.
6. Authors should return a revised manuscript within 6 months, otherwise it will be treated as a new submission. All material will be discarded after 1 year.
7. *Electronic Manuscripts*

   Authors are encouraged to submit a computer disk (5.25″ or 3.5″ HD/DD disk) containing the *final* version of the paper along with the *final* manuscript to the Editorial office. Please observe the following criteria:

   (a) Send only hard copy when first submitting your paper.

   (b) When your paper has been refereed, revised if necessary and accepted, send a disk containing the final version with the final hard copy. **It is essential that the printed version supplied is produced directly from the electronic version.** In the event of differences between disk and hard copy, the hard copy will be considered to be definitive.

   (c) Specify what software was used, including which release (e.g. WordPerfect 4.0).

   (d) Specify what computer was used (either IBM compatible PC or Apple Macintosh).

   (e) Include the text file and separate table and illustration files, if available.

   (f) The file should follow the general instructions on style/arrangement and, in particular, the reference style of this journal as given in item (10).

   (g) The file should be single spaced and should use the wrap-around end-of-line feature (i.e. no returns at the end of each line). Use hard returns (i.e. the enter key) only at the end of paragraphs. Page design will be handled by the publisher. There is no need therefore to use formatting commands such as centring, justifying text, indenting etc. Use the word processor's facilities to indicate the following text attributes: bold, underline, italic, superscript, subscript, strikeout. When using symbols to denote special characters please supply a list of all codes used. Do not use the hyphenation facilities available on the word processor. Authors should not use their own macros. When preparing tables, tabs should be used, not spaces, to align columns.

   (h) Authors wishing to submit their articles as a LaTeX/TeX file are recommended to use the "Article" style or LaTeX package which is available via anonymous FTP and CTAN centres on the Internet.

Host names	CTAN directory
ftp.dante.de	/pub/tex/macros/latex209/contrib/elsevier
ftp.tex.ac.uk	/pub/archive/macros/latex209/contrib/elsevier
ftp.shsu.ed	/tex-archive/macros/latex209/contrib/elsevier

   Further details on TeX can be obtained from Sebastian Rahtze: *Tel.* 44 1865 843662; *Fax* 44 1865 843905; *Email* s.rahtze@elsevier.co.uk.

   (i) Keep a back-up disk for reference and safety.
8. Reprints can be provided at a reasonable cost if ordered when the page proofs are returned. A reprint order form will accompany the proofs. Copies of the particular issue in which the article appears may also be ordered on this form, at a generous discount offer.
9. **Corrections to the proofs must be restricted to printer's errors.** Other than these, any substantial changes will be charged to the author.
10. When human subjects are used, manuscripts must be accompanied by a statement that the experiments were undertaken with the understanding and written consent of each subject. Authors should be aware of the Code of Ethics of the World Medical Association (Declaration of Helsinki), which has been printed in the *British Medical Journal* (18 July 1964). When experimental animals are used, the Methods section must clearly indicate that adequate measures were taken to minimize pain or discomfort. Experiments should be carried out in accordance with the European Communities Council Directive of 24 November 1986 (86/609/EEC) or with the Guidelines laid down by the NIH in the US regarding the care and use of animals for experimental procedures. Editors reserve the right to reject papers if there is doubt whether appropriate procedures have been used.
11. *References*

   (a) These should be cited in the text by giving the last name of the author (or authors) followed by the year of publication in parentheses, e.g. Hays (1963), Van den Brink and Bouman (1957) or (Zrenner & Gouras, 1981). If there are three or more authors, citations should read Kuhn *et al.* (1981). If there is more than one work by an author (or authors) in a given year, then they should be labelled alphabetically within each year (e.g. Rushton, 1965a,b).

   (b) The full references should be typed on a separate page and placed at the end of the article. They should not be given as footnotes. References should include the names of all the authors and their initials, the year of publication in parentheses, the full title of the article or book, name of the journal, the volume number and the pages. For books, the city of publication and the publisher should be given. The following may serve as illustrations.:

   Zrenner, E. & Gouras, P. (1981). Characteristics of the blue sensitive cone mechanism in primate retinal ganglion cells. *Vision Research, 21*, 1605–1609.

   Semmlow, J. L. & Hung, G. K. (1983). The near responses: Theories of control. In Schor, C. M. & Ciuffreda, K. J. (Eds), *Vergence eye movements: Basic and clinical aspects* (pp. 175–195). London: Butterworths.

   (c) Unpublished work, work in press or conference proceedings should be cited only exceptionally, and preprints *must* accompany the paper if they are essential to its argument.
12. *Illustrations and Tables*

   (a) Only standard size (*ca* 8½ × 12 in.) should be sent with the paper. They should not be affixed in place, but the proper places for insertion should be indicated in the text. All photographs, graphs and diagrams should be referred to as "Figures" and should be numbered consecutively, as should the tables. The legends should be typed, correspondingly, on a separate sheet at the end of the article. The author's name, the number, and an indication of the proper orientation should be written lightly on the back of each figure or table.

   (b) Halftone illustrations (e.g. micrographs) should be glossy prints and should be approximately 1.5 times the final size. In general, it is preferable that any lines or letters that are to appear on the photographs be inserted by the publisher. Their position should be drawn on a leaf of drawing paper firmly attached to the photograph, or on an additional print. Where possible, the author should include a guide to the Production Department which will help them identify the salient features to be reproduced.

   (c) Line drawings should be drawn on stiff white paper or tracing cloth, high quality computer graphics are acceptable. They should be approximately twice their final size. The letters and symbols should be drawn so that they will be clearly legible when reduced. The following standard symbols are readily available to the publisher: ○ △ □ ● ▲ ■ + ×. Other special symbols (e.g. Greek letters) should be made particularly legible and explicit.

TYPESET AND PRINTED IN GREAT BRITAIN BY PAGE BROS, NORWICH